
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Kelsey's Hardy American Plants



KELSEY'S HARDY AMERICAN PLANTS

PRICES ARE AT BOXFORD NURSERY



Rhododendrons, detail of edging, Ferns, Violets, etc.

NEW INTRODUCTIONS

New or little-known plants we have introduced to general cultivation include the following: Azalea vaseyi, Tsuga caroliniana (Carolina Hemlock), Rhododendron carolinianum, Shortia galacifolia, Stewartia pentagyna (American Camellia). Sarracenia catesbæi, Galax aphylla, Vaccinium erythrocarpum, Rhododendron catawbiense, Lilium grayi, L. carolinianum, Azalea arborescens, Saxifraga leucanthemifolia, Leucothoe catesbæi, Abies fraseri, Azalea lutea (Flame-colored Azalea), Asarum macranthum, Robinia kelseyi, Leiophyllum prostratum, and dozens of others.

WHY KELSEY'S NATIVE PLANTS ARE SO SUCCESSFUL

No small part of our success is due to the fact that these wild plants have been carefully transplanted and **made ready for safe planting by the buyer**, and the use of cheap "collected stock," lately so freely exploited by imitators, discouraged. The best and not the cheapest has been my persistent aim, and thousands of the finest estates and public grounds owe their charm and beauty to this fact. Besides this, nowhere else in America is found such a wealth of beautiful, wild, flowering shrubs and plants as in the Carolina mountains, and here soil and climate combine to make ideal conditions for growing not realized elsewhere on the continent.


Always address

BOXFORD NURSERY Boxford, Mass. HIGHLANDS NURSERY 3,800 ft. elevation in the Carolina Mountains

HARLAN P. KELSEY, Owner SALEM, MASSACHUSETTS

NOMENCLATURE

The botanical (scientific) names of Trees, Shrubs, and Woody Vines in this catalog conform to the 1917 Official Code of Standardized Plant Names, adopted and published by The American Joint Committee on Horticultural Nomenclature, as first printed in L. H. Bailey's "Standard Cyclopedia of American Horticulture," Vol. VI, 1917.






F. W. KELSEY NURSERY COMPANY

"EVERYTHING WORTH PLANTING"
150 BROADWAY, NEW YORK

FRED'K W. KELSEY, PRESIDENT R. B. KELSEY, VICE-PRESIDENT J. HENRY KERSHAW, SECRETARY



CABLE, KELNURCO NEW YORK
A B C CODE FIFTH EDITION
PHONES, 6380 AND 6381 CORTLANDT

April 30th, 1917.

Dear Sir:-

HARDY HYBRID RHODODENDRONS have been at a premium this season due to war conditions, and the non-arrival of shipments of nursery stock from Europe.

Of our first class Domestic Stock, we have now for prompt shipment 500 very fine plants, several times transplanted with ball, bushy and budded plants, suitable for immediate effect, and of the finest varieties, mainly, Reds and Crimsons, such as Atrosanguineum, Caractacus, Abraham Lincoln, Kottledrum, Lady Clermont, Mrs. Milner, F. D. Godman, Edward S. Rand, H. W. Sargent, and others, Everestianumm, Gloriosum, Grandiflorum, etc.

We now offer you these superior Hybrid Rhododendrons, viz.

250 of the 18 to 24 in. plants at \$148.50 per 100 250 of the 2 to $2\frac{1}{2}$ ft. plants at \$180.00 per 100

- a ten per cent reduction from our Wholesale Price List enclosed, or the complete collection of 250 of each grade, the full 500 plants for \$740.00. Or the 250 each grade for \$340.00 and \$420, respectively.


We are making this special offer to only a few of our present and prospective patrons to further extend the use of these beautiful Rhododendrons, which have everywhere given such excellent satisfaction in the many country estates we have for years furnished with these plants.

This is also an excellent time to plant the following stock on which we make you special terms as follows:-

RHODODENDRON MAXIMUM and KALMIA LARIFOLIA, fine plants, \$90.00 per car load. HEMLOCKS, transplanted, 2 to 3 ft., \$55.00 per 100; 3 to 4 ft. \$90.00 per 100 HEMLOCKS, Native, 6 to 12 in., \$16.00 per 1000; 1 to 2 ft. \$27.50 per 1000 BERBERIS THUNBERGII, Bushy, 1½ to 2 ft. \$7.50 per 100, \$70.00 per 1000 2 to 3 ft. 12.00 per 100, 98.50 per 1000 3 to 4 ft. 20.00 per 100, 185.00 per 1000

We suggest you telephone or wire at our expense on receipt of this your requirements, this offer being made subject to the stock remaining unsold.

Very truly yours,



PRICES ARE AT BOXFORD NURSERY



Thousands of plant-lovers would make a Rhododendron bed or planting if they felt assured of successful

SUCCESSFUL RHODODENDRON BORDERS

SIMPLE RULES WHICH WILL BRING PLEASING AND LASTING RESULTS

Many, discouraged by imagined or heard-of difficulties, never even make the attempt to grow Rhododendrons; yet, under average conditions, success is as simple and sure as with ordinary shrubs.

Nature Knows Best. Rhododendrons—and I include under this term, Azaleas, Kalmias, Leucothoës, and other ericaceous genera and similar native (and exotic) plants—grow naturally in shady, damp situations, being surface feeders, with fine, hair-like rootlets. Plainly, therefore, dry, hard ground or drought checks growth or kills outright. Nature provides against this by supplying a mulch of leaves the year round; very few gardeners have learned this lesson.

First Excavate the Bed, unless conditions are already favorable. A deep, porous soil prevents drought; excavate 2 to 3 feet or more, and see that in clay soils good drainage is provided, so that

water will not stagnate in the bottom and make "sour ground."

Material for the Bed. Rhododendrons live largely on vegetable mold and humus, presumably through the medium of a mycelium, which increases rapidly under suitable conditions; therefore fill in the excavation with woods' or leaf-mold, good loam, rotted field sods and a third in bulk of swamp muck or pulverized peat; while filling in this mixture one-tenth of sharp sand, or even more, should be added; if any manure is used, it must in every case be well rotted and practically reduced to humus. The center of the bed or plantation may be raised 6 to 12 inches above surrounding ground, after allowing for natural settling.

Planting. Plant the same depth as before (shown by earth line, or "collar" on stem) and

firmly press soil around roots with the foot, but don't pack the earth too solid—Rhododendrons are not telegraph poles. "Fillers," including Lilies and other bulbs and smaller ground-covering species, should be planted after the larger plants are all in and properly spaced.

Water. Soak all plantings with all the water they will take, for there is no other satisfactory

way to settle the earth firmly and bring it into physical contact with the roots.

The Great Secret. Mulch, and yet mulch again, all the year round. As soon as planted, cover the entire surface of the ground with a vegetable mulching—preferably hardwood leaves—to the depth of several inches when reasonably well settled. Never remove this mulching, but let it remain the year round, and every fall add a new layer of similar depth. A foot of leaves in the fall means but a half-inch or so of humus the coming season—the future food of the Rhododendrons or Azaleas. A thin dressing of loam and well-rotted manure may be used to hold down the fresh leaves till they begin to decay. The leaves keep the surface cool in summer and warm in winter. This is the great secret of Rhododendron-growing.

Winter Protection. If convenient, protect them with pine or other evergreen boughs, particularly where exposed to the sun and wind; yet Rhododendrons rarely suffer in the latitude of

Boston or Buffalo, if properly planted and mulched.



KELSEY'S HARDY AMERICAN RHODODENDRONS

PRICES ARE AT BOXFORD NURSERY

In the latitude of Ottawa and Quebec, Canada, a board fencing may be placed around the edge of the bed and much heavier temporary mulching of straw, etc., filled in almost or quite to the tops of the plants. It is rarely necessary to build a board cover, except on southern exposures to prevent sunburn, or with tender varieties not suitable for general planting, and even then evergreen boughs are preferable. Good ventilation must be provided.

Selecting the Location. For the Rhododendron bed, select a northern exposure, where possible, especially in low elevations in the South, or elsewhere where freezing and thawing is quite continual. A direct winter sun on the frozen leaves of any broad-leaved evergreen often kills outright or spoils the foliage. The north side of the building, wall, woods, or hill is always preferable, and

wind-swept locations should be avoided, unless proper measures are taken to check the heavy winds.

Limestone Soils Mean Death. Most ericaceous plants, and particularly Rhododendrons, Kalmias, Azaleas, Leucothoës, Vacciniums, Andromedas, Galax, Epigæa and similar species, and some Lilies and Ferns will not endure large quantities of line in any form. Permanent satisfactory results cannot be had, therefore, in soils impregnated with lime, and, where such conditions exist, excavation and filling in with proper materials must be resorted to. Sulfate of magnesia in considerable quantities is said to be a specific for limestone conditions, but conclusive experiments are yet to be made. An acid-soil condition must be maintained.

ENEMIES OF THE RHODODENDRON

Rhododendrons, Kalmias and similar plants have very few enemies. The only serious one is the Lace-wing Fly, which is native from New England throughout the Alleghanies, and is found on kalmia angustifolia, Rhododendron maximum, and Kalmia latifolia. This pest appears in early spring on the under side of the leaves and gets its sustenance by sucking the sap. The leaves turn brown, giving the plant a ragged, unkempt appearance. It is easily disposed of by spraying the under side of the leaves, using a very fine nozzle, with an emulsion of ten gallons of whale-oil soap to one hundred gallons of water. While the Lace-wing Fly is more at home on *Rhododendron maxi*mum, it does not hesitate to attack all other species to a greater or less extent. Plants in the shade are rarely infested to any great degree.

'FILLERS"-PLANTS TO BE USED WITH RHODODENDRONS

For the best landscape effects, as well as providing a continual succession of bloom throughout the season, and actually protecting the Rhododendrons and supplying a "feathered" edge to the ground, a large variety of shrubs and plants may be employed with the finest results. In fact, the clear planting of Rhododendrons without the use of "filler" or "edging" plants gives harsh, formal effects, which are neither desirable nor natural in any way. In the use of "fillers" great care must be taken as to time of blooming and color effects, so they do not clash. It is surprising how many "filler" plants can be used without detracting from the broad evergreen effect, and yet supplying an amazing amount of interesting detail and a continuous show of blossoms against a beautiful Rhododendron leaf background.

SOME OF THE BEST "FILLERS" AND "EDGING PLANTS"

Andromeda polifolia, Chamædaphne calyculata, Leiophyllum buxifolium, L. prostratum, Ilex glabra, Leucothoe catesbæi, Pieris floribunda, Ericas, Callunas, Taxus canadensis, Galax aphylla, Gaultheria procumbens, Houstonia serpyllifolia, Mitchella repens, Shortia galacifolia, Vinca minor, V. minor alba, Zanthorhiza apiifolia, Lilies, Trilliums, Erythroniums, Violets, Ferns in great variety, Dicentra eximia, Iris, Azaleas, Ilex verticillata, Aronia arbutifolia, and many other berry-bearing shrubs.

SAMPLE LIST OF MATERIALS USED IN A SMALL BUT SUCCESSFUL RHODODENDRON BED

Garden of Mr. George W. Meith, Hubbard Woods, III.

This planting was made from suggestions and stock furnished by Harlan P. Kelsey, but an edging of violets was supplied from customer's own grounds. The planting proved a successful typical grouping at a minimum cost, of broad-leaved evergreens and "filler plants," which might be varied indefinitely at the will of the planter.

- I Rhododendron maximum, 2 to 3 ft., clump.
- 3 Rhododendron maximum, 1½ to 2 ft.
- 10 Rhododendron maximum, 1 to 1 1/2 ft., clumps.
- I Rhododendron carolinianum, I to 11/2 ft., clump.
- 2 Rhododendron catawbiense, 2 to 3 ft., clumps.
- 10 Rhododendron catawbiense, 9 to 18 in., clps.
- 5 Kalmia latifolia, 1 to 1½ ft. clumps. 10 Kalmia latifolia, 6 to 9 in., clumps.
- 10 Leucothoë catesbæi, 6 to 12 in., clumps.
- 10 Aronia arbutifolia. 2 to 3 ft.
- 30 Zanthorhiza apiifolia, 6 to 12 in., clumps.
- 5 Euonymus radicans.
- I Ampelopsis engelmanni.

- 25 Dryopteris, in variety.
- 10 Eupatorium ageratoides.
- 3 Azalea arborescens, I to 1½ ft., clumps.
- 10 Azalea nudiflora, 6 to 12 in., clumps.
- 5 Azalea vaseyi, 6 to 12 in., clumps.
- 2 Pieris (Andromeda) floribunda, 6 to 12 in., clumps.
- 10 Aronia nigra, 1 to 2 ft.
- 5 Clethra alnifolia, 1 to 2 ft.
- Chionanthus virginica, 3 to 4 ft.
- 5 Azalea viscosa, 1½ to 2 ft. 20 Lilium superbum, first size.
- 20 Lilium canadense, first size,

Total cost, \$65.90.

PRICES ARE AT BOXFORD NURSERY



Follow nature in grouping Rhododendrons, Mountain Laurel and other native plants

KELSEY'S HARDY AMERICAN RHODODENDRONS, KALMIAS, ANDROMEDAS EVERGREEN SHRUBS

At Boxford Nursery, Boxford, Massachusetts

Given proper soil conditions and exposure or location, all these native species are perfectly hardy in the latitude of Quebec

The desirable hybrids are not strictly hardy—many are really tender—and so for general planting and for successful results we must turn to our hardy native species, using the hybrids sparingly or where specially protected by mass planting of the indigenous sorts. Our Highlands Nursery is situated in the home of the American Rhododendron. Not even in Asia do Rhododendrons grow so luxuriantly as in our own southern Alleghany Mountains, where they attain a height of 30 feet and more, assuming tree-like proportions. They must be seen in their native lavishness of growth and bloom, on the mountain sides or hanging over the dashing, ice-cold streams and waterfalls, to be properly appreciated, and a trip to the high Carolina mountains in spring and early summer is a never-to-be-forgotten series of joys to the lover of nature.

a never-to-be-forgotten series of joys to the lover of nature.

With proper knowledge and experience, this beauty and wildness may be transferred to our gardens and lawns. Our long experience is at the service of customers at all times.

Thousands of the finest specimens in clumps filled with flower buds are at Boxford Nursery. These are transplanted many times and will produce an immediate effect.

Prices are for heavy, nursery-grown stock, f.o.b. cars at Boxford Nursery, Boxford, Mass.

All plants, except rarely the smallest sizes under 1 foot, are balled and burlaped separately. Use hardy American Lilies, Trilliums, and other bulbs as "fillers" and "edging" for the Rhododendron bed. A special bulb list is ready, and will be freely sent.




Thousands of American Rhododendrons in finest clumps growing at Boxford Nursery



KELSEY'S HARDY AMERICAN RHODODENDRONS

PRICES ARE AT BOXFORD NURSERY



Rhododendron carolinianum. The beautiful new pink dwarf species introduced by Harlan P. Kelsey.
Absolutely hardy

RHODODENDRON CAROLINIANUM


A NEW AMERICAN SPECIES. CLEAR PINK. ABSOLUTELY HARDY

This is one of our finest introductions and fills a long-felt want for a hardy dwarf Rhododendron with flowers free from any hint of magenta. It was described and named by Alfred Rehder, of the Arnold Arboretum, Jamaica Plain, Massachusetts.

It is the smallest Alleghanian species, attaining a height of 6 to 8 feet in cultivation. Leaves dark green, usually blunt and narrow, covered with rusty dots below, much smaller than either maximum or catawbiense. Flower-clusters appear in greatest profusion in June, covering the plant with a rose-colored mantle. Fine for rocky slopes or hillsides, standing exposure unusually well, and invaluable as a single specimen or for massing with the other species.

Each	10	100	Each 10
9 to 12 in\$0 75	\$6 00	\$50 00	2 to 3 ft., clumps\$6 oo \$50 oo
I to 1½ ft I 00	8 00		3 to 4 ft., clumps
I to 1½ ft., clumps 2 00	17 50	150 00	4 to 6 ft., clumps\$12 to 18 00
1½ to 2 ft., clumps 3 50	32 50	300 00	

PRICES ARE AT BOXFORD NURSERY



RHODODENDRON CATAWBIENSE of the Carolina Mountains THE HARDIEST OF ALL RHODODENDRONS

It was this magnificent Rhododendron that over a hundred years ago was introduced into Europe, supplying, together with *Rhododendron maximum*, color and hardy blood to the cultivated "hybrids," but with a consequent loss of hardiness; and so today, for American gardens, where ironclad hardiness is essential, we must turn to the true original species, found on the loftiest, coldest peaks of the southern Alleghanies, where it attains a height of 20 to 30 feet.

Considering the extreme hardiness, color of flower, compact growth, and remarkable texture of foliage, which is a deep, shining green, and far superior to the better-known *Rhododendron maximum*, we can recommend the true native catawbiense as the finest for general use, withstanding exposure and extremes of temperature where other Rhododendrons fail.

Do not confuse this true species, which is absolutely hardy, with the common so-called cataw-



HARDY AMERICAN RHODODENDRONS KELSEY'S

PRICES ARE AT BOXFORD NURSERY

RHODODENDRON CATAWBIENSE, continued

biense hybrid seedling so freely imported from Europe, which is at best half-hardy, and even when branched above is a single stem, showing bareness underneath for years.

Unlike Rhododendron maximum, it is a very free bloomer, with foliage of a dark, rich, lasting green, which never rusts. The trusses are a bright red-purple (in marked contrast to the muddy purple of the semi-hardy half-breed imported variety noted above), and as sent out by Highlands Nursery is always on its own roots.

For massing to produce a broad-leaved evergreen landscape effect, there is no plant equal to it in the latitude of the northern United States and Canada, where stricty hardy plants must be employed. As a rich, finished border to plantations of the commoner Rhododendron

maximum, the value of Rhododendron catawbiense cannot be over-estimated.

TO

Each

The clumps offered of this beautiful Rhododendron are perfect and mostly feathered from the ground and a mass of buds. It is a much freer bloomer than Rhododendron maximum. A compact type from the highest mountains will be sent in sizes up to

32 50 300 00

TOO



maximum carolinianum biense

Types of Rhododendron leaves showing comparative sizes.

Rhododendron maximum is without doubt the noblest of American broad-leaved shrubs. It is found growing sparingly in New England and New York, more abundantly in the Pennsylvania mountains, but reaching perfection only in the southern Alleghany Mountains, where it grows in such luxuriance as to form a striking feature in the mountain landscape. Its large, waxy white or delicately

RHODODENDRON MAXIMUM The Great American Rosebay

Each

\$8 to 15 00

\$4 00 \$35 00 | 3 to 4 ft., clumps .. \$5 00 \$45 00 \$425 00 | 17 00 125 00 | 4 to 5 ft., clumps .. \$8 00 75 00 050 00 | 22 50 200 00 | 3 to 7 ft., specimens

PERFECTLY HARDY IN THE LATITUDE OF QUEBEC

10

pink flowers appear in large trusses in July, the latest of all the Rhododendrons, greatly enhancing its ornamental value as a broad-leaved evergreen for finished landscape effect.

This, with Rhododendron catawbiense and Kalmia latifolia, are the three best broad-leaved evergreens for large plantations in woodlands, in the border, and on the banks of streams and ponds. We have supplied 35 carloads of Rhododendron maximum for a single planting.

Each	10	100	Each	10	100
6 to 12 in\$0 25	\$2 00	\$17 50	I to 1½ ft., clumps\$1 00	\$9 00	\$80 00
I to I ½ ft 40	3 00	25 00	1½ to 2 ft., clumps 1 75	15 00	125 00
1½ to 2 ft 75	6 00	50 00	2 to 3 ft., clumps 2 50	22 50	
2 to 3 ft I 00	9 00	80 00	3 to 4 ft., clumps 4 00	37 50	
6 to 12 in., clumps 80	7 00	65 00	4 to 6 ft., specimens\$5 to 10 00		

THE BEST HARDY EXOTIC RHODODENDRONS

RHODODENDRON arbutifolium (wilsoni). A hardy, hybrid, dwarf Rhododendron of garden origin, probably a cross between R. punctatum and R. ferrugineum. Compact growth, bears a profusion of deep rose-colored flowers. Each 10 \$8 50 18 00 I ½ to 2 ft..... 3 00 hirsutum. Another similar species from the Swiss Alps, but with flowers of lighter shade, and the whole plant hairy. Each 12 to 15 in....\$1 50 \$12 50 ferrugineum. Alpine Rose. Dwarf species from the Swiss Alps. Rarely over 2 feet high. Very handsome shrub, suitable for rockery. Small pink or carmine flowers. Each 12 to 15 in.....\$1 50 \$12 50

Rhododendron ferrugineum album. White Alpine Rose. Same as preceding, with white flowers. Each 12 to 15 in.....\$1 75 \$15 00

myrtifolium. A fine, hardy hybrid between R. punctatum and R. hirsutum. This variety is very useful for the rockery and the borders of the Rhododendron bed. Covered with clusters of deep rosy pink flowers. Each 12 to 15 in.....


catawbiense hybrids. Hardiest varieties, including the following: Album elegans, Anna Parsons, caractacus, catawbiense alba, everestianum, General Grant, Mrs. Milner, President Lincoln, Parsons' Gloriosa, purpureum elegans, roseum elegans, and others, according to size and selection, \$1 to \$4 each.

PRICES ARE AT BOXFORD NURSERY

KALMIA LATIFOLIA (The Mountain Laurel)

One of the grandest of our native, broad-leaved, evergreen shrubs, attaining tree-like proportions in our southern mountains. In cultivation it is a broad, thick shrub, and, when in full bloom, of surpassing beauty. The wheel-shaped flowers in close terminal corymbs, pure white to pink, appear in May or June in such profusion as almost to smother the foliage. Its thick, shiny leaves, conspicuous the year round, make it a shrub of greatest value for massing. The hardiness of Kalmia latifolia is beyond doubt, it being found sparingly in Nova Scotia and increasingly in abundance through New England and the middle Atlantic states (particularly in the higher altitudes), till the crest of the southern Alleghanies is reached. Here the true American home of the broad-leaved ericaceæ and perfect conditions of soil and climate are found, producing such a luxuriance of growth as to form veritable jungles of gorgeous beauty, miles in extent. It is found throughout South Carolina, Georgia, and northern Florida, along the banks of streams and cypress swamps. This proves it to be a plant that will stand almost semi-tropical conditions as well as extreme cold. It is therefore extremely valuable for the southern states, taking its place with the magnificent Indian Azaleas, which are not hardy in the North.

Each	10	100	1,000	Each 10 100 1,000
I to 1½ ft\$0 60			-	I to I1/2 ft., clumps\$I 25 \$10 00 \$90 00 \$800 00
1½ to 2 ft 80	7 00	60 00		1½ to 2 ft., clumps 2 00 17 50 150 00
2 to 3 ft I 50				2 to 3 ft., clumps 3 50 32 50 300 00
9 to 12 in., clumps. 1 00	8 00	75 00	\$700 0 0	3 to 4 ft., clumps 4 50 40 00 375 00



Rhododendron catawbiense. Our way of growing bushy clumps, 15 to 50 stems. "Collected" stock in the smaller sizes is much the same in appearance

RHODODENDRONS AND MOUNTAIN LAUREL "COLLECTED CLUMPS," BY THE CARLOAD

FOR PRICES AND OTHER INFORMATION SEE PAGE 58 OF THIS CATALOG

SPRING, SUMMER, FALL, and WINTER PLANTING. Plant any time!

Rhododendrons, Kalmias, Leucothoës, Andromedas, and practically all broad-leaved evergreens and all conifers may be planted any time of the year with perfect safety **if properly done**. The requirements are to use specimens grown so they will lift with an adequate **ball**, and then use **plenty of water** in planting. In this way we plant with perfect safety **any month in the year**.

This opens up wide possibilities and should be an encouragement to many who find it impossible always to get everything planted during the conventional months. The extra care needed at certain times may make the cost greater, but the results are sure and worth while. It is the "new American horticulture" gained from painstaking experiment and expert knowledge. We do not recommend transplanting deciduous trees and shrubs during their growing season, though under proper conditions this too may be done.

KELSEY'S HARDY AMERICAN EVERGREENS

PRICES ARE AT BOXFORD NURSERY



Specimen Evergreens at Boxford Nursery

OTHER HARDY BROAD-LEAVED EVERCREENS AND CONIFEROUS TREES AND SHRUBS AT BOXFORD NURSERY

NOTE: All plants are transplanted and nursery-grown unless plainly marked other-



Abies fraseri. Fraser's Fir as a specimen (see page 11)

The larger sizes are always shipped with balls and are burlaped, which means they will grow.

Special selection is always charged at special price. The prices in this catalog cover the average good grade as they run in the nursery row. Where specimens are picked, a price will be made to fit the specimen.

Our Native American Evergreens possess unrivaled characteristics of gracefulness, color, and often grandeur. The Alleghany region is rich in beautiful forms, while the western and Pacific states swell the list with a large number of fine species. The rare Carolina Hemlock (*Tsuga caroliniana*), offered below, we introduced to cultivation.

The sizes following the names indicate the variation in height attained by the shrubs in their wild state. Under cultivation they usually reach the lesser height given.

western American species of majestic growth and most dependable under eastern conditions. Very hardy, rapid growth. Soft silvery foliage; gray, purple, or canary-yellow cones. Highest recommendation. Each


 1 to 1½ ft
 \$1 00
 \$8 00

 3 to 4 ft
 3 00
 27 50

 5 to 6 ft
 7 00

 6 to 8 ft
 9 00
 80 00

PRICES ARE AT BOXFORD NURSERY



Ables fraseri as a windbreak or shelter. We have 100,000 from seedlings to 12-foot specimens

ANDROMEDA floribunda. See Pieris floribunda.

ARCTOSTAPHYLOS uvaursi. Bearberry. Hardy trailing shrub, very valuable for covering rocky slopes and sandy banks. Bright scarlet fruit.

I-yr. pots, 60 cts. each, \$5 for 10, \$40 per 100.

BUXUS sempervirens arborescens. Tree Box. 10 to 25 ft. The hardiest variety. Old, well-grown specimens are very picturesque, but heavy clipping should be avoided.

6 to 8 in., 20 cts. each, \$1.50 for 10, \$12 per 100.

sempervirens suffruticosa.

Dwarf Box. 6 in. to 2 ft.
Quite hardy in Salem, where
it has been used for many
decades as an edging in
formal gardens.

4 to 7 in., 15 cts. each, \$1 for 10, \$7 per 100, \$60 per 1,000.

ABIES FRASERI. Fraser's Fir. The northern species, Abies balsamea, is almost worthless in any but the latitude of middle and northern Maine, as it becomes "leggy," thin, and is short-lived. Fraser's Fir, however, a distinct species from the highest peaks of the Carolina mountains, makes a perfect specimen lawn and screen tree, with dark green, thick-set foliage (blue underneath) and compact, pyramidal habit. It is one of the choicest of all American conifers of the Fir section.

An unusually fine lot of this splendid Fir. The attention of nurserymen is particularly called to *Abies fraseri* as the best Fir of this type that is grown in this country. The sizes listed below are especially bushy

cn	I	0	IC	0	1,0	00
			\$4	00		
						00
			8	00	70	00
45						
25						
00	25	00	200	00		
50	40	00				
00						
	45 25 75 25 00 50	45 \$4 25 10 75 15 25 20 00 25 50 40	45 \$4 00 25 10 00 75 15 00 25 20 00 00 25 00 50 40 00	\$4 7 845 \$4 00 30 25 10 00 80 75 15 00 130 25 20 00 180 00 25 00 200 50 40 00	\$4 00 7 00 8 00 45 \$4 00 30 00 25 10 00 80 00 75 15 00 130 00 25 20 00 180 00 00 25 00 200 00 50 40 00	\$4 00 \$35 7 00 60 8 00 70 45 \$4 00 30 00 25 10 00 80 00 75 15 00 130 00 25 20 00 180 00 00 25 00 200 00 50 40 00

homolepis (brachyphylla). 80 to 100 ft.
One of the finest Japanese conifers of recent introduction. Dark, lustrous green leaves, glaucous beneath; picturesque growth.

Each 10
4 to 5 ft. 4 5 0 \$40 00

5 to 6 ft 8 00 65 0	0
nordmanniana. Nordmann's Fir. 100 to	0
150 ft. Dark green foliage, compact growth	ι,
dark brown cones. A stately tree of slov	v
growth until well established. Each 10	
2 to 3 ft\$3 00 \$25 0	О
3 to 4 ft 4 00 35 0	0

veitchi. 80 to 100 ft. Very hardy and when young one of the most beautiful Firs. Foliage bright green, silvery beneath. Each 10

CALLUNAS and ERICA. Heather. 6 in. to 3 ft. The hardy varieties offered are most useful in rockwork and for sandy hillsides and borders. They are

ericaceous plants and require a Rhododendron or acid soil for best development. Very choice.

Calluna vulgaris alba (white)
var. humosa, var. hammondi, var. superba, and
alporti (crimson).

Strong plants, 75 cts., each, \$6 for 10, \$50 per 100.

Erica cinerea (rosy violet), ciliaris (purple), herbacea carnea (pink), and stewarti. Strong plants. 75 cts. each, \$6 for 10, \$50 per 100.

cedrus deodara. 50 to 150 ft. Pyramidal habit, very showy, bluish green foliage; barely hardy at Salem, but one of the choicest conifers for use in the South.

6 to 10 in., 35 cts. each, \$3 for 10, \$20 per 100.

libani. Cedar of Lebanon. 50 to 150 ft. Distinctivetree; widespreading horizontal branches. An entirely hardy form at Arnold Arboretum, is not yet on the market.

opite)
mand

Erica (Heath)


tot yet on the market. Each 10 6 to 12 in.... \$0 35 \$3 00

CHAMÆDAPHNE calyculata. Leather Leaf.

2 to 3 ft. A fine hardy border plant for the Rhododendron bed or very moist locations. White, nodding flowers in leafy racemes in early spring.

Bach 10 100 9 to 12 in... \$0 40 \$3 00 \$25 00 1 to 1½ ft... 50 4 00

KELSEY'S HARDY AMERICAN EVERGREENS





ate Juniper (Juniperus nana communis depressa) with White Pine (Pinus strobus) background

Prostrate Juniper (Juniperus nana communis de
CHAMÆCYPARIS (Cupressus) lawsoniana. Lawson's Cypress. 100 to 200 ft. One of the most beautiful and variable of conifers; horizontal, spreading, and pendulous branches.
branches. Each 10 100 4 to 8 in\$0 10 \$0 80 \$7 00
CRYPTOMERIA var. lobbi. 30 to 70 ft. Very
distinct ornamental; compact habit and deep green leaves, turning bronze in winter; highly recommended. Each 10 100 10- to 12-in., pots\$0 80 \$6 50 \$60 00 3 to 3½ ft., specimens . 3 50 30 00
DENDRIUM. See Leiophyllum.
DAPHNE cneorum. Each 10 100 8 to 10 in
HYPERICUM aureum. Golden St. John's-Wort. 2 to 4 ft. Erect shrub, with large, shining leaves. Flowers 2 inches across, bright yellow, with broad petals; centers tufted with golden filaments. July to Aug. Each 10 I to 1½ ft
in July. Each 10 1 to 2 ft. \$0 20 \$1 75 2 to 3 ft. 35 3 00
prolificum. 2 to 4 ft. Form growing on mountains, of compact growth and valuable as a hedge plant. Foliage dark green and abundant, as are the bright yellow blossoms. July. 6 to 9 in. 1 LEX glabra. Inkberry. 4 to 15 ft. Dark green foliage and compact growth; black berries in profusion; very hardy and among our most useful shrubs for hedges, borders,
and the Rhododendron bed; does well in

Each

moist locations.


Small clumpy stock....\$0 40

llex crenata. Japanese Holly. 6 to 8 ft. One of the best of all the hardy evergreen Hollies; of dense growth; small, crenated leaves, bright shining green. Very fine as a hedge plant and for use with Rhododendrons. Must have proper location and treatment to be perfectly hardy in this latitude.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
opaca. American Holly. 10 to 40 ft. While the American Holly grows sparingly in Massachusetts, it is not absolutely hardy until well established. It is, however, worth every effort to grow it. Very difficult to transplant, and leaves should be stripped when the plant is moved. 1 ft
JUNIPERUS chinensis albo-variegata (ar-
gentea). 2 to 4 ft. Dwarf form; branchlets tipped with white. Each 10 1 to 1½ ft
chinensis aurea. One of the best golden forms. Each 10 2 to 3 ft
3 to 4 ft 3 00 25 00
3 to 4 ft 3 00 25 00
3 to 4 ft

100

\$3 50 \$30 00

PRICES ARE AT BOXFORD NURSERY



Juniperus communis depressa at Boxford Nursery. The finest of ground-covers

JUNIPERUS COMMUNIS DEPRESSA. Prostrate Juniper. Without doubt this is the best prostrate form of Juniper for groundcover. It is at home on sandy or gravelly hillsides, fully exposed to the sun, where single plants often reach a diameter of 15 feet or more. In shade it does well where other shrubs or grass will not thrive, forming a looser covering, however, than in the open. It varies in form from the completely prostrate type to the ascending type. 2 to 4 feet high. We have several thousand transplanted specimens to select from, up to 8 feet in diameter. Each 0 8 feet in diameter. Bach 6- to 12-in. spread \$0 50 \$4 00 75 6 00 \$30 00 50 00 I1/2- to 2-ft. spread..... I 25 10 00 00 00 2- to 3-ft. spread..... I 75 I5 00 3- to 4-ft. spread..... 2 50 20 00 Larger specimens up to .. I5 00 T30 00 180 00 horizontalis prostrata. Spreading habit and good for rockwork. Each 2 to 3 ft.....\$0 75 sabina. Savin Juniper. 3 to 10 ft. Fine for rockeries and borders; spreading or procumbent. Each I- to 1½-ft. spread.....\$0 60 \$5 00 \$40 00 1½- to 2-ft. spread.... I 25 9 00 80 00 sabina tamariscifolia. Gray Carpet Juniper. 2 to 3 ft. Procumbent; soft dense foliage, bright green, with a white line above; a choice rockery plant. Each 10 JUNIPERUS VIRGINIANA. Red Cedar. 15 to 60 feet. Pyramidal habit; dark green to bluish foliage, with many variable forms. This is one of the most useful and characteristic trees of our native landscapes. It rivals

the Italian Cypress in beauty, is absolutely

Juniperus virginiana, continued

hardy, and stands sea exposure well. Fruit dark blue and conspicuous, hanging until midwinter. For many effects it is the most useful evergreen for northern latitudes.

This is a specialty at Boxford Nursery and I can supply almost any size trees that are sure to live. We have made some notable plantings of large Cedars in the vicinity of Boston recently and with uniform success.

Each 10 100

I to 2 ft\$0	60	\$5		\$40	00
2 to 3 ft I	00	8	00	75	00
3 to 4 ft	50	12	00	100	
4 to 5 ft 2	00	18	00	160	00
5 to 6 ft 3	50	30	00		
6 to 7 ft 6	00	50	00		
7 to 8 ft10	00	90	00		
8 to 10 ft12	00	110	00		
10 to 12 ft15	00	140	00		
12 to 14 ft25		200	00		
Larger sizes from \$25 to 60	00				

virginiana cannarti.6 to 10 ft.Ovate-pyramidal form, compact;bloomy bluishfruit.Each1 to 1½ ft.x to 1½ ft.\$1 00\$8 00

 virginiana elegantissima.
 A horticultural variety; tips of branchlets yellow.
 Each 3 to 4 ft.
 \$2 50

 4 to 5 ft.
 3 50

 virginiana glauca.
 Blue Virginia Cedar.
 The blue form of striking beauty.
 Each
 10

 I to 1½ ft.
 \$1 50
 \$12 50
 \$12 50
 \$2 50
 \$2 50
 \$2 50
 \$3 50
 30 00

 3 to 4 ft.
 3 50
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 30 00
 <t

 virginiana
 schotti.
 8 to 10 ft.
 Dwarfish,

 pyramidal; bright green foliage. Each
 10
 1 to 1½ ft.
 \$12 5
 \$12 00

 2 to 3 ft.
 2 00
 18 00
 \$18 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00
 \$10 00

KELSEY'S HARDY AMERICAN EVERGREENS

PRICES ARE AT BOXFORD NURSERY



Leiophyllum prostratum as a rockery plant in Massachusetts

KALMIA angustifolia. Narrow-leaved Laurel. 2 to 4 ft. Makes fine ground-cover. A charming, dwarf sort of the same general habit as *K. latifolia*, forming dense, low clumps. In early spring showy clusters of wheel-shaped, deep rose-colored flowers.

So 35 \$3 00 \$20 00

glauca. Pale Laurel. I to 2 ft. Larger flowers than preceding species; crimson-purple and very showy. Both K. glauca and K. Angustifolia are invaluable for the Rhododendron border.



Leiophyllum buxifolium (Sand Myrtle)

rostratum. Mountain Heath. 6 to 12 inches. The Carolina mountains prostrate form of this beautiful genus. Rockwork evergreen, closely covering the surface with a bed of green. In full bloom May or June; produces a striking effect. The delicate flowers are tinged with pink. One of our choicest alpine plants. Each 10 100

LEUCOTHOE CATESBÆI. 3 to 8 ft. Few shrub evergreens of the broad-leaved sort have the grace of this one. The thick, shining green leaves are evenly disposed on long, recurved branches, with dense racemes of beautiful, white, bell-shaped flowers. As an undershrub or for banks and the borders of streams it is without a rival. The sprays make beautiful winter decorations indoors, turning a rich bronze in the fall where exposed to the sun. My stock of this broad-leaved border plant is the best I have ever had and the larger sizes will give immediate effect. All the heavy clumps come balled, and where the large sizes are used in quantity it is preferable to forward in car shipments. See illustration, page 15.

Each 10 100

 Simplements.
 See lindstration, page 15.
 Each 10
 100

 6 to 12 in...
 ...
 ...
 ...
 ...
 ...

 0 to 12 in...
 ...
 ...
 ...
 ...
 ...
 ...
 ...

 1 to 1½ ft...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...

 2 to 3 ft...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...</td


PRICES ARE AT BO	XFORD NURSERY
MAHONIA (Berberis) repens. Each 10 100 4 to 6 in	Picea mariana (nigra). Black Spruce. 20 to 50 ft. Recommended only for latitudes of Maine and northern New York. Each 10 3 to 4 ft

The most graceful and useful evergreen border plant for Rhododendron beds, along paths and streams, etc.

catesbaei (see page 14)

KELSEY'S HARDY AMERICAN EVERGREENS

PRICES ARE AT BOXFORD NURSERY



Pieris (Andromeda) floribunda. Thousands of specimens. Strictly American grown

PIERIS (Andromeda) floribunda. 2 to 4 ft. One of the finest of all broad-leaved American shrubs. Compact growth, with shining evergreen leaves and abundant racemes of showy white flowers in May. The next season's buds appear after the flowering season and give the plant the appearance of being in bloom the year round. My stock is all strictly American grown and of finest quality. The imported Andromeda is very often difficult to establish.

These plants are feathered to the ground and a mass of buds. It is doubtful if there has been such a stock as these plants ever offered before in this country. It is strictly American-grown stock and is not troubled with the peculiar wilting off which affects

Dutch-grown stock.

	Ea	ch	1	0	10	0
6- to 9-in. spread	.\$o	80	\$7	00	\$60	00
9- to 12-in. spread	. І	00	8	00	70	
I- to 1½-ft. spread	. І	50	12	50	100	00
1½- to 2-ft. spread						
2- to 3-ft. spread	. 3	50	30	00		

banksiana (divaricata). Jack Pine. 20 to 80 ft. Very hardy and withstands salt spray, being very useful for plantations on islands and near the ocean. Picturesque growth. Each 10 100 1,000 6 to 12 in \$0.20 \$1.50 \$12.00 \$100 00

PRICES ARE AT BOXFORD NURSERY



Pinus strobus (White Pine). We ship all larger sizes with balls

Pinus ponderosa. Bull Pine. Sometimes at-
Fillus poliuciosa. Bull Tine. Sometimes at-
taining a height of 250 feet in the western
states where it comes from. In cultivation it
will probably not reach more than 50 to 75
feet. Forms a spire-like head, with brown
nendulous branchlets

	Each	IO		1,000
6 to 9 in	.\$0 25	\$1 50	\$12 00	\$100 00
9 to 12 in	. 35	3 00	20 00	
2 to 3 ft				
3 to 4 ft	. 2 00	15 00		
4 to 5 ft	. 4 00	35 00		

pungens. Table Mountain Pine. 30 to 60 ft. A decidedly interesting and picturesque species, found in our mountains from Pennsylvania to Georgia. Cones remain on tree indefinitely, giving a unique effect. Open, flat-topped head; dark foliage. Of decided ornamental value.

Each 10
5 to 6 ft. \$1 50
6 to 8 ft. \$2 00
20 00

Pine.	Each	10	100	1,000
4 to 6 in	.\$0 25	\$2 00	\$18 00	\$150 00
6 to 12 in			20 00	
I to 1½ ft				
I1/2 to 2 ft	. 80	7 50	60 00	
2 to 2 ft	TOF	TO 00	00 00	

rigida. Pitch or Black Pine. Our native species which thrives in any soil and is very useful for shore planting. Grows rapidly when young and develops into a picturesque, broad-topped ornamental.

bra. Swiss Stone Pine. 50 to 100 ft. A very handsome Pine,
ling the common White Pine. So slow growing that it may be
s a dwarf. Each 10 100
9 to 12 in\$1 00 \$8 00 \$70 00
I to I½ ft I 50 I2 50 I00 00
I½ to 2 ft 2 00 18 00 165 00
2 to 3 ft
densiflora. Japanese Red Pine. 40 to 100 ft. Grows rapidly;
often picturesque when older. Each 10 100 1,000
8 to 12 in\$0 20 \$1 50 \$12 00 \$100 00
12 to 15 in
3 to 4 ft
flexilis. Limber Pine. 50 to 80 ft. Hardy western species,
adapted for ornamental planting on rocky slopes.
Each 10 100 1,000
4 to 9 in\$0 20 \$1 75 \$15 00 \$100 00
I to I½ ft 75 7 00
2 to 3 ft I 50 I2 00
3 to 4 ft 2 00 18 00
5 to 6 ft 3 50
massoniana. 40 to 80 ft. Chinese species; slender spreading
branches. It has so far proved hardy at Boxford Nursery.
Each 10 100 1,000 6 to 8 in
8 to 12 in
monticola. Mountain White Pine. 60 to 150 ft. A fine west-
ern species, similar to our eastern White Pine, but forming a
narrower, more slender pyramid. Each 10
2 to 4 in
var. mughus. Dwarf Pine. Each 10 100 1,000
2 to 4 in
I- to I½-ft. spread 75 7 00 60 00
1½- to 2-ft. spread 1 75 15 00 140 00
2- to 3-ft. spread 2 50 20 00 180 00
murrayana. Lodge-pole Pine. 80 to 130 ft. From the Rocky
Mountains. In cultivation it is usually a bushy, low tree and
hardy. Each 10 100 1,000
8 to 12 in\$0 20 \$1 25 \$10 00 \$80 00
4 to 6 ft 1 50 12 00
6 to 8 ft
0 to 10 10 4 00
I Button of Pitton at at the Track of the control o

		Pinus rigida	Ea		I		10	
2 t	to	3 ft	\$0	60	\$5	00	\$40	00
		4 ft,						
		5 ft					100	00
5 1	to	6 ft	3	00	25	00		
6 t	to	7 ft	5	00	40	00		

Pinus strobus. White Pine. 60 to 150 ft. Very ornamental, hardy Pine of rapid growth, with soft bluish green leaves. Symmetrical when young, picturesque in old age. Greatest value for forest and park planting and for windbreaks, or as a single specimen, or in groups. Each 10 100 Leave.

or in groups. E	Cach	10)	10	0	1,00	00
6 to 12 in\$		\$0	40	\$ 3	50	\$30	00
I to I1/2 ft		I	25	9	00	80	00
1½ to 2 ft		2	50	20	00	180	00
2 to 3 ft	60	4	50	30	00	250	00
3 to 4 ft	I 25	IO	00	70	00	500	00
4 to 5 ft		20	00	175	00		
5 to 6 ft	4 00	35	00	325	00		
6 to 8 ft., speci-							

mens from .\$5 to 12 00
A large stock of 6- to 12-inch seedlings at \$10 per 1,000 net, in quantities not less than 1,000, or at \$9 per 1,000 in 10,000 lots. To anyone wishing to use from 10,000 to 25,000 transplanted 6-to 12-inch stock, I will make a very low price.


sylvestris. Scotch Pine. 70 to 100 ft. An important timber tree in Europe; here used largely as a cheap screen or windbreak tree.

	Each	10	100	1,00			
2 to 3 ft	\$0 75	\$6 00	\$45 00	\$350			
3 to 4 ft	I 00	8 00	70 00				
4 to 5 ft	I 50	12 50	100 00				
5 to 6 ft	2 00	18 00	175 00				
6 to 8 ft		30 00	275 00				
6 to 10 ft., spe-							
cimens \$4 to	8 00						

All prices up to page 45 are for stock ordered from Boxford Nursery, Boxford, Mass.

KELSEY'S HARDY AMERICAN EVERGREENS

PRICES ARE AT BOXFORD NURSERY



Pieris (Andromeda) floribunda at home among boulders

PRICES ARE AT BOXFORD NURSERY

Thuya occidentalis, Geo. Peabody.	Coldon
Arborvitæ. For a golden-leaved eve	
it is among the best, holding its cold	Each
4 to 5 ft	
occidentalis pyramidalis. Pyramid	
borvitæ. 8 to 20 ft. Compact	
pyramids, of great use in formal wor	
Each 10 1 to 1½ ft\$0 60 \$5 00	100
TIG to 2 ft T 00 X 00	70 00
2 to 3 ft	110 00
3 to 4 ft 2 00 18 00	
4 to 5 ft 3 50 30 00	
5 to 6 ft 4 50 40 00	
occidentalis wareana. One of th	e best
forms for hedges, with steel-blue folia	age.
Each	TO
1½ to 2 ft\$0 80	\$7 00
3. to 4 ft 3 00	25 00
orientalis aurea. Low, compact	shrub:
young foliage golden. Each 1 to 1½ ft\$1 25	\$10 00
orientalis elegantissima. Tips of	
shoots golden yellow. Each 10	-
	100
I to I ½ ft\$0 50 \$4 00 I½ to 2 ft I 00 8 00	\$30 00
3 to 4 ft 2 00 16 00	
TELICA comedencia Comedian Hamle	

TSUGA canadensis. Canadian Hemlock. 40 to 100 ft. A tall graceful evergreen, with drooping branches. One of our choicest trees for specimen, grouping, screen, and forest planting. There is no better or more beautiful hedge plant.

We have the best stock of Canadian Hemlock in large sizes that I know of in the American trade, and as they are scarce, it would be well to place orders for these as early as possible.

	Each			1,000		
6 to 8 in	.\$0 20	\$1 50	\$12 00	\$100 00		
8 to 12 in	. 30	2 50	20 00	180 00		
2 to 3 ft.	T 25	10 00				

Prices of Tsuga canadensis,					
		10		100	
3 to 4 ft\$1	75	\$15	00	\$140	00
4 to 5 ft 3	00	27	50	250	00
5 to 6 ft 5	00	45	00	400	00
6 to 7 ft 7	00	65	00	600	00
7 to 8 ft 8	00	75	00	700	00
8 to 10 ft10	00				

TSUGA CAROLINIANA. Carolina Hemlock. 40 to 80 feet. This grand new Hemlock, introduced by me, possesses a distinct pyramidal growth, and attains a height of 40 to 80 feet. Its dense, dark foliage and graceful habit are approached only by the finer Japanese Hemlocks. Some fine specimens are to be seen in the Arnold Arboretum, and are the first plants of this Hemlock ever sent out, being supplied by me to Prof. C. S. Sargent in 1884.

The only stock of large T. caroliniana in existence that we know of. Specimens from 4 feet up are feathered to the ground and compact and dense. They have been transplanted until they have very large solid balls which are lifted with the plants. The particular attention of nurserymen is called to the fine young stock of transplanted plants which I can offer in 1,000 and 10,000 lots. It is the coming American evergreen for the finest plantings.

Each	10	100	1,000
4 to 6 in\$0 30	\$2 00	\$18 00	\$150 00
6 to 9 in 45	4 00	35 00	300 00
9 to 12 in 60	5 50	50 00	475 00
I to 1½ ft I 00	9 00	80 00	750 00
4 to 5 ft 6 50			
5 to 6 ft 10 00	90 00		
6 to 7 ft15 00	140 00		
7 to 8 ft 18 00	175 00		

heterophylla. 50 to 80 ft. Western species of doubtful hardiness but great beauty. We are testing it. Each 10 6 to 9 in. 50 50 \$4 00


sieboldi. Japanese Hemlock. 50 to 100 ft. A rare hardy sort of distinction and beauty. Leaves dark glossy green, marked by two white lines beneath. Should be in all choice collections. Each 10

Tsuga caroliniana (Carolina Hemlock). The choicest American evergreen. Introduced by Harlan P. Kelsey

We are glad to help customers make up lists of native plants for any location, and to suggest plans. Always state just the amount you wish to expend, if possible, or the effect desired. Pleased customers are our best advertisements.

KELSEY'S HARDY AMERICAN TREES AND SHRUBS

PRICES ARE AT BOXFORD NURSERY



Azalea kaempferi. Bright orange-red, finely located in a hillside rockery. See page 21

DECIDUOUS TREES AND SHRUBS

DECIDOOOS IIV.	ILO AND OTHICODO
ACER dasycarpum. Silver Maple. 50 to 75 ft. Rapid growth; open pendulous habit; light green leaves; for quick effects desirable, but not as desirable for general use as many other species. Each 10 10 to 12 ft \$1 50 \$12 50 \$12 50 12 to 14 ft 2 00 18 00 \$1 40 \$1 50 \$2 50 dasycarpum pyramidalis. Each 10 to 12 ft \$3 00 \$3 00 \$3 00	Acer saccharum. Sugar Maple. 60 to 120 ft. One of our best known and finest shade and street trees; of upright dense growth; leaves turn bright yellow and scarlet in autumn. Each 10
dasycarpumwieri.Wier'sCut-leavedMaple.Weeping variety of considerablebeauty.Each1012 to 14 ft.\$2 50 \$20 00	ÆSCULUS carnea (rubicunda). Red Horse-Chestnut. 20 to 40 ft. Variety with flowers varying from flesh color to scarlet. Each 4 to 5 ft
ginnala. 15 to 20 ft. Handsome foliage, turning bright red in autumn. Each 10 4 to 6 ft. 57 50 6 to 7 ft. 1 75 15 00	heavy foliage; panicles of white flowers. Each 14 to 16 ft
palmatum atropurpureum. Japanese Blood-leaved Maple. 10 to 20 ft. One of the best in form and foliage. Each 10 1½ to 2 ft	AMELANCHIER canadensis (botryapium). Shad-Bush. 15 to 60 ft. The Carolina mountain form, with large-panicled, showy white flowers and delicious fruit.
pictum. 30 to 60 ft. Round-headed Japanese species; bright green foliage. Each 10 4 to 8 in	Each 10 100 2 to 3 ft\$0 30 \$2 50 \$20 00 3 to 4 ft
5 to 6 ft. \$0 60 \$5 00 \$40 00 6 to 8 ft. 75 6 00 50 00 8 to 10 ft. 1 00 8 00 70 00 10 to 12 ft. 1 50 12 50 110 00 12 to 14 ft. 3 00 25 00	AMORPHÀ glabra (montana). 3 to 6 ft. Rare species from the South; blue flowers and finely cut leaves. Each 10 1½ to 2 ft
spicatum. Mountain Maple. 5 to 30 ft. Dwarfish; good for undergrowth and the border. Each 10 2 to 3 ft. \$0 50 \$4 00 3 to 4 ft. 75 6 00	ARALIA spinosa. Hercules' Club. 10 to 40 ft. Subtropical-looking shrub; large bipinnate leaves and enormous terminal clusters of white flowers. Bach 10 3 to 4 ft

PRICES ARE AT BOXFORD NURSERY



Azalea (Rhododendron) vaseyi. Southern zalea. Introduced by Highlands Nursery. See colored illustration on front cover.

ARONIA arbutifolia. Red Chokeberry. 6 to 10 ft. One of our most showy, red-fruited shrubs for winter effect and for planting in Rhododendron beds and in shrubberies.

Each \$40 00

atropurpurea. Purple Chokeberry. 6 to 12 ft. Purplish black fruit. All the Aronias have showy white flowers and conspicuous fruit.

Each melanocarpa (nigra). Black Chokeberry. 3 to 6 ft. Dense growth; fine for border; black fruit and masses of showy white blossoms.

Each IO \$3 00 \$27 50 5 00 45 00 1½ to 2 ft.....\$0 40 5 00 7 00 8 00 60 75 60 00 4 to 5 ft..... I 00

HARDY AMERICAN **AZALEAS**

The American Azaleas are among the choicest of all ornamentals, whether exotic or native, and were but rarely seen in cultivation before being disseminated by Highlands Nursery.

They are seen at their best when planted in large masses and in properly prepared beds, and they richly repay any unusual care given them. Like most ericaceous plants, they love deep, moist, welldrained soil, and these showy native species are particularly adapted to planting in shrub borders and with Rhododendrons, their brilliant blossoms being set off by a background of dark foliage.

Azaleas can be successfully grown almost anywhere, following same instructions given for Rhododendrons. The complete hardiness of all the species we offer is unquestionable. No American shrubs equal the native Azaleas, particularly A. lutea, for woodland and hillside plantings.

Our cold Carolina mountains have added no more beautiful plants to gardens than these American Azaleas, not even excepting the magnificent broad-leaved evergreen Rhododendrons of worldwide fame.

AZALEA arborescens. Fragrant White Azalea. 5 to 15 ft. In June the delightfully spicy fragrant white flowers, with pink stamens, appear in profusion, lasting for weeks. Becomes a spreading clump 3 to 6 feet broad in cultivation; easy culture. The foliage of this variety often colors striking shades of red in late autumn, and is the best of all the genus.

The clumps offered have from twentyfive to one hundred stems and are heavily

budded with enormous balls. Each 10

\$45 00 100 00 200 00

arborescens rosea. Rare form, with bright pink, fragrant flowers. Introduced by Highlands Nursery. \$4 each.

canescens. 3 to 10 ft. A new species with brilliant pink flowers.

AZALEA LUTEA (CALENDULACEA). Great Flame Azalea. 6 to 15 ft. The most regal of all the species, native or exotic, and a noble representative of our rich Carolina mountain flora. Bartram, speaking of it in his "Travels," calls it the "fiery Azalea," and says: "This epithet fiery I annex to this most celebrated species of Azalea as being Azalea lutea, continued

expressive of the appearance of its flowers, which are in general of the color of the finest red lead, orange, and bright gold as well as yellow and cream-color. This is certainly the most gay and brilliant-flowering shrub yet known." No more striking landscape effect can be produced than a hillside of A. lutea in full bloom. Nearly all quoted above 18 in. are budded. See color illustration on back cover.

These A. lulea are splendid clumps with a mass of buds and range in color from light sulphur-yellow to deep red. Where the colors are picked, a special charge will he made.

Each 10 100 6 to 12 in., clumps.....\$0 40 \$3 50 1 to 1½ ft., clumps..... 80 7 00 60 00 I¹/₂ to 2 ft., clumps..... I 50 IO 00 2 to 3 ft., clumps..... 2 00 I8 00 3 to 4 ft., clumps..... 3 50 4 to 5 ft., clumps..... 5 00 30 00

45 00 nudiflora. Pinxter Flower. 5 to 10 ft. Showy deep pink flowers in April and May, while quite bare of leaves. Stands sun and exposure well. Dwarf species.

Each TO 9 to 12 in., clumps... \$0 60 \$5 00 1 to 1½ ft., clumps... 80 7 00 1½ to 2 ft., clumps... 1 25 12 00 \$40 00 65 00

Highlands Nursery stock is listed on pages 50 to 58

KELSEY'S HARDY AMERICAN TREES AND SHRUBS

PRICES ARE AT BOXFORD NURSERY

AZALEA VASEYI. Southern Azalea. 6 to 15 ft. This showy Azalea was discovered only as late as 1878, and introduced by Highlands Nursery very soon after. It is of easy culture, and is perhaps the most profuse bloomer of all the native species, and the more conspicuous, as its white, pink, or deep rosecolored flowers appear in early April or May before the foliage. Of erect, slender habit naturally, in cultivation it becomes more spreading, while retaining the charming light stem growth. Autumn usually turns the leaves a deep dark crimson, greatly enhancing its beauty and value. See color illustration on front cover.

	$\mathbf{E}_{\mathbf{i}}$	ach	1	0	IO	0
I to I ½ ft	\$o	75	\$6	00	\$50	00
I ½ to 2 ft	. I	00	7	00	60	
I to I ½ ft., clumps	Ι	00	7	00	60	00
$1\frac{1}{2}$ to 2 ft., clumps	I	75	15	00	130	00
2 to 3 ft., clumps	3	00	25	00	200	00
3 to 4 ft., clumps	4	00	35	00		

viscosa. Early White Azalea. 5 to 15 ft. Late-blooming with small, white, fragrant flowers in June and July. Arborescens and viscosa love moisture.

	Each	10	100	1,000
I to 11/2 ft	.\$0 50	\$4 00		
I to 11/2 ft., c.	l. 1 00	8 00	70 00	\$600 00
11/2 to 2 ft., c	l. 1 50	12 50	110 00	
2 to 3 ft., cl				
3 to 4 ft., cl	. 4 00	35 00		

OTHER AZALEAS		
gandavensis. Ghent Azalea. 2 to 3 ft	Each	10
2 to 3 ft	\$1 75	\$15 00
indica alba.	Each	10
9 to 12-in. pots	\$0 90	\$6 75
kaempferi.	Each	IO
I to 1½ ft 2 to 2½ ft	.\$1 25	\$12 00
2 to 2½ ft	. 3 50	30 00
mollis. Each 1 to 1½ ft., clumps\$0 75	10	100
I to 1½ ft., clumps\$0 75	\$6 00	\$50 00
$1\frac{1}{2}$ to 2 ft., clumps 1 00		
pontica. Each 6 to 9 in	\$0.00	100
BENZOIN æstivale. Spice Busl		
Yellow flowers in spring, an	d scarle	
in fall and early winter.		Each
2 to 4 ft		
BERBERIS aggregata. New		
species, somewhat like B , can	iadensis.	. Very
valuable. 1 to 1½ ft	Each	10
1 to 1½ ft	\$0 75	\$5 00
amurensis japonica (regelia	na). 4 1	to 8 ft.
Fine upright shrub, with show	y scarle	t fruit.
	Each	10
I to I½ ft		
canadensis. American Barbe		
Lower than B. vulgaris. 1 to 1½ ft	Each	10
I to I½ ft	\$0 60	\$5 00
2 to 3 ft	75	6 00



Azalea arborescens. White, pink stamens; very fragrant. The best Azalea for form and leafage

PRICES ARE AT BOXFORD NURSERY

Berberis repens. See Mahonia repens.
sieboldi. 2 to 4 ft. Leaves purplish when
young deep vinous red in autumn. Bright
lustrous red fruit. Each 10 100
6 to 10 in\$0 I5 \$1 00 \$8 00
2 to 3 ft
Ustrous red fruit. Each 10 100
sinensis (sanguinolenta). 4 to 6 ft. Slender
arching branches; purplish fruit. Each 10
6 to 12 in\$0 40 \$3 00
thunbergi. Japanese Barberry. 2 to 10 ft.
One of the best known of hedge plants; compact growth and scarlet fruit.
Each 10 100 1.000
Each 10 100 1,000 1 to 1½ ft \$0 35 \$3 00 \$27 50 \$200 00 1½ to 2 ft \$0 4 50 40 00 350 00 2 to 2½ ft 60 5 50 50 00 425 00
1½ to 2 ft 50 4 50 40 00 350 00
2 to 2½ tt 60 5 50 50 00 425 00 2½ to 3 ft., ex-
tra heavy 80 7 50 70 00
thunbergi maximowiczi. An interesting
variety of the type, with foliage bright green
beneath. Each 10
12 to 15 in\$0 40 \$3 00
vulgaris. Common Barberry. 4 to 12 ft.
One of the very best. Handsome in spring, with golden yellow flowers and light green
foliage; bright scarlet fruit hanging through
winter. Each 10 100 1,000
6 to 12 in. S\$0 15 \$0 75 \$4 00 \$20 00
winter. Each 10 100 1,000 6 to 12 in. S \$0 15 \$0 75 \$4 00 \$20 00 1 to 1½ ft 20 1 50 10 00 1½ to 2 ft 30 2 50 20 00
BETULA alba. European White Birch. 30 to 50 ft. Fine white bark; of great use for
planting among evergreens for contrast;
best effect when plants have several stems.
Each to too
6 to 8 ft
10 to 12 ft 1 75 15 00
lutea. Yellow Birch. 60 to 100 ft. Silver-
gray or light orange bark. A fine tree, too
little used. Each 10
6 to 8 ft\$0 75 \$6 00
8 to 10 ft
nigra (rubra). River Birch. 50 to 90 ft. Bark reddish brown. A moisture-loving,
graceful tree and remarkable for its ragged
bark. Each to
3 to 4 ft\$0 50 \$4 00
4 to 5 ft

Betula papyrifera. Paper or Canoe Birch.
60 to 100 ft. Very ornamental, white-barked
tree, of greatest value for contrasting effects
with evergreens. Each 10 100 3 to 4 ft. \$0 40 \$3 00 \$25 00 4 to 5 ft. 60 5 00 40 00 5 to 6 ft. 75 6 00 50 00 6 to 8 ft. 90 8 00 70 00
3 to 4 ft\$0 40 \$3 00 \$25 00
4 to 5 ft
5 to 6 ft 75 6 00 50 00
6 to 8 ft 90 8 00 70 00
8 to 10 ft I 25 IO 00
populifolia. Gray Birch. 15 to 40 ft. Grown
in clumps, is conspicuous as a gray-barked
shrub with delicate twigs and cut foliage.
Each 10 7 to 8 ft\$1 oo \$8 oo
7 to 8 ft\$1 oo \$8 oo
BUDDLEIA davidi veitchiana. 5 to 8 ft.
Robust shrub at first, later gracefully arch-
ing; dense large clusters of mauve-colored
flowers, with a bright orange eye.
Each 10 Heavy\$0 50 \$4 00
CARAGANA arborescens. Siberian Pea Tree.
8 to 20 ft. Bright yellow, pea-shaped flowers; a conspicuous small tree.
flowers; a conspicuous small tree.
Each 10 3 to 4 ft
3 to 4 1t
arborescens cuneifolia. A variety from the
Arnold Arboretum. Each 10 100 6 to 12 in
microphylla. 4 to 6 ft. Another interesting
form with yellow flowers. Each 10 100
Each 10 100 4 to 6 in\$0 25 \$2 00 \$15 00
CARPINUS caroliniana (americana). Amer-
ican Hornbeam. 15 to 40 ft. Bushy small
tree; dense but slender branches; foliage
colors orange-yellow and scarlet in fall.
Fine as a clipped hedge plant.
4 to 5 ft \$0.40 \$3.50
Each 10 100 4 to 5 ft\$0 40 \$3 50 6 to 8 ft
CASTANEA pumila. 3 to 25 ft. A fine shrub;
abundant catkins of bright yellow or white
flowers, followed by burs inclosing delicious
nuts one third the size of chestnuts. Suit-
able in the border and on dry and rocky
slopes; a splendid ornamental, and valuable
for fruit. Each 10
101 Httt. Each 10 1½ to 2 ft
2 to 3 ft
3 to 4 ft I 00 9 00
4 to 5 ft I 50



The Chinkapin, Castanea pumlla. Splendid ornamental; delicious nut

KELSEY'S HARDY AMERICAN TREES AND SHRUBS

PRICES ARE AT BOXFORD NURSERY



CATALPA speciosa. Western Catalpa. 50 to 100 ft Desirable ornamental; quick growth; showy panicles of white flowers. Each 10 3 to 4 ft. \$0 25 \$2 0 4 to 5 ft. \$0 35 3 0 5 to 6 ft. 50 4 0 6 to 8 ft. 75 60	of oo
6 to 8 ft	o t.
CERCIDIPHYLLIM innonioum Vodeure Tree co to 6	^

 CERCIDIPHYLLUM japonicum.
 Kadsura Tree.
 20 to 60

 ft. Very ornamental Japanese tree; graceful pyramidal habit; fine foliage.
 Each 10

 4 to 5 ft.
 \$1 00 \$8 00

 5 to 6 ft.
 1 50

CHIONANTHUS virginica. White Fringe. | C



Clethra alnifolia

5 to 30 ft. Spreading shrub; in early June a
mass of fragrant, drooping, white flowers.
Each 10 100
1½ to 2 ft\$0 50 \$4 00 \$30 00
2 to 3 ft 75 6 00 50 00
3 to 4 ft I 00 8 00
CLETHRA acuminata. Mountain Pepper
Bush. From Carolina mountains; con-
spicuous red bark and drooping racemes of
white flowers. Each 10 1 to 1½ ft
I to I ½ ft\$0 40 \$3 00
alnifolia. Sweet Pepper Bush. A mass of
very fragrant white flowers in late summer
when flowering shrubs are rare.
Each 10 100
I to I1/2 ft
1 to 1½ ft\$0 35 \$3 00 \$25 00 1½ to 2 ft50 4 00
COLUTEA arborescens. Bladder Senna. 8 to
15 ft. Attractive yellow and brownish
flowers and cut foliage. Foot ro
flowers and cut foliage. Each 10 6 to 12 in
0 to 12 m

 CORNUS alba sibirica. 3 to 10 ft. One of the finest for winter bark effects, with scarlet twigs.

 3 to 4 ft.
 \$0 50 \$4 00

 4 to 5 ft.
 75 6 00

CORCHORUS. See Kerria.

florida rubra. Red-flowering Dogwood. A splendid stock of this choice variety. The Dogwoods are invaluable for woods planting. The scarlet fruit in autumn and early winter is very showy and fine for bird food.

Each 10 100
4 to 5 ft......\$2 00 \$18 00 \$165 00

	kousa.			Fine	Asiatic
speci	es, flower	ing in .	June.		Each
4 to	5 ft				\$1 75
-	Complian	Charr		to an ft	Hand

mas. Cornelian Cherry. 10 to 20 ft. Handsome shrub; a mass of yellow flowers in spring and scarlet fruit in autumn.

stolonifera. Red Osier Cornel. 6 to 10 ft.
Dark blood-red branches.

Each 10 100

COTONEASTER foveolata. 6 to 10 ft. A good border shrub; black fruit; foliage bright scarlet and orange in autumn.

Each 10

 francheti.
 6 to 12 ft. Almost evergreen

 leaves; a good border plant.
 Each 10

 3 to 4 ft.
 \$0 75 \$6 00

horizontalis. Low spreading shrub of extreme beauty when planted over boulders and among rocks. Glossy foliage; graceful habit; brilliant scarlet fruit.

PRICES ARE AT BOXFORD NURSERY

CRATAEGUS. The Hawthorns: All the Hawthorns, both American and foreign, are highly ornamental shrubs or small trees, usually with profuse white flowers in spring and early summer, succeeded by conspicuous red, crimson, and scarlet fruits. All offered are hardy, and on small places or where used by hundreds or thousands on large estates are indispensable. Their rugged character and fine winter effects are not even yet fully appreciated.
arnoldiana. Arnold's Hawthorn. 15 to 20 ft. Bright crimson fruit, falling in August. Each 10 100 6 to 12 in\$0 30 \$2 00 \$18 00
cocinea. Scarlet Thorn. 15 to 40 ft. One of the best native species. Each 10 4 to 6 ft
4 to 6 ft
the English Hawthorn. Each 10 4 to 6 in

Cratægus oxyacantha, Pink. Each 2 to 3 ft. \$1 oo 4 to 5 ft. 1 50	ı
2 to 3 it	'
4 to 5 tt	
oxyacantha, Double White. Each 3 to 4 ft	
3 to 4 it	
accomplished by the confit Del femile of	
prunifolia. 15 to 30 ft. Red fruit; a fine	
variety. Each 10 4 to 8 in\$0 25 \$2 00	
punctata. 10 to 30 ft. Dull red fruit in	
October, falling soon. One of the finest for	
hedges and shrubberies, branches spreading	
horizontally. Each 10 4 to 5 ft	
5 to 6 ft	
6 to 7 ft I 00 9 00	
rotundifolia (glandulosa). 10 to 20 ft.	
Bright red fruit; usually a large shrub.	
Easte vo	
I to 1½ ft	
tomentosa. 12 to 20 ft. Fruit yellow or yel-	
lowish red. Conspicuous. Each 10 8 to 10 in	
8 to 10 in\$0 20 \$1 50	,
CYDONIA japonica. Each 10	
CYDONIA japonica. Each 10 1½ to 2 ft	
ianonica baltzi. Fach to	
japonica baltzi. Each 10 1 to 2 ft	
maulei. Each 10 100 6 to 12 in\$0 25 \$2 00 \$18 00	
I to I½ ft 40 3 00 25 00	
maulei superba. Each 10	
maulei superba. Each 10 9 to 15 in \$0 40 \$3 00	
DIERVILLA rivularis. Each 10 100	
I to I ¹ / ₂ ft\$0 25 \$2 00 \$18 00	,
sessilifolia. Bush Honeysuckle.	
Each 10 100	
Each 10 100 2 to 3 ft\$0 40 \$3 00 \$25 00	,



Genista tinctoria (Woadwaxen). The shrub that makes the Salem "pastures" a blaze of golden yellow in June



KELSEY'S HARDY AMERICAN TREES AND SHRUBS

PRICES ARE AT BOXFORD NURSERY

EUONYMUS alatus. Winged Burning Bush.
6 to 8 ft One of the most conspicuous
6 to 8 ft. One of the most conspicuous, with brilliant scarlet fruit and foliage turn-
ing crimson in autumn; branches stiff with
ing critison in autumi, branches still with
corky wings. Each 10 100 1½ to 2 ft\$1 00 \$8 00 \$70 00
1/2 to 2 it
1½ to 2 ft
4 to 5 ft, extra heavy 2 50 20 00
americanus. Strawberry Bush. 4 to 8 ft.
Bright green bark; very ornamental; good
for was along streams. First
for use along streams. Each 10 1 to $1\frac{1}{2}$ ft
I to 1½ ft\$0 40 \$3 50
bungeanus. 10 to 15 ft. Slender branches;
large scarlet fruits, hanging on till late.
Each 10 100
6 to 12 in\$0 25 \$2 00 \$15 00 1 to 1½ ft40 3 00 25 00
1 to 1½ ft
latifolius. 15 to 20 ft. Large, handsome foli-
age and pendulous fruit. Each 10 3 to 4 ft. \$1 50 \$12 00 4 to 5 ft. 2 00 18 00
3 to 4 it
FAGUS americana. American Beech. 40 to
90 ft. One of the best native trees for lawn
or woods. Grows well in dense shade as an
undershrub. The white or gray bark is
most conspicuous. Each 10 1 to 1½ ft
I to 1½ ft
2 to 3 ft
4 to 5 ft
purpurea. Each 10
2 to 3 ft\$1 25 \$12 00
FORSYTHIA var. fortunei. Golden Bell. 10
to 12 ft. Dark green foliage, arching
branches, and golden yellow flowers with
twisted petals. Each 10 100 3 to 4 ft
4 to 5 ft
4 to 5 ft
intermedia. Hybrid Golden Bell. 10 to 15
ft. Floriferous; golden yellow. Each 10
6 to 8 ft\$1 00 \$8 00
0 to 5 tt
and the second s

Forsythia var. sieboldi. 8 to 12 ft. Strong,
thick-growing type, Each 10
thick-growing type. Each 10 5 to 6 ft
6 to 7 ft I 25 IO 00
suspensa. Drooping Golden Bell. 8 to 15 ft.
Pendulous species and fine for hillsides and
over walls. Each 10 100 2 to 3 ft. \$0 35 \$3 00 \$25 00 2 to 4 ft. \$0 35 \$0 35 \$0 35
2 to 3 ft\$0 35 \$3 00 \$25 00
3 to 4 ft
FRAXINUS americana. American Ash. 60
to 100 ft. For street and lawn; foliage turns
fine bronzes and coppers. Each 10 7 to 8 ft
7 to 8 ft
10 to 12 ft 1 50 12 00
lanceolata (viridis). Green Ash. 40 to 60 ft.
A good lawn tree. Each 10 100
A good lawn tree. Each 10 100 5 to 6 ft
7 to 8 ft 75 6 00 \$50 00
GENISTA tinctoria. Woodwaxen. I to 3 ft. This is the shrub that makes the Salem
"pastures" a sheet of golden yellow in June.
A fine undershrub for massing and rock-
work. Each 10 100 4 to 6 in\$0 10 \$0 80 \$7 00
6 to 12 in 35 3 00 20 00
GLEDITSIA triacanthos inermis. Honey
Locust. 30 to 60 ft. A hardy and fairly
good street tree. This is the variety without
spines. Each 10 100
I to 2 ft\$0 20 \$1 50 \$12 00
2 to 3 ft
2 to 3 ft
HALESIA carolina monticola. Silver-Bell
Tree. 40 to 80 ft. New variety, introduced
by Highlands Nursery Splendid pyramidal
by Highlands Nursery. Splendid pyramidal tree; a mass of silvery bell-like flowers in
April and May. Each 10 1 to 2 ft
2 to 3 ft 60 5 00
3 to 4 ft I 00 8 00
5 to 6 ft I 50



HAKLAN	P. KELSEI, C
	PRICES ARE AT BO
HAMAMELIS virgin	iana. Witch-Hazel. 10 to
20 ft. Fine unde late fall as the lea	iana. Witch-Hazel. 10 to rshrub. Yellow flowers in twes are falling.
2 to 3 it	
4 to 6 ft. Fine for	rescens. Wild Hydrangea. shady places. Each 10\$0 35 \$3 00
with showy flow paniculata grand	iffora. A striking plant, eers, not gaudy like H. iflora. Good for shady
locations. I to 2 ft	Each 10 100\$0 40 \$3 50 \$30 00
3 to 4 it	Each 10 100\$0 40 \$3 50 \$30 00 Far superior to and more coarse variety, <i>H. pan</i> - Each 10 100\$0 65 \$5 00 \$40 00
	10 ft. Very conspicuous atose branches and leaves. Each
	\$0 75
of the deciduous I I to 2 ft	
1½ to 2 it	60 5 00 40 00
or dry locations; June and July; lea in fall. I to 2 ft	o 6 ft. Fine shrub for wet very fragrant flowers in wes color brilliant bronzes Each 10 100 \$6 40 \$3 00 \$20 00
JAMESIA americana	a. 3 to 4 ft. White flowers
I to I 1/2 ft	\$0 60 \$5 00
	Corchorus. 3 to 4 ft. owers in profusion; fine iches. Each 10 100
LARIX americana. 7 to 8 ft	Each 10 100\$0 75 \$6 00 \$55 00
Privet. Northern hardy, upright Privet, which is a Fine hedge plant	rense. Amoor River a form. 4 to 8 ft. Very growth, like California so uncertain of hardiness. and clips well.
I to 2 ft\$0 2 to 3 ft	25 \$2 00 \$18 00 \$150 00 35 3 00 25 00 200 00
ii uit.	t. 3 to 8 ft. Another very ading habit; fine purple Each 10 100
1½ to 2 ft 2 to 3 ft	\$0 20 \$1 50 \$12 00
ibota regelianum	Regel's Privet, 3 to 8
of all.	Each 10 100\$0 35 \$3 00 \$25 00 50 4 00 30 00
ovalifolium Calif	50 4 00 30 00

ovalifolium. California Privet. 4 to 12 ft. A good hedge plant, but not reliably hardy in New England. Each 10 100 2 to 3 ft...........\$0 30 \$2 50 \$20 00

LINDERA. See Benzoin.



Malus floribunda (see page 28)

LONICERA maacki. 8 to 15 ft. Wide-
spreading shrub; white flowers; brilliant red fruit. All the Loniceras are fine for bird
cover, the fruit furnishing food eagerly
sought. Each 10 6 to 12 in
morrowi. Japanese Bush Honeysuckle. 4 to 6 ft. White flowers, turning yellowish;
blood-red fruit. Each 10
3 to 4 ft\$0 60 \$4 50
blood-red fruit. Each 10 3 to 4 ft
muendeniensis. May and June; bright red
fruit July to August. Each 10 6 to 12 in
6 to 12 in\$0 25 \$2 00
notha. White, yellowish, or pink flowers;
strong-growing, open bush. Each 10
I to I½ ft\$0 40 \$3 00
segreziensis. Thick-growing shrub, with
dark red fruit. Each 10 100 Seedlings\$0 35 \$2 00 \$18 00
tatarica. Tartarian Honeysuckle. 8 to 10 ft.
Fruit red or yellow. Each 10 100
1 to 2 ft\$0 35 \$3 00 \$25 00
3 to 4 ft
3 to 4 ft
trichosantha. Spreading shrub; pale yellow
flowers: fine for borders. Fach
flowers; fine for borders. Each 2 to 2½ ft
LYONIA ligustrina. 4 to 10 ft. He-Huckle-
berry. A fine ericaceous plant, with nod-
ding racemes of flowers in terminal panicles;
glocary foliogo
glossy foliage. Each 10 100 1 to 2 ft
I to 2 It 30 50 \$4 00 325 00

MALUS. The Flowering Apples or Crabs. A showy family and for floral effects unexcelled. Without exception they are all

splendid ornamentals in flower, and conspicuous in fruit. All are hardy.

baccata. Siberian Crab. Small yellow or

ccata aurantiaca. Each 10 2½ to 3 ft.....\$0 50 \$4 00

Each 10

\$0 40 \$3 00

red fruit.

2 to 3 ft.....

baccata aurantiaca.

KELSEY'S HARDY AMERICAN TREES AND SHRUBS

PRICES ARE AT BOXFORD NURSERY



Malus baccata × prunifo	lia.		
1½ to 2 ft	Each	10	100
1½ to 2 ft	\$0 40	\$3 00	\$25 00
cerasiformis rubra pru	unifolia	. Larg	ge tree.
•		Each	TO
2 to 3 ft		\$o 6o	\$5 00
coronaria. Native Cra	b. Io t	o 20 ft.	Very
fragrant.		Each	10
tragrant. I to I½ ft		\$0 40	\$3 00
floribunda. 15 to 20 ft.			
		Fooh	TO
1½ to 2 ft		\$0 40	\$3 00
floribunda atrosangui			
Dark pink flowers. 4 to 5 ft		\$T 00	\$8.00
balliana (naukusasi)			Of
the most showy, with	15 10 2	20 11.	One or
the most snowy, with	pmk no	Wers.	
I to II/o ft		\$0.50	\$4.00
1 to 1½ ft			6 00
ioensis. Western Crab.	Much	like cor	onaria. Each
9 to 12 in			\$0.60
9 to 12 m			


Oxydendrum arboreum (Tree Andromeda)

3 to 4 ft	75	6 00
o to 12 in	like core	onaria. Each
ioensis flpl. Bechtel's Doc Crab. Showy pink; very free b 2 to 3 ft	uble-flo oloomer	wering . Each
niedzwetzkyana. Red-flow Flowers deep pink and very of 4 to 5 ft	ering rnamer Fach	Crab.
prunifolia. Fruit green, yellow Each 9 to 12 in\$6 40	or red	i. 100
prunifolia rinki (ringo). C. 15 to 18 ft. Pink flowers; larg	hinese e fruit;	Apple. edible.
9 to 12 in sargenti. Low bush; pure wh inch across. 9 to 15 in	\$o 30 ite flow	\$2 00 ers an
y 00 13 mm.		# 3

Malus spectabilis. Small tree with brilliant
walus spectabilis. Small tree with brilliant
Each 10 100
flowers, the opening buds coral-red. Each 10 100 4 to 5 ft
the last. Each 10
the last. Each 10 9 to 12 in
toringo (sieboldi). Shrub form, blush flow-
ers and small fruit. Each 10
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
2 to 3 ft
MENZIESIA pilosa. 3 to 8 ft. Very fine ericaceous plant, with pink bells and bright
red bark. Each 10
I to 2 ft\$0 40 \$3 50
MYRICA carolinensis (cerifera). Northern Bayberry. 2 to 8 ft. The finest of ground-
Bayberry. 2 to 8 ft. The finest of ground-
covers, dark glossy toliage and conspicuous
white fruit in profusion, hanging till into
white fruit in profusion, hanging till into spring. Each 10 100 1,000 4 to 6 in\$0 15 \$1 00 \$8 00 \$60 00
gale. Sweet Gale. 3 to 6 ft. Clean shrub:
gale. Sweet Gale. 3 to 6 ft. Clean shrub; fine foliage Each 10 100 1,000 6 to 12 in. S \$0 10 \$6 50 \$4 00 \$30 00 12 to 15 in 40 3 50 25 00
6 to 12 in. S\$0 10 \$0 50 \$4 00 \$30 00
12 to 15 1n 40 3 50 25 00
NYSSA sylvatica (multiflora). Black Gum.
30 to 60 ft. Splendid small tree; leaves coloring crimsons and scarlets; perhaps the
best of all autumn-colored toliage
Each 10
6 to 12 in\$0 50 \$4 00
Clean growing tree and fine for hadges
Each 10
OSTRYA virginiana. Ironwood. 15 to 40 ft. Clean-growing tree, and fine for hedges. Each 10 2 to 3 ft
3 to 4 it
OXYDENDRUM arboreum. Tree Andromeda.
15 to 60 ft. This cannot be recommended too highly. New twigs are bright red and
toliage colors brilliantly in autumn, Pro-
f f d
ley in drooping racemes. Should be planted
very freely. Each 10 100 1,000
2 to 3 ft 60 5 00 40 00
2 to 3 ft 60 5 00 40 00 3 to 4 ft 80 7 00 60 00
Iusion of nowers resembling lines-of-the-val- ley in drooping racemes. Should be planted very freely. Each 10 700 1,000 1 to 2 ft\$0 40 \$3 50 \$30 00 \$250 00 2 to 3 ft\$0 00 5 00 40 00 3 to 4 ft\$0 7 00 60 00 4 to 5 ft\$1 25 10 00
2 to 3 ft 60 5 00 40 00 3 to 4 ft 80 7 00 60 00 4 to 5 ft I 25 10 00 PAULOWNIA tomentosa (imperialis). 20
2 to 3 ft
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in appearance. 6 to 8 ft. Each 7 50 PAVIA. See Æsculus.
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in appearance. 6 to 8 ft. Each 7 50 PAVIA. See Æsculus.
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in appearance. 6 to 8 ft. Each 7 50 PAVIA. See Æsculus.
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in appearance. 6 to 8 ft. Each 7 50 PAVIA. See Æsculus.
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in appearance. 6 to 8 ft. Each 7 50 PAVIA. See Æsculus.
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in appearance. Each 6 to 8 ft. \$1 50 PAVIA. See Æsculus. PHELLODENDRON amurense. Amoor Cork Tree. 30 to 50 ft. Annual branchlets orange-yellow or yellowish gray. A new tree of great value. Each 10 100 9 to 12 in. \$0 25 \$2 00 \$18 00 sachalinense. 40 to 50 ft. The hardiest
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in appearance. Each 6 to 8 ft. \$1 50 PAVIA. See Æsculus. PHELLODENDRON amurense. Amoor Cork Tree. 30 to 50 ft. Annual branchlets orange-yellow or yellowish gray. A new tree of great value. Each 10 100 9 to 12 in. \$0 25 \$2 00 \$18 00 sachalinense. 40 to 50 ft. The hardiest
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in appearance. Each 6 to 8 ft. \$1 50 PAVIA. See Æsculus. PHELLODENDRON amurense. Amoor Cork Tree. 30 to 50 ft. Annual branchlets orange-yellow or yellowish gray. A new tree of great value. Each 10 100 9 to 12 in. \$0 25 \$2 00 \$18 00 sachalinense. 40 to 50 ft. The hardiest
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in appearance. Each 6 to 8 ft
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in appearance. Each 6 to 8 ft. \$1.00 ft. Annual branchlets orange-yellow or yellowish gray. A new tree of great value. Each 10 100 9 to 12 in. \$0.00 ft. The hardiest species and a splendid tree; showy black fruit in broad panicles. Each 10 100 I,000 I to 2 ft. \$0.00 \$10.00
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in appearance. Each 6 to 8 ft
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in appearance. Each 6 to 8 ft. \$1.50 PAVIA. See Æsculus. PHELLODENDRON amurense. Amoor Cork Tree. 30 to 50 ft. Annual branchlets orange-yellow or yellowish gray. A new tree of great value. Each 10 100 9 to 12 in. \$0.25 \$2.00 \$18.00 sachalinense. 40 to 50 ft. The hardiest species and a splendid tree; showy black fruit in broad panicles. Each 10 100 1,000 I to 2 ft. \$0.30 \$2.50 \$20.00 \$16.00 POPULUS deltoides. Carolina Poplar. 50 to 100 ft. Quick-growing, soft-wooded tree. Each 10 100 60.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in appearance. Each 6 to 8 ft. \$1.50 PAVIA. See Æsculus. PHELLODENDRON amurense. Amoor Cork Tree. 30 to 50 ft. Annual branchlets orange-yellow or yellowish gray. A new tree of great value. Each 10 100 9 to 12 in. \$0.25 \$2.00 \$18.00 sachalinense. 40 to 50 ft. The hardiest species and a splendid tree; showy black fruit in broad panicles. Each 10 100 1,000 I to 2 ft. \$0.30 \$2.50 \$20.00 \$16.00 POPULUS deltoides. Carolina Poplar. 50 to 100 ft. Quick-growing, soft-wooded tree. Each 10 100 60.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in appearance. Each 6 to 8 ft. \$150 PAVIA. See Æsculus. PHELLODENDRON amurense. Amoor Cork Tree. 30 to 50 ft. Annual branchlets orange-yellow or yellowish gray. A new tree of great value. Each 10 100 9 to 12 in. \$0 25 \$2 00 \$18 00 sachalinense. 40 to 50 ft. The hardiest species and a splendid tree; showy black fruit in broad panicles. Each 10 100 I to 2 ft. \$0 30 \$2 50 \$20 00 \$160 00 POPULUS deltoides. Carolina Poplar. 50 to 100 ft. Quick-growing, soft-wooded tree. Each 10 100 6 to 8 ft. \$0 60 \$5 00 \$40 00 8 to 10 ft. \$1 25 10 00 10 to 12 ft. \$1 50 12 50
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in appearance. Each 6 to 8 ft. \$150 PAVIA. See Æsculus. PHELLODENDRON amurense. Amoor Cork Tree. 30 to 50 ft. Annual branchlets orange-yellow or yellowish gray. A new tree of great value. Each 10 100 9 to 12 in. \$0 25 \$2 00 \$18 00 sachalinense. 40 to 50 ft. The hardiest species and a splendid tree; showy black fruit in broad panicles. Each 10 100 1,000 I to 2 ft. \$0 30 \$2 50 \$20 00 \$160 00 POPULUS deltoides. Carolina Poplar. 50 to 100 ft. Quick-growing, soft-wooded tree. Each 10 100 6 to 8 ft. \$6 00 \$5 00 \$40 00 8 to 10 ft. \$1 25 10 00 10 to 12 ft. \$1 50 12 50 nigra italica (fastigiata). Lombardy Poplar. 40 to 60 ft. Of great value for places
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in appearance. Each 6 to 8 ft
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in appearance. Each 6 to 8 ft. \$1.50 PAVIA. See Æsculus. PHELLODENDRON amurense. Amoor Cork Tree. 30 to 50 ft. Annual branchlets orange-yellow or yellowish gray. A new tree of great value. Each 10 100 9 to 12 in. \$0.25 \$2.00 \$18.00 sachalinense. 40 to 50 ft. The hardiest species and a splendid tree; showy black fruit in broad panicles. Each 10 100 1,000 I to 2 ft. \$0.30 \$2.50 \$20.00 \$160.00 POPULUS deltoides. Carolina Poplar. 50 to 100 ft. Quick-growing, soft-wooded tree. Each 10 100 6 to 8 ft. \$0.50 \$5.00 \$40.00 8 to 10 ft. \$1.50 \$1.250 nigra italica (fastigiata). Lombardy Poplar. 40 to 60 ft. Of great value for places where a columnar tree is needed; not long lived.
to 40 ft. Remarkable purple flowers in enormous terminal racemes; subtropical in appearance. Each 6 to 8 ft

PRICES ARE AT BOXFORD NURSERY

PRUNUS americana. Wild Plum. 10 to 20 ft.
A fine species for thickets and borders.
Each 10 100 1,000
Each 10 100 1,000 6 to 9 in. S \$0 10 \$0 75 \$5 00 \$30 00 1 to 1½ ft 25 2 00 18 00
besseyi. Western Sand Cherry. Prostrate
behit and good for adgings and low plant-
habit and good for edgings and low plantings; showy fruit and flowers.
Each 10 100
I to 2 ft\$0 40 \$3 50 \$25 00
2 to 3 ft
3 to 4 ft 75 6 00 50 00
maritima. Beach Plum. Low bush, splendid for shore planting and sandy locations; a shower of white flowers in early spring; showy purple fruit which makes fine jelly.
for shore planting and sandy locations; a
shower of white flowers in early spring;
showy purple fruit which makes fine jelly.
Each 10 100 1 to 2 ft. "Collected"\$0 40 \$3 00 \$20 00
pumila. Sand Cherry. 4 to 8 ft., becoming
decumbent; showy flowers; purple-black
fruit. Each 10 100 2 to 3 ft\$0 40 \$3 50 \$30 00
3 to 4 ft
tomentosa. Small tree or dense bush; flowers
white, but with bright red calyx.
Each 10
4 to 5 ft\$0 75 \$6 00
QUERCUS bicolor (platanoides). Swamp
White Oak, 70 to 100 ft. Very fine sym-
White Oak. 70 to 100 ft. Very fine symmetrical tree, with light-colored bark.
Each 10
2 to 3 ft\$0 75 \$6 00
cerris. Turkey Oak. 60 to 120 ft. Forms a
broad pyramidal head. Handsome Oak,
with dark green foliage. Each
4 to 5 ft
coccinea. Scarlet Oak. 40 to 80 ft. Round-topped head; leaves brilliant scarlet in fall.
Each 10
5 to 6 ft\$1 00 \$9 00
ilicifolia (banisteri). Scrub Oak. 3 to 10 ft.
A splendid undershrub for rocky soils or as
a hedge plant. Fach
4 to 6 ft\$1 50



Rosa lucida (see page 30)

Quercus macrocarpa. Mossy-cup Oak. 80 to 160 ft. Spreading branches, forming a broad round head. Each 5 to 6 ft. \$1 25 7 to 8 ft. 2 00
palustris. Pin Oak. 80 to 120 ft. Handsome tree, much used for street planting; branches often pendulous; leaves color brilliantly in autumn. Each 10 6 to 7 ft.
7 to 8 ft
rubra. Red Oak. 80 to 150 ft. One of the best for street planting or for the lawn; rapid growth, making a broad round-topped head; fine fall coloring. Each 10 5 to 6 ft
6 to 8 ft

RHODOTYPOS kerrioides. White Kerria.

ROBINIA kelseyi. Kelsey's Flowering Locust.
4 to 8 ft. A new species, discovered by us in the Carolina mountains. Bright pink or rose-colored flowers, resembling the sweet pea. Does well in dry or moist situations. Very graceful.

6 to 12 in............\$0 75 \$6 00


ROSA. The **Wild Roses.** All have beautiful single flowers and showy hips, which, together with their low growth, make them our most desirable edging and border shrubs for most plantings. All through the winter their showy fruit makes most species very conspicuous.

Q).

KELSEY'S HARDY AMERICAN TREES AND SHRUBS

PRICES ARE AT BOXFORD NURSERY

				9
Rosa coriifolia. I	Large	pink fl	owers li	ike the
Dog Rose. I to $1\frac{1}{2}$ ft		. \$0. 25	\$2 00	\$18.00
6 to 12 in		.\$0 25	\$2 00	\$18 00
gymnocarpa. 6 an inch across; f	to IO	ft. Pal	le pink	flowers
an inch across; f	ruit ora	ange-re	d. Each	\$3 00
Harison's Vellov	 u		po 40	ψ3 00
Harison's Yellov	• • • • • • • • • •		Eacn \$0 40	10 \$3 00
humilis. Pasture			2 ft. Bl	ush.
I to I½ ft			Each \$0.30	\$2.50
fucida a to 4 fr	t One	of th	a bact.	bright
pink; dense grov	vth.	Each	10	100
pink; dense grov I to 2 ft 2 to 3 ft		. \$0 35	\$3 00 4 00	\$25 00 35 00
				, pure
white flowers ar	id vella	ow ster	ns.	
I ¹ / ₂ to 2 ft., heav	vy clum	ps.\$0 5	0 \$4 50	\$35 00
multiflora. 3 to	8 ft. A	4 mass	of smal	l white
flowers. 2 to 3 ft		Each	10	100
nitida. 3 to 6 ft	LI ₀ ;	.\$0 40	\$3 50	\$30 00 n nin!s
flowers. 1 to 2 ft		.\$0 40	\$3 50	\$30 00
nutkana hispida	l=			Each
riiniginosa. Swe	et Krie	or 1 to	n X ff	291769
very fragrant.	ct 1311c	Each	10	100
6 to 12 in		.\$0 25	\$2 00	\$18 00
very fragrant. 6 to 12 in 2 to 3 ft rugosa. Japanese	Rose	. Well	-known	hedge
plant; fine large	fruit.	Each	10	100
plant; fine large 2 to 3 ft., extra l 3 to 4 ft., extra l	neavy	.\$0 50	\$4 50 7 00	\$40 00 60 00
rugosa alba. Wh	nite Iar	oanese	Rose.	
I to 2 ft 2 to 3 ft., extra l		Each	10 \$3 50	100 \$30 00
2 to 3 ft., extra l	neavy	. 60	5 00	40 00
semenovi.		Each	10 \$3 00	100
9 to 12 in				\$20 00
setigera. Prairie light pink flowers	s in clu	isters:	fine for	Large banks:
vine-like.		Each	10	100
3 to 4 ft		.\$0 30	\$2 50	\$20 00
vine-like. 3 to 4 ft spinosissima. S flower, with ma	cotch	Kose.	Large stamens	white One
6 to 12 in 1 to 2 ft		Each . \$0 30	10 \$2 50	100 \$20 00
I to 2 ft		. 60	5 00	
spinosissima per 6 to 9 in	iicillat	ta.	Each \$0 . 50	10 \$4 00
Virginiana /hlan/	da) o	to 4 f	+ Tigh	t pink.
T to TIGht	, 0	Each	10	100 \$18 co
I to I½ ft 2 to 3 ft		. 40	3 50	30 00
woodsi. Western	SOLU OL	varue.	. Eacn	10 \$3 00
RUBUS delicion	berry.	3 to 5	ft. The	finest
or native Flower	nng Ka	ıspberr	ies, witi	n large
pure white flow in great profusion	rers, I m: larg	to 2 re wine	inches :	across, L fruit
			Each	10
odoratus. 3 to				\$5 00
flowers and red	fruit	: verv	e rose- large	showv
leaves. A fine u	ndersh	irub an	id suita	ble for
damp woods. 1 to 2 ft		Each \$0 20	10 \$1 75	100
2 to 3 ft		35	3 00	\$20 00



Rosa spinosissima

SALIX. Our collection of Willows covers almost all the species that are planted in the Arnold Arboretum, and we have others in smaller quantities that have lately been discovered in China and elsewhere. Many of the Willows are charming dwarf and semi-prostrate shrubs, notably beautiful, with bright yellow, brown, and green branchlets, or sometimes covered with a white bloom. The catkins are extremely showy and range from tiny balls of down to golden yellow spikes. Most of them thrive both in dry soils or in very moist locations.

acutifolia. 15 to 25		
colored, covered with	bloom;	long narrow
leaves.	Each	10 100
I to 2 ft	\$0 25	\$2 00 \$18 00
2 to 3 ft	35	3 00

alba calva (cærulea).	Each	
I to 2 ft		\$2 00
4 to 5 ft	50	

alba splendens (**regalis**). Royal Willow. 30 to 60 ft. Very rich silvery foliage; fine as a single specimen or in groups.

 ambigua.
 2 to 3 ft.
 With creeping stems;

 smooth branchlets; fine sort.
 Each
 10

 9 to 12 in.
 \$0 25
 \$2 00

 2 to 3 ft.
 40
 3 00

PRICES ARE AT BOXFORD NURSERY

Salix blanda (babylonica dole	orosa). Wiscon-
sin Weeping. Glaucous foli	age. Each 10
4 to 5 ft	\$0 35 \$3 00
6 to 7 ft	50 4 00
8 to 10 ft	1 00 8 00
caprea × purpurea.	Each 10
caprea × purpurea. 3 to 4 ft	\$0 35 \$3 00
cinerea. 15 to 25 ft. Tomen	tose branchlets;
leaves downy on both sides	
Eac	h 10 100
12 to 15 in\$0 2	5 \$2 00 \$18 00
	5 3 00
cinerea (amygdalina discol	or). 10 to 25 ft.
Branchlets tomentose; flower	ers before leaves.
1½ to 2 ft	Each 10
4 to 5 ft	35 3 3 00
	35 3 00
cinerea angustifolia.	40
cordata.	40
6 to 12 in	25 2 00
3 to 4 ft	
elegantissima. Thurlow's V	
40 to 60 ft. Rapid growth:	
of the pendulous forms. Fac	h to too
of the pendulous forms. Each i to 2 ft\$0 2	5 \$2 00 \$16 00
erdingeri cremensis. Tal	
logger pubercent	Each 10
leaves, pubescent. 3 to 4 ft	\$0 50 \$4 00
fragilis bullata.	
9 to 12 in	25 2 00
fragilis var. (saerementian	25 2 00
I to 2 ft	25 2 00
4 to 5 ft	
glaucophylla. Shrubby; str	
age; one of the best.	\$0 25 \$2 00
2 to 3 ft	35 3 00
	00 0



 $\begin{array}{c} \textbf{Rubus odoratus} \; (\textbf{Flowering Raspberry}) \\ \text{see page 30} \end{array}$

alix gracilistyla. Fine Shrub young branch-
Salix gracilistyla. Fine. Shrub; young branch- lets tomentose, older reddish brown; acute
leaves Fach to too
I to 2 ft\$0 40 \$3 50 \$30 00
grandifolia (appendiculata), male.
3 to 4 ft\$0 35 \$3 00
hastata, female. Shrub to 6 feet. Young
branchlets pubescent, older brown; serrate
leaves. Each 10
I to 2 ft\$0 25 \$2 00
humilis, female. Prairie Willow. 2 to 3 ft.
Showy procumbent species. Each 10
6 to 12 in\$0 25 \$2 00
incana (rosmarinifolia). Dwarf species;
1 + 1
inches long with silvery hairs underneath
inches long, with silvery hairs underneath. Each 10 100
I to 2 ft\$0 30 \$2 50 \$20 00
laestadinia (cinerea×lapponica). Low
shrub; pubescent branchlets; flowers before the leaves. Each 10
the leaves. Each 10 6 to 12 in
latifolia (caprea Xnigricans).
1½ to 2 ft
lucida.
I to I½ ft. 25 2 00 3 to 4 ft. 35 3 00
ludificans (aurita × phylicifolia). Shrubby
smooth leaves, glaucous beneath.
Each 10 1 to 1½ ft \$0 25 \$2 00 2½ to 3 ft 35 3 00
2½ to 3 ft
may reinifelia in variety. Chamber of the
myrsinifolia, in variety. Shrubs up to 12 feet. Broad acute leaves, glabrous above
and weethy undermosth
and woolly underneath. Each 10 6 to 12 in
and woolly underneath. Each 10 6 to 12 in
2 to 3 ft
myrtoides, female. 2 to 3 ft. Shrub or tree;
very showy foliage Fach to
9 to 12 in
9 to 12 in
neriifolia (purpurea X grandiflora). 3 to
6 ft Shrub: young branchlets nubescent
later smooth green or brown. Each 10
I to 2 ft\$0 25 \$2 00
later smooth green or brown. Each 10 1 to 2 ft
niobe. Weeping. Each 10
3 to 4 ft
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower.
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower.
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower.
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. Each 10 100 8 to 10 ft
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. Each 10 100 8 to 10 ft
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. Each 10 100 8 to 10 ft. S5 60 \$5 00 \$35 00
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. Each 10 100 8 to 10 ft. \$5 60 \$5 00 petiolaris. Each 10 12 to 15 in. \$0 25 \$2 00 3 to 4 ft. 40 3 50
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. Each 10 100 8 to 10 ft. \$5 60 \$5 00 \$35 00 petiolaris. Each 10 12 to 15 in. 12 to 15 in. \$0 25 \$2 00 3 to 4 ft. 40 3 50 phylicifolia (bicolor). 3 to 5 ft. Branchlets smooth: polished glossy foliage.
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. Each 10 100 8 to 10 ft. \$5 60 \$5 00 \$35 00 petiolaris. Each 10 12 to 15 in. 12 to 15 in. \$0 25 \$2 00 3 to 4 ft. 40 3 50 phylicifolia (bicolor). 3 to 5 ft. Branchlets smooth: polished glossy foliage.
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. Each 10 100 8 to 10 ft. \$0 60 \$5 00 \$35 00 petiolaris. Each 10 12 to 15 in. \$0 25 \$2 00 3 to 4 ft. 40 3 50 phylicifolia (bicolor). 3 to 5 ft. Branchlets smooth; polished glossy foliage.
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. 8 to 10 ft. Each 10 100 8 to 10 ft. \$0 60 \$5 00 \$35 00 petiolaris. Each 10 12 to 15 in. 12 to 15 in. \$0 25 \$2 00 3 to 4 ft. 40 3 50 phylicifolia (bicolor). 3 to 5 ft. Branchlets smooth; polished glossy foliage. Each 10 100 I to 2 ft. \$0 25 \$2 00 \$18 00
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. Each 10 100 8 to 10 ft. \$0 60 \$5 00 \$35 00 9 etiolaris. Each 10 12 to 15 in. \$0 25 \$2 00 3 to 4 ft. 40 3 50 phylicifolia (bicolor). 3 to 5 ft. Branchlets smooth; polished glossy foliage. Each 10 100 I to 2 ft. \$0 25 \$2 00 \$18 00 phylicifolia crowiana (bicolor laweana). Fine. Each 10
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. Each 10 100 8 to 10 ft. \$0 60 \$5 00 \$35 00 petiolaris. Each 10 12 to 15 in. \$0 25 \$2 00 3 to 4 ft. 40 3 50 phylicifolia (bicolor). 3 to 5 ft. Branchlets smooth; polished glossy foliage. Each 10 100 I to 2 ft. \$0 25 \$2 00 \$18 00 phylicifolia crowiana (bicolor laweana). Fine. Each 10 9 to 12 in. \$0 25 \$2 00 \$2 00
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. Each 10 100 8 to 10 ft. \$0 60 \$5 00 \$35 00 petiolaris. Each 10 12 to 15 in. \$0 25 \$2 00 3 to 4 ft. 40 3 50 phylicifolia (bicolor). 3 to 5 ft. Branchlets smooth; polished glossy foliage. Each 10 100 I to 2 ft. \$0 25 \$2 00 \$18 00 phylicifolia crowiana (bicolor laweana). Fine. Each 10 9 to 12 in. \$0 25 \$2 00 \$2 00
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. Each 10 100 8 to 10 ft. \$0 60 \$5 00 \$35 00 petiolaris. Each 10 12 to 15 in. \$0 25 \$2 00 3 to 4 ft. 40 3 50 phylicifolia (bicolor). 3 to 5 ft. Branchlets smooth; polished glossy foliage. Each 10 100 I to 2 ft. \$0 25 \$2 00 \$18 00 phylicifolia crowiana (bicolor laweana) Fine. g to 12 in. \$0 25 \$2 00 piperi. Shrub to 20 feet; dark brown branch-lets: Lets: Large leaves. Each 10 Fach 10 A 25 \$2 00
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. Each 10 100 8 to 10 ft. \$0 60 \$5 00 \$35 00 petiolaris. Each 10 12 to 15 in. \$0 25 \$2 00 3 to 4 ft. 40 3 50 phylicifolia (bicolor). 3 to 5 ft. Branchlets smooth; polished glossy foliage. Each 10 100 I to 2 ft. \$0 25 \$2 00 \$18 00 phylicifolia crowiana (bicolor laweana) Fine. g to 12 in. \$0 25 \$2 00 piperi. Shrub to 20 feet; dark brown branch-lets: Lets: Large leaves. Each 10 Fach 10 A 25 \$2 00
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. Each 10 10 8 to 10 ft. \$0 60 \$5 00 \$35 00 9 to 15 to 15 in. \$0 25 \$2 02 3 to 4 ft. 40 3 50 phylicifolia (bicolor). 3 to 5 ft. Branchlets smooth; polished glossy foliage. Each 10 100 I to 2 ft. \$0 25 \$2 00 \$18 00 phylicifolia crowiana (bicolor laweana) Fine. Each 10 9 to 12 in. \$0 25 \$2 00 piperi. Shrub to 20 feet; dark brown branchlets; large leaves. Each 10
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. Each 10 10 8 to 10 ft. \$0 60 \$5 00 \$35 00 8 to 10 ft. \$0 60 \$5 00 \$35 00 9 to 15 to 15 in. \$0 25 \$2 0 3 to 4 ft. 40 3 50 phylicifolia (bicolor). 3 to 5 ft. Branchlets smooth; polished glossy foliage. Each 10 100 I to 2 ft. \$0 25 \$2 00 \$18 00 phylicifolia crowiana (bicolor laweana) Fine. Each 10 9 to 12 in. \$0 25 \$2 00 piperi. Shrub to 20 feet; dark brown branchlets; large leaves. Each 10 1 to 2 ft. \$0 25 \$2 00 3 to 4 ft. \$0 25 \$2 00 purpurea, female. \$0 35 3 00
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. Each 10 100 8 to 10 ft. \$0 60 \$5 00 \$35 00 petiolaris. Each 10 12 to 15 in. \$0 25 \$2 00 3 to 4 ft. 40 3 50 phylicifolia (bicolor). 3 to 5 ft. Branchlets smooth; polished glossy foliage. Each 10 100 I to 2 ft. \$0 25 \$2 00 \$18 00 phylicifolia crowiana (bicolor laweana). Fine. Each 10 9 to 12 in. \$0 25 \$2 00 \$2 00 piperi. Shrub to 20 feet; dark brown branchlets: large leaves. Each 10 1 to 2 ft. \$0 25 \$2 00 \$0 25 \$2 00 3 to 4 ft. 35 3 00 purpurea, female. 3 to 4 ft. 25 2 00
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. 8 to 10 ft
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. Each 10 100 8 to 10 ft. \$0 60 \$5 00 \$35 00 petiolaris. Each 10 12 to 15 in. \$0 25 \$2 00 3 to 4 ft. 40 3 50 phylicifolia (bicolor). 3 to 5 ft. Branchlets smooth; polished glossy foliage. Each 10 100 I to 2 ft. \$0 25 \$2 00 \$18 00 phylicifolia crowiana (bicolor laweana). Fine. Each 10 9 to 12 in. \$0 25 \$2 00 \$2 00 piperi. Shrub to 20 feet; dark brown branchlets: large leaves. Each 10 1 to 2 ft. \$0 25 \$2 00 \$0 25 \$2 00 3 to 4 ft. 35 3 00 purpurea, female. 3 to 4 ft. 25 2 00
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. Each 10 10 8 to 10 ft. \$0 60 \$5 00 \$35 00 petiolaris. Each 10 12 to 15 in. \$0 25 \$2 00 3 to 4 ft. 40 3 50 phylicifolia (bicolor). 3 to 5 ft. Branchlets smooth; polished glossy foliage. Each 10 100 I to 2 ft. \$0 25 \$2 00 \$18 00 phylicifolia crowiana (bicolor laweana). Fine. Each 10 \$0 25 \$2 00 piperi. Shrub to 20 feet; dark brown branchlets: large leaves. Each 10 1 to 2 ft. \$0 25 \$2 00 3 to 4 ft. 35 3 00 purpurea, female. 3 to 4 ft. 25 2 00 purpurea amplexicaulis, male. 3 to 4 ft. 35 3 00 purpurea kerksi. 35 3 00
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. 8 to 10 ft
pentandra. Laurel-leaved Willow. 40 to 60 ft. Shiny foliage; rapid grower. Each 10 10 8 to 10 ft. \$0 60 \$5 00 \$35 00 petiolaris. Each 10 12 to 15 in. \$0 25 \$2 00 3 to 4 ft. 40 3 50 phylicifolia (bicolor). 3 to 5 ft. Branchlets smooth; polished glossy foliage. Each 10 100 I to 2 ft. \$0 25 \$2 00 \$18 00 phylicifolia crowiana (bicolor laweana). Fine. Each 10 \$0 25 \$2 00 piperi. Shrub to 20 feet; dark brown branchlets: large leaves. Each 10 1 to 2 ft. \$0 25 \$2 00 3 to 4 ft. 35 3 00 purpurea, female. 3 to 4 ft. 25 2 00 purpurea amplexicaulis, male. 3 to 4 ft. 35 3 00 purpurea kerksi. 35 3 00



KELSEY'S HARDY AMERICAN TREES AND SHRUBS

PRICES ARE AT BOXFORD NURSERY

Salix purpurea lambertiana. Purple Osier.
Shrub or small tree, with slender purple
branches. Each 10 100 1 to 2 ft\$0 25 \$2 00 \$18 00
4 to 5 ft 40 3 50
purpurea sericea, female. Each 10
9 to 12 in\$0 25 \$2 00
2 to 3 ft 40 3 50
repens, female. Fine, dwarf, procumbent
species. Each 10
9 to 12 in
2 to 3 ft
repens argentea. Each 10
12 to 15 in\$0 25 \$2 00
2 to 3 ft
reuteri (daphnoides × elæagnus). Tall
shrub; older branchlets brown and often
covered with bloom; narrow, dark green
leaves. Each 10
I to 2 ft \$0 25 \$2 00
3 to 4 ft 40 3 50
rubens. Tree with fragile branches; a hybrid
between S. alba and S. fragilis. Each 10
6 to 12 in\$0 25 \$2 00
I to 2 ft
3 to 4 ft
4 to 5 ft 50 4 00
rubens palustris. Tree with fragile branch-
lets. Each 10
4 to 5 ft\$0 35 \$3 00
5 to 6 ft



Stewartia ("American Camellia") see page 33

Salix var. Russian Gol	den.		
Each	10	100	1,000
I to 2 ft\$0 I5	\$1 25		\$80 00
4 to 5 ft 25	2 00	16 00	
5 to 6 ft 35 8 to 10 ft 50	3 00	25 00	
8 to 10 ft 50	4 00		
sericea. A native d	lwarf s	pecies of	great
value.	Eac		100
6 to 12 in	\$0 2	5 \$2 00	\$18 00
I to 2 ft	3	0 2 50	
2 to 3 ft	4	0 3 50	
sesquitertia. 3 to 8 f	t. Glos		; a fine
variety.		Each	IO
9 to 12 in		\$0 25	\$2 00
2 to 3 ft		35	3 00

OXFORD NURSERY
Salix sieboldiana. Upright shrub; young branchlets tomentose, older glabrous; fine
dark green foliage, white underneath. Each 10 100 1 to 2 ft\$0 25 \$2 00 \$18 00
2 to 3 ft
sordida (pontederana), female. Each 10 1 to 2 ft
stipularis (holosericea). Each 10 10 1 to 2 ft
terapta. Shrubby, shiny leaves; a cross between S. myrsinifolia and S. phylicifolia.
6 to 12 in
bark. Each 10 3 to 4 ft
viminalis (variety from Madeira). Each 10 1 to 2 ft
viminalis gmelinix, male. Each 10 1 to 2 ft
Willow. 30 to 50 ft. Pendulous form with bright yellow branchlets; leaves white be-
neath. Each 10 \$3 oo Wisconsin Weeping. See S. blanda.
SAMBUCUS canadensis. American Elder.
6 to 12 ft. One of our showiest native shrubs with white flowers in large flat-topped cymes; profuse black fruit in August and September. Each 10 100 1 to 2 ft\$0 35 \$3 00 \$20 00
2 to 3 ft
Each 10 100
Large-flowered form, with showy
fruit. Each 10 2 to 3 ft
canadensis maxima. 6 to 12 ft. Large-growing variety, with conspicuous flowers and foliage.
1 to 2 ft\$0 40 \$3 50
racemosa. Red-berried Elder. 4 to 8 ft. White flowers in pyramidal cymes: berries red, very showy in
cymes; berries red, very showy in early summer. Each 10 100 3 to 4 ft\$0 60 \$4 00 \$50 00 4 to 5 ft 1 00 8 00 racemosa sieboldiana. 4 to 8 ft.
Large-nowered and large-fruited
3 to 4 ft\$0 75
SPIRÆA, Anthony Waterer. 2 to 4 ft. A good hedge plant, with dark reddish flowers. Each 10 100
arguta. Hybrid Snow Garland. 6 to 10 ft. A showy and very floriferous shrub, with
white flowers covering the plant in early spring. Each 10 4 to 5 ft
callosa alba. 2 to 4 ft. Dwarf white form for low edgings. Each 10 100 6 to 12 in
6 to 12 in\$0 20 \$1 50 \$12 00 1 to 2 ft40 3 50 30 00

PRICES ARE AT BOXFORD NURSERY



Sambucus canadensis (Ame

Spiræa thunbergi. Snow Garland. 3 to 4 ft. Flowers cover the plant like a mantle of
snow. Each 10 100 2 to 3 ft\$0 50 \$4 00 \$30 00
tomentosa. Steeple Bush. Each 10 100
2 to 3 ft\$0 50 \$4 00 \$30 00
vanhouttei. Bridal Wreath. 5 to 6 ft.
Graceful shrub, with arching branches; one
of the best. Each 10 100
2 to 2 ft 50 4 00 30 92 00 918 00
of the best. Each 10 100 1 to 2 ft \$0 30 \$2 00 \$18 00 2 to 3 ft \$5 0 4 00 30 00 3 to 4 ft 75 6 00
STEPHANANDRA flexuosa. 3 to 5 ft. Droop-
ing branches and deeply cut leaves; white
flowers in soft feathery racemes.
Each 10 100
2 to 3 ft\$0 35 \$3 00 \$25 00
Each 10 100 2 to 3 ft\$0 35 \$3 00 \$25 00 3 to 4 ft45 4 00 30 00
STEWARTIA pentagyna. Southern Stew-
artia, 6 to 15 ft. This, the so-called "Amer-
ican Camellia," is one of the most rare and
beautiful of all North American shrubs.
Erect, well-foliaged, and with large, axillary
flowers, 3 to 4 inches across, with white
creamy petals, deeply crenulated in the
margins, resembling the single camellia.
June. Each
1½ to 2 ft
STYRAX japonica. 6 to 15 ft. A most beau-
tiful and graceful tree-like shrub; flowers
bell-like, in drooping racemes literally
covering the plant. Each 10 100
6 to 12 in\$0 25 \$2 00 \$15 00
I to I½ ft 40 3 50 30 00

erican Elder) see page 32
One of the best species of Snowberry. Each 10
I to I½ ft\$0 40 \$3 50
racemosus. Snowberry. 3 to 5 ft. A native, with very showy, pure white fruit hanging in large clusters until late winter. Each 10 100 <
racemosus lævigatus. Each 10 2 to 4 in. Seedlings
vulgaris. Coral-berry, or Indian Currant. 3 to 6 ft. The red or purplish fruit is produced in great profusion and hangs on till early spring. Each 10 100 I to 2 ft. \$0 20 \$1 50 \$12 00 2 to 3 ft. 30 2 50 20 00 3 to 4 ft. 50 4 00 30 00

LILACS ON THEIR OWN ROOTS

Fine collection of some of the best and newest hybrids in specimen stock. It is only recently that **Lilacs on their own roots** were obtainable.

Ordinary stock is **grafted on Privet**, which "suckers" badly, often crowding out and killing the grafted top and leaving a Privet instead of a Lilac. The Lilac is the queen of spring-flowering shrubs, and the new hybrids mark an epoch in horticulture. For a tall hedge or screen there



KELSEY'S HARDY AMERICAN TREES AND SHRUBS

PRICES ARE AT BOXFORD NURSERY

THEFA

is nothing better than the Lilac, and for this purpose the old-fashioned white and purple sorts make a charming combination.

D—double varieties; S—single varieties.

Syringa, Alphonse Lavalle. S. Light blue.	
Each 10 2 to 3 ft	1
Andrew Dupont.	
3 to 4 ft 75 6 00	
4 to 5 ft	
Charles X. S. Lilac. 2 to 3 ft	1
3 to 4 ft I 00 8 00	
Claude de la Reine. S. Violet-blue.	
3 to 4 it 1 00 8 00	1
cærulea superba. S. Blue.	1
5 to 0 it 1 25 10 00	
Dame Blanche. D. White.	
I to 2 ft 50 4 00	
Geant des Batailles. S. Bright reddish lilac.	
Each 10 3 to 4 ft	
4 to 5 ft I 00 8 00	
japonica. S. Creamy white.	
4 to 5 ft	
iosikæa. S. Purple.	
josikæa. S. Purple. 4 to 5 ft. 60 4 50 5 to 6 ft. 1 00 8 00	
5 to 6 ft 1 00 8 00	
Jean Bart. I to 2 ft	
Ludwig Spaeth. S. Dark crimson-purple.	
Each 10	
2 to 3 ft	1
Mme. Abel Chatenay. D. White.	1
I to I½ ft 50 4 00	1
Mme. Casimir Perier. Creamy white. 1 to 2 ft	
1 to 2 ft	4
Mme. Dupont.	П
3 to 4 ft	
Mme. Lemoine. D. White.	
Mme. Lemoine. D. White.	
Mons. La Page. Semi-double white.	
3 to 4 ft I 00 8 00 4 to 5 ft I 50	
Negro. S. Deep violet-purple. 1 to 1½ ft	
I to 1½ ft 75	
pyramidalis. Fine azure-rose. 2 to 3 ft	
3 to 4 ft I 00 8 00	
Rubra de Marley. S. Purplish red.	
Rubra de Marley. S. Purplish red. 2 to 3 ft	
saugeana. Reddish lilac.	
3 to 4 ft	
verschaffelti. S. Dark red. 1 to 2 ft 50 4 00	
3 to 4 ft I oo 8 oo	
Virginite. D. Soft pink.	
3 to 4 ft	1
vulgaris. S. Common Purple Lilac.	
Fooh to too	
I to 2 ft	
2 to 3 ft. clumps 60 5 00	
3 to 4 ft., clumps 1 00 8 00 vulgaris alba. S. Common White Lilac.	
Each 10 100	
I to 2 ft., clumps\$0 50 \$4 00 \$35 00	1

TILIA americana. American Linden. 50 to	o
80 ft. Large heart-shaped leaves, turning	g
yellow in autumn; flowers creamy white. A	1
grand tree for street or park. Each 10 4 to 5 ft	0
heterophylla White Reserved to to 8	0
ft. Slender branches and narrow pyramida	al
head; leaves silver-white beneath.	
Each 10	ю
6 to 8 ft	0
4 to 6 ft \$1 00 \$8 0 6 to 8 ft 1 50 12 0 8 to 10 ft 2 00 18 0 vulgaris (europæa). European Linden. 5	0
to 70 ft. A large handsome tree, valuable for street and lawns. Each 10	e
8 to 10 ft	00
8 to 10 ft. \$2 50 \$20 0 14 to 16 ft. 3 50 30 0 16 to 18 ft. 6 00 55 0	
120 ft. One of our most stately trees for street, woods, or lawn.	
Each 10 100 1,000 3 to 4 ft \$0 30 \$2 00 \$15 00 \$120 0	0
6 to 8 ft 60 5 00 40 00 275 0	0
10 to 12 ft I 50 I4 00 I25 00	
3 to 4 ft \$0 30 \$2 00 \$15 00 \$120 0 6 to 8 ft 60 5 00 40 00 275 0 8 to 10 ft 1 00 8 00 60 00 10 to 12 ft 1 50 14 00 125 00 14 to 16 ft 3 00 campestris. English Elm. 40 to 60 ft.	
Large tree, with spreading branches.	
Each 10	
8 to 10 ft\$2 00 \$18 0	ю
glabra (montana).	
8 to 10 ft I 50 I2 0	ю
3 to 4 ft 40 3 5	60
VACCINIUM (Oxycoccus) corymbosum	2.
High-bush Blueberry. 6 to 10 ft. With out doubt one of our finest shrubs for bo	1- r-
der planting or with evergreens. Leaves tur	n
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump	n
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump	n
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump	n
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump	n os oo oo
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump	n os oo oo
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 1 to 1½ ft. \$0 40 \$3 50 \$30 \$1 ½ to 2 ft. \$0 60 \$5 00 40 \$0 2 to 3 ft. \$1 00 \$8 00 70 \$0 3 to 4 ft. \$2 00 \$18 00 \$175 \$0 4 to 5 ft. \$3 50 30 00 5 to 6 ft. \$4 50 \$40 00 erythrocarpum.	n 00 00 00 00
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 1 to 1½ ft. \$0 40 \$3 50 \$30 \$1 ½ to 2 ft. \$0 60 \$5 00 40 \$0 2 to 3 ft. \$1 00 \$8 00 70 \$0 3 to 4 ft. \$2 00 \$18 00 \$175 \$0 4 to 5 ft. \$3 50 30 00 5 to 6 ft. \$4 50 \$40 00 erythrocarpum.	n 00 00 00 00
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 1 to 1½ ft. \$0 40 \$3 50 \$30 \$3 1½ to 2 ft. \$0 60 \$5 00 40 \$0 2 to 3 ft. \$1 00 \$8 00 70 \$0 3 to 4 ft. \$2 00 \$18 00 \$175 0 4 to 5 ft. \$3 50 30 00 5 to 6 ft. \$4 50 \$40 00 erythrocarpum. Each 10 1 to 1½ it. \$0 50 \$4 0 macrocarpon. American Cranberry. 8 in Bracecident L discovered that this thrive	n os oo
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 1 to 1½ ft. \$0 40 \$3 50 \$30 \$3 1½ to 2 ft. \$0 60 \$5 00 40 \$0 2 to 3 ft. \$1 00 \$8 00 70 \$0 3 to 4 ft. \$2 00 \$18 00 \$175 0 4 to 5 ft. \$3 50 30 00 5 to 6 ft. \$4 50 \$40 00 erythrocarpum. Each 10 1 to 1½ it. \$0 50 \$4 0 macrocarpon. American Cranberry. 8 in Bracecident L discovered that this thrive	n os oo
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 I to 1½ ft. \$0 40 \$3 50 \$30 \$0 1½ to 2 ft. \$0 60 \$5 00 40 \$0 2 to 3 ft. \$1 00 \$8 00 70 \$0 3 to 4 ft. \$2 00 \$18 00 \$175 \$0 4 to 5 ft. \$3 50 30 00 5 to 6 ft. \$4 50 \$40 \$0 erythrocarpum. Each 10 I to 1½ ft. \$5 50 \$4 0 macrocarpon. American Cranberry. 8 in By accident I discovered that this thrive in ordinary garden soil, forming a com plete carpet a few inches high. As a borde	nos 000000000000000000000000000000000000
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 I to 1½ ft. \$0 40 \$3 50 \$30 \$0 1½ to 2 ft. \$0 60 \$5 00 40 \$0 2 to 3 ft. \$1 00 \$8 00 70 \$0 3 to 4 ft. \$2 00 \$18 00 \$175 \$0 4 to 5 ft. \$3 50 30 00 5 to 6 ft. \$4 50 \$40 \$0 erythrocarpum. Each 10 I to 1½ ft. \$5 50 \$4 0 macrocarpon. American Cranberry. 8 in By accident I discovered that this thrive in ordinary garden soil, forming a com plete carpet a few inches high. As a borde	nos 000000000000000000000000000000000000
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 I to 1½ ft. \$0 40 \$3 50 \$30 \$0 1½ to 2 ft. \$0 40 \$3 50 \$40 \$0 2 to 3 ft. \$100 8 00 70 \$0 3 to 4 ft. \$2 00 18 00 175 \$0 4 to 5 ft. \$3 50 30 00 5 to 6 ft. \$4 50 40 00 erythrocarpum. Each 10 I to 1½ ft. \$5 50 \$4 0 macrocarpon. American Cranberry. 8 in By accident I discovered that this thrive in ordinary garden soil, forming a com plete carpet a few inches high. As a borde plant or along edges of streams or ponds or as a bog feature, it is unequaled. Foliag turns rich shades of bronze and red i autumn and, with the scarlet fruit, present	nos ooo oo
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 I to 1½ ft. \$0 40 \$3 50 \$30 \$0 1½ to 2 ft. \$0 40 \$3 50 \$40 \$0 2 to 3 ft. \$100 8 00 70 \$0 3 to 4 ft. \$2 00 18 00 175 \$0 4 to 5 ft. \$3 50 30 00 5 to 6 ft. \$4 50 40 00 erythrocarpum. Each 10 I to 1½ ft. \$5 50 \$4 0 macrocarpon. American Cranberry. 8 in By accident I discovered that this thrive in ordinary garden soil, forming a com plete carpet a few inches high. As a borde plant or along edges of streams or ponds or as a bog feature, it is unequaled. Foliag turns rich shades of bronze and red i autumn and, with the scarlet fruit, present	nos ooo oo
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 I to 1½ ft. \$0 40 \$3 50 \$30 \$0 1½ to 2 ft. \$0 60 \$5 00 40 \$0 2 to 3 ft. \$1 00 \$8 00 70 \$0 3 to 4 ft. \$2 00 18 00 175 \$0 4 to 5 ft. \$3 50 30 00 5 to 6 ft. \$4 50 40 00 erythrocarpum. Each 10 I to 1½ ft. \$5 50 \$4 0 macrocarpon. American Cranberry. 8 in By accident I discovered that this thrive in ordinary garden soil, forming a com plete carpet a few inches high. As a borde plant or along edges of streams or ponds or as a bog feature, it is unequaled. Foliag turns rich shades of bronze and red i autumn, and, with the scarlet fruit, present a charming effect the year round. Ove 20,000 plants supplied by me to a single	nos ocooo oco esta er se
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 I to 1½ ft. \$0 40 \$3 50 \$30 \$0 1½ to 2 ft. \$0 60 \$5 00 40 \$0 2 to 3 ft. \$1 00 \$8 00 70 \$0 3 to 4 ft. \$2 00 18 00 175 \$0 4 to 5 ft. \$3 50 30 00 5 to 6 ft. \$4 50 40 00 erythrocarpum. Each 10 I to 1½ ft. \$5 50 \$4 0 macrocarpon. American Cranberry. 8 in By accident I discovered that this thrive in ordinary garden soil, forming a com plete carpet a few inches high. As a borde plant or along edges of streams or ponds or as a bog feature, it is unequaled. Foliag turns rich shades of bronze and red i autumn, and, with the scarlet fruit, present a charming effect the year round. Ove 20,000 plants supplied by me to a single	nos ocooo oco esta er se
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 I to 1½ ft. \$0 40 \$3 50 \$30 \$0 1½ to 2 ft. \$0 60 \$5 00 40 \$0 2 to 3 ft. \$1 00 \$8 00 70 \$0 3 to 4 ft. \$2 00 18 00 175 \$0 4 to 5 ft. \$3 50 30 00 5 to 6 ft. \$4 50 40 00 erythrocarpum. Each 10 I to 1½ ft. \$5 50 \$4 0 macrocarpon. American Cranberry. 8 in By accident I discovered that this thrive in ordinary garden soil, forming a com plete carpet a few inches high. As a borde plant or along edges of streams or ponds or as a bog feature, it is unequaled. Foliag turns rich shades of bronze and red i autumn, and, with the scarlet fruit, present a charming effect the year round. Ove 20,000 plants supplied by me to a single	nos ocooo oco esta er se
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 I to 1½ ft. \$0 40 \$3 50 \$30 \$0 1½ to 2 ft. \$0 60 \$5 00 40 \$0 2 to 3 ft. \$1 00 \$8 00 70 \$0 3 to 4 ft. \$2 00 18 00 175 \$0 4 to 5 ft. \$3 50 30 00 5 to 6 ft. \$4 50 40 00 erythrocarpum. Each 10 I to 1½ ft. \$5 50 \$4 0 macrocarpon. American Cranberry. 8 in By accident I discovered that this thrive in ordinary garden soil, forming a com plete carpet a few inches high. As a borde plant or along edges of streams or ponds or as a bog feature, it is unequaled. Foliag turns rich shades of bronze and red i autumn, and, with the scarlet fruit, present a charming effect the year round. Ove 20,000 plants supplied by me to a single	nos ocooo oco esta er se
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 1 to 1½ ft	ns oooo oo oo sons see led oo st sof
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 I to 1½ ft. \$0 40 \$3 50 \$30 \$50 I½ to 2 ft. \$0 60 \$5 00 40 \$0 2 to 3 ft. \$100 \$8 00 70 \$0 3 to 4 ft. \$2 00 \$18 00 \$175 \$0 4 to 5 ft. \$3 50 30 00 5 to 6 ft. \$4 50 40 \$00 erythrocarpum. Each 10 I to 1½ it. \$0 50 \$0 \$40 00 erythrocarpum. Each 10 I to 1½ it. \$0 50 \$40 00 erythrocarpum. Fach 10 I to 1½ it. \$0 50 \$40 00 plete carpet a few inches high. As a borde plant or along edges of streams or ponds or as a bog feature, it is unequaled. Foliag turns rich shades of bronze and red i autumn, and, with the scarlet fruit, present a charming effect the year round. Ove 20,000 plants supplied by me to a single estate at my suggestion, with beautifuresults. Each 10 100 1,000 Strong clumps. \$0 15 \$1 00 \$6 00 \$50 00 pallidum. 3 to 8 ft. One of the choices Blueberries, from the southern Alleghanies A splendid border shrub, which has fruit of extra quality. Each 10 100 1,100 1	nos 000000000000000000000000000000000000
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 I to 1½ ft. \$0 40 \$3 50 \$30 \$50 I½ to 2 ft. \$0 60 \$5 00 40 \$0 2 to 3 ft. \$100 \$8 00 70 \$0 3 to 4 ft. \$2 00 \$18 00 \$175 \$0 4 to 5 ft. \$3 50 30 00 5 to 6 ft. \$4 50 40 \$00 erythrocarpum. Each 10 I to 1½ it. \$0 50 \$0 \$40 00 erythrocarpum. Each 10 I to 1½ it. \$0 50 \$40 00 erythrocarpum. Fach 10 I to 1½ it. \$0 50 \$40 00 plete carpet a few inches high. As a borde plant or along edges of streams or ponds or as a bog feature, it is unequaled. Foliag turns rich shades of bronze and red i autumn, and, with the scarlet fruit, present a charming effect the year round. Ove 20,000 plants supplied by me to a single estate at my suggestion, with beautifuresults. Each 10 100 1,000 Strong clumps. \$0 15 \$1 00 \$6 00 \$50 00 pallidum. 3 to 8 ft. One of the choices Blueberries, from the southern Alleghanies A splendid border shrub, which has fruit of extra quality. Each 10 100 1,100 1	nos 000000000000000000000000000000000000
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 100 1 to 1½ ft \$0 40 \$3 50 \$30 \$0 1½ to 2 ft \$0 40 \$3 50 \$30 \$0 1½ to 2 ft \$0 60 \$0 0 40 \$0 2 to 3 ft \$1 00 \$8 00 70 \$0 3 to 4 ft \$2 00 18 00 175 \$0 4 to 5 ft \$3 50 30 00 \$5 to 6 ft \$4 50 40 00 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	nos 000000000000000000000000000000000000
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 100 1 to 1½ ft. \$0 40 \$3 50 \$30 \$30 1½ to 2 ft. \$0 60 \$5 00 40 \$0 2 to 3 ft. \$1 00 8 00 70 \$0 3 to 4 ft. \$2 00 18 00 175 \$0 4 to 5 ft. \$3 50 30 00 \$5 to 6 ft. \$4 50 40 00 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	nos 000000000000000000000000000000000000
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 100 1 to 1½ ft. \$0 40 \$3 50 \$30 \$30 1½ to 2 ft. \$0 60 \$5 00 40 \$0 2 to 3 ft. \$1 00 8 00 70 \$0 3 to 4 ft. \$2 00 18 00 175 \$0 4 to 5 ft. \$3 50 30 00 \$5 to 6 ft. \$4 50 40 00 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	nos 000000000000000000000000000000000000
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 100 1 to 1½ ft. \$0 40 \$3 50 \$30 \$30 1½ to 2 ft. \$0 60 \$5 00 40 \$0 2 to 3 ft. \$1 00 \$8 00 70 \$0 3 to 4 ft. \$1 00 \$8 00 70 \$0 3 to 4 ft. \$1 00 \$8 00 70 \$0 \$1 00	nos 000000000000000000000000000000000000
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 1 to 1½ ft \$0 40 \$3 50 \$30 \$1½ to 2 ft \$0 40 \$3 50 \$30 \$1½ to 3 ft \$1 00 \$8 00 70 \$0 \$3 to 4 ft \$2 00 \$18 00 \$175 \$0 \$4 to 5 ft \$3 50 30 00 \$5 to 6 ft \$4 50 40 00 \$1 to 1½ ft \$5 50 \$4 \$0 \$1 to 1½ ft \$5 50 \$5 \$4 \$0 \$1 to 1½ ft \$5 50 \$5 \$4 \$0 \$1 to 1½ ft \$5 50 \$5 \$4 \$0 \$1 to 1½ ft \$5 50 \$5 \$1 \$1 to 150 \$1 to 1½ ft \$5 50 \$5 \$1 \$1 to 150 \$1 to 1½ ft \$5 50 \$5 \$1 \$1 to 150 \$1 to 1½ ft \$5 50 \$5 \$1 \$1 \$1 to 150 \$1 to 1½ ft \$5 50 \$5 \$3 \$1 \$1 to 150 \$1 to 1½ ft \$5 50 \$3 \$3 \$1 to 150 \$1 to 1½ ft \$5 \$3 \$3 \$1 to 150 \$1 to 1½ ft \$5 \$3 \$3 \$1 to 150 \$1 to 1½ ft \$5 \$3 \$3 \$3 \$1 to 150 \$1 to 1½ ft \$5 \$3 \$3 \$3 \$1 to 150 \$1 to 1½ ft \$5 \$3 \$3 \$3 \$1 to 150 \$1 to 1½ ft \$5 \$3 \$3 \$3 \$3 \$3 \$3 \$3 \$3 \$3 \$3 \$3 \$3 \$3	nos 000000000000000000000000000000000000
der planting or with evergreens. Leaves tur crimson and claret in autumn. Fine clump are offered. Each 10 100 100 1 to 1½ ft. \$0 40 \$3 50 \$30 \$30 1½ to 2 ft. \$0 60 \$5 00 40 \$0 2 to 3 ft. \$1 00 \$8 00 70 \$0 3 to 4 ft. \$1 00 \$8 00 70 \$0 3 to 4 ft. \$1 00 \$8 00 70 \$0 \$1 00	mos

PRICES ARE AT BOXFORD NURSERY

VIRIIPNIIM acerifolium Maple leaved 2 to
VIBURNUM acerifolium. Maple-leaved. 3 to 6 ft. Slender shrub of neat habit; white flowers. Its greatest beauty is in the rich claret color the handsome three-lobed leaves assume in late autumn. Each 10 2 to 3 ft
to 10 ft. Large, showy flowers and clusters
of black fruit. Leaves large, conspicuous and color gorgeously in early fall through shades of yellow to deep bronzes and reds. Each 10 1½ to 2 ft
carlesi. New species, with large, dark brown
foliage; rose or white, very fragrant flowers; very fine. Each to 1½ to 2 ft
cassinoides. Shawnee Haw. 6 to 15 ft.
Upright: white flowers and pink fruit chang-
ing to dark blue. Each 10 100 1 to 1½ ft. \$0 30 \$2 00 \$15 00 1½ to 2 ft. \$0 40 3 00 27 50 2 to 3 ft. \$50 4 00 35 00 3 to 4 ft. \$75 6 00 50 00 4 to 5 ft. \$1 25 12 00
dentatum. Arrow-wood. 4 to 10 ft. Dense-
growing; creamy white flowers in late spring; berries blue-black. Each 10 100 2 to 3 ft. \$0.00 \$20 00 3 to 4 ft. \$75 6 00 50 00 \$4 to 5 ft. \$125 12 00
lantana. Wayfaring Tree. 10 to 15 ft.
Red fruit, changing to black. Each 10 2 to 3 ft
lentago. Sheepberry. 8 to 15 ft. Glossy
black fruit. Each 10 100 8 to 12 in\$0 25 \$2 00 \$18 00
molle. 8 to 15 ft. Robust habit; large white
flowers. Each 10
2 to 3 ft

Viburnum nudum. 10 to 12 ft. Fine sort,
with pink berries, changing to blue.
Foods 70
3 to 4 ft\$0 60 \$5 00
opulus. High-bush Cranberry. 8 to 12 ft
opulus. High-bush Cranberry. 8 to 12 ft. Berries scarlet, persistent until into winter.
Each to too
2 to 3 ft\$0 50 \$4 00 \$30 00
3 to 4 ft
4 to 5 ft 25 I2 00
opulus nanum. 6 in. to 2 ft. Dwarf, com-
pact; suitable for rockeries or for edgings to
beds; very hardy. Each 10 100
6 to 9 in\$0 40 \$3 00 \$27 50
9 to 12 in
tomentosum. 6 to 12 ft. Large white flower-clusters; good foliage. Each 10 100
clusters; good foliage. Each 10 100 2 to 3 ft\$0 75 \$6 00 \$50 00
3 to 4 ft 1 00 8 00
4 to 5 ft I 50 I2 00
WEIGELA candida. 4 to 6 ft. Large, pure
white flowers. Each 10
white flowers. Each 10 1 to 2 ft
Eva Rathke. 3 to 5 ft. Scarlet or deep red
2 to 3 ft\$0 50 \$4 00
rosea. 4 to 8 ft. Rose-colored flowers in great
profusion. Each 10 2 to 3 ft
XOLISMA. See Lyonia.
ZANTHORRHIZA apiifolia. Yellow-root. 1 to
4 ft. The finest American undershrub for
planting under trees, along roadways, or
where conditions of extreme moisture pre-
vail. Finely cut green foliage which turns
orange and yellow in autumn. Peculiar
brown-purple flowers in pendulous racemes,
appear early. Each 10 100 1.000



PRICES ARE AT BOXFORD NURSERY

VINES AND CLIMBING PLANTS

ACTINIDIA arguta. Silver Vine. Dark
green, heart-shaped leaves; flowers
green, heart-snaped leaves; nowers
white, dark purple anthers in nodding
clusters; berries yellow. Each 10 1 to 1½ ft
T to T1/2 ft \$0.50 \$4.00
polygama. Silver Sweet Vine. Fine
trellis or porch vine; white fragrant
flowers with black anthers. Each 10
4 to 5 ft\$1 00 \$9 00
4 to 5 1t
AKEBIA quinata. Violet-brown flowers,
AREBIA quillata. Violet-blown howers,
with cinnamon odor; gives dense shade.
Each 10 100
2 to 3 ft., strong\$0 50 \$4 00 \$30 00
AMPELOPSIS (Vitis) aconitifolia dis-
secta. Each 10 100 1½ to 2 ft. \$0 30 \$2 50 \$20 00 2 to 3 ft. 50 4 00 30 00
I 1/2 to 2 ft\$0 30 \$2 50 \$20 00
2 to 3 ft 50 4 00 30 00
cordata (indivisa).
2 to 3 ft
heterophylla. Asia Creeper. Heart-
shaped leaves, deeply 3- to 5-lobed; blue
fruit. Each 10 100 1.000
fruit. Each 10 100 1,000 1 to 1½ ft\$0 25 \$2 00 \$15 00 \$100 00
1 to 1/2 1t \$0 25 \$2 00 \$15 00 \$100 00
2 to 3 ft 75 6 00
heterophylia amurensis (brevipedun-
culata). Each 10 100 1 to 2 ft \$0 25 \$2 00 \$18 00
I to 2 ft \$0 25 \$2 00 \$18 00
2 to 3 ft
laciniata. Variety with finely cut foliage.
Each 10
2 to 3 ft\$0 50 \$4 00
quinquefolia engelmanni. Scarlet Vir-
ginia Creeper. 15 to 50 ft. This is the
clinging form of the well-known Vir-
ginia Craspar and was introduced by
ginia Creeper, and was introduced by
us several seasons ago. The leaves
are much thinner and smaller than in
the ordinary variety, the whole plant
lacking the coarseness that character-
inca D animanafalia and it alia
izes P. quinquefolia, and it clings to wails
like the ivy. The fall coloring is exceedingly
brilliant and vastly superior to the common
form, which is not used where the new va-
riety is known and can be had

vitacea. Dark green serrate leaves; fruit bluish black. Each 10 \$2 to 3 ft. \$0.00 \$3.00 \$


 ARISTOLOCHIA sipho.
 Dutchman's Pipe.

 Tall vine, with large rounded leaves, producing dense shade.
 Each 10

 1½ to 2 ft...
 \$0 30 \$2 50

 2 to 3 ft...
 50 4 00

 3 to 4 ft...
 75 6 00



Ampelopsis engelmanni and A. veitchi make a splendid combination for brick and stone walls.

1		Native species, with very
	striking fruit.	Each 10
	1½ to 2 ft	\$0 25 \$2 00
ļ	CLEMATIS ligustic	ifolia. Western species,

blooming in August; white flowers in panicles. Each 10 100
1½ to 2 ft..........\$0 25 \$2 00 \$18 00

paniculata. Japanese Clematis. Vigorous

paniculata. Japanese Clematis. Vigorous climber; the white fragrant flowers cover the plant in late summer.

Each 10 100

virginiana. Virgin's Bower. Native climber; hardy and graceful; white; fruit very showy.

Each 10

Each 10 100

1½ to 2 ft.......\$0 40 \$3 50 \$30 00

radicans minimus (kewensis). A delightful little evergreen vine, with small leaves; fine for rockery, borders, and to cover the base of buildings. Each 10 100

9 to 12 in......\$0 60 \$5 00 \$40 00

PRICES ARE AT BOXFORD NURSERY

PRICES ARE AT
Euonymus radicans variegatus. Variety mottled with white or yellow.
Each 10
HYDRANGEA scandens. Clings to walls. The flowers are rayed, as in the shrub species. 4-in. pots. \$5 50 \$4 50\$
Honeysuckle. Bright red flowers throughout summer. Each 10 Strong
2 to 3 ft\$0 40 \$3 00
LYCIUM barbatum. Light purple, shiny leaves and arching branches. Each 10 100 2 yr. \$0 30 \$2 50 \$20 00 chinense. Hardy vigorous climber; small purple flowers and scarlet fruit. Each 10 100 2 to 3 ft. \$0 30 \$2 50 \$20 00 \$3 52 50 \$20 00 3 to 4 ft. 50 4 00 \$3 62 50 \$3 00 \$3 62 50 \$3 00
PERIPLOCA græca. High-growing climber; dark green foliage and fragrant, starshaped, chocolate flowers. Each 10 3 yr
POLYGONUM baldschuanicum. Rapid grower, covered with a sheet of white or pink-tinged flowers in long racemes. Each 10 Strong
PUERARIA hirsuta (thunbergiana). Kudzu
Vine. Grows very rapidly, 30 feet or more in a season. Purple flowers in racemes, like a miniature Wisteria. Each 10 Strong
ROSA, Crimson Rambler. Each 10 100 Strong\$0 25 \$1 75 \$15 00
Dorothy Perkins. 6 to 12 in., strong 25 1 75 15 00 Farquhar.
I to 1½ ft., strong 25 I 75 I5 00 Lady Gay.
6 to 12 in., strong 25 1 75 15 00 setigera. Prairie Rose.
3 to 4 ft
I to 2 ft
wichuraiana. Strong 25 I 75 I5 00
for tree trunks, walls, etc. Will cling to brick and stonework. Beautiful reddish bark. A remarkably fine shrub. Each 10

2 to 3 ft., with balls......\$1 25 \$12 00



Schizophragma hydrangeoides (Climbing Hydrangea)


VITIS · GRAPE

All the Grapes are indispensable vines of many uses. Their large, handsome cut leaves and showy fruit, as well as very fragrant flowers which come early, combine to give them a place filled by no other vines. Of great hardiness and usually high climbers, they can be used for arbors, walls, and trellises, and particularly for covering dead or growing trees, where they produce a beautiful effect by their graceful festooned growth. They stand the smoke and soot of cities well.

Vitis coignetiæ.	Each	10	100
6 to 8 in. S		\$1 00	\$8 00
3 to 4 ft	. 40		
concord.			
Strong	. 35	3 00	
cordiformis.			
3 to 4 ft	. 50	4 00	
discolor.			
3 to 4 ft	. 50	4 00	
heterophylla. See Amp			
vulpina.	1		
I½ to 2 ft	. 20	I 50	10 00
2 to 3 ft		3 00	
WISTERIA sinonsis alba		Fooh	т.О
WISTERIA sinensis alba	4.	. So 60	\$5 00
frutescens magnifica.			
long, large, purple flow	vers.	Each	\$8.00
multijuga. Japanese			
racemes 2 feet long. 2 to 3 ft		Each	10
2 to 3 ft		\$1 00	\$8 00
venusta (brachybotry	s alba)	. A sh	rubby
Wisteria, with long ra			
flowers; very choice at	nd rare.	Each	10
Strong		\$1 50	\$12 00

KELSEY'S HARDY AMERICAN PERENNIALS

PRICES ARE AT BOXFORD NURSERY



Iris cristata in the rockery. Pale blue with yellow throat

HARDY AMERICAN HERBACEOUS PERENNIALS INCLUDING LILIES, TRILLIUMS, SARRACENIAS, FERNS, BOG AND WATER PLANTS, HARDY CACTI

Orders for most American bulbs should be in by August and not later than October 10. Where possible, all do best planted in the fall, yet many lilies and other bulbs do well if planted early in spring. Most bulbous plants make the best effect planted in masses, or at least considerable quantities of a single species or variety. Send for special bulb list, to be published in summer. In this list will be found a variety of Hardy Herbaceous plants that will give a showy succession of bloom from early spring to late autumn. Nearly all are of easiest culture.

Any herbaceous plant grown in American nurseries can be supplied, usually at from \$10 to \$12 per 100

The sizes following the names indicate the	varia	ation in	heights
usually attained by the plants in their wild state. E	ach	10	100
ACTÆA rubra. Red Baneberry. Scarlet fruit \$0		\$2 00	\$15 00
AMSONIA tabernæmontana. Blue	20	I 75	12 00
ANEMONE japonica, Queen Charlotte. 3 ft.			
Pink	25	2 00	15 00
Whirlwind. 3 to 4 ft. White. Fall	25	2 00	15 00
ARALIA racemosa. 4 ft. White. July	20	1 75	12 00
ARUNCUS sylvester. 3 to 5 ft. White. July	20	I 25	10 00
ASARUM arifolium. 4 in. Brown. June	35	3 00	
ASTERS, in variety. 3 to 6 ft. White, blue,			
etc. Fall		I 25	10 00
spectabilis. 3 ft. Light blue. August	40	3 00	
BAPTISIA tinctoria. Yellow Indigo. 2 to 3 ft.			
June. Heavy clumps	30	2 50	15 oc
CALOPOGON pulchellus. 8 to 12 in. Light			
purple. July	20	1 50	12 00
CALTHA palustris. Marsh Marigold. 8 in.			
Yellow. April	20	I 25	10 00
CAREX fraseri. Evergreen Sedge. 12 in.			*# 00
White, April	20	1 75	15 00



Calopogon pulchellus.

A beautiful Orchid. Thrives
in any soil

PRICES ARE AT BOXFORD NURSERY				0
Each	1	0	100	1,000
CASSIA marilandica. 3 to 5 ft. Yellow. August, September\$0 20	\$1	50 \$1:	2 00	
CHAMÆLIRIUM luteum. 1 to 2 ft. White spikes. June 20	I	25 1	00 0	
CHELONE glabra. Turtle-Head. 2 to 4 ft. White. June 20	1	50 1:	2 00	
lyoni. 2 to 4 ft. Pink. June	I	50 1:	2 00	
CHRYSANTHEMUMS. Hardy. 2 to 4 ft. Fall	2	00 1	5 00	
CIMICIFUGA americana. 3 to 6 ft. White. July 20	1	50 1:	2 00	
racemosa. Black Snakeroot. 3 to 6 ft. White. July 20	1	50 I:	2 00	
CONVALLARIA majalis. Lily-of-the-Valley. 6 to 8 in. White.				
April to June	I	00	8 00	
COREOPSIS verticillata. 1 to 2 ft. Yellow. Aug., Sept 15	1	00	8 00	
CORNUS canadensis. "Collected" clumps. 4 to 8 in. White.				

April, May.....



Cypripedium reginae. The rabeautiful of our Hardy Orchids. The rarest and most chids. White, with pink throat.

CYPRIPEDIUMS AND OTHER HARDY NATIVE TERRESTRIAL ORCHIDS

A most charming group of showy and curious plants, and easy to grow if given proper conditions of soil and location. But they are shy wildlings and many of them are rare and local. A rich, peaty soil, rather rare and local. A rich, peaty soil, rather moist, with shade, best favors the growth of most species, and some even love the bog, such as the delightful **Cypripedium reginæ**, the dainty **Pogonias**, **Calopogon**, and **Habenarias**, though all these thrive well in the rich shady garden.

CYPRIPEDIUM acaule. Moccasin Flower. 15 cts. each, \$1.25 for 10, \$10 per 100.



1 50 12 00 \$90 00

Cimicifuga racemosa

reginæ. Showy Lady's Slipper. I to
2 ft. The handsomest and one of the
rarest of hardy orchids. The broadly ovate sepals and petals are pure white, while the large, inflated pouch is a beautiful soft red rose-color. A strong grower, preferring peat soils. Succeeds well in the Rhododendron bed or in the bog. June and early July.

June	und cu	ij juij.	
Each	10	100	1,000
I to 2 crowns\$0 30	\$2 50	\$20 00	
3 to 4 crowns	6 00	50 00	
5 to 6 crowns	10 00	80 00	
7 to 8 crowns	15 00		
DIANTHUS deltoides. 8 in. Pink. May, June	I 50	12 00	
DICENTRA eximia. Wild Bleeding-Heart. 12 to 18 in. Pink.			
All summer	I 50	12 00	
spectabilis. Bleeding-Heart. 3 ft. Purple and red. May 35	3 00		
ous and rare insectivorous plant with extraordinary irritable leaves, furnished with sensitive hairs, which, when touched, induce the leaves to close forcibly, holding fast any venture-some insect. The small, white flowers are in clusters on the ends of stems 4 to 6 inches high. Very interesting for the winter garden and to study. Pot in sandy loam or swamp moss, keeping moist, or plant outside with the Sarracenias, and mulch heavily in winter.			
DODECATHEON clevelandi. 18 in. Tall-growing form, with pure white or delicate pink flowers	I 00 I 00	6 00 6 00 6 00	



KELSEY'S HARDY AMERICAN PERENNIALS

PRICES ARE AT BOXFORD NURSERY			
DROSERA rotundifolia. 2 to 4 in. White. June\$1 oo	10 \$8 00	100	1,000
ERYTHRONIUM albidum. Leaves not mottled; flowers white, yellow at base	1 50	\$12 00	
throughout eastern states	50	2 00	\$16 00
a stem; richly mottled leaves	50	2 00	16 oc
citrinum. Light yellow, orange at center, tips becoming pink.	1 00	4 00	35 00
grandiflorum	1 00	4 00	35 00
hartwegi. Yellow; each flower on a separate stalk	50	2 50	16 00
hendersoni. Flowers light purple with dark centers	1 00	4 00	35 00
revolutum. Pink flowers, becoming purple	1 00	4 00	35 00
EUPATORIUM purpureum.Trumpet Weed.20urticæfolium.White Snakeroot.15	I 75 I 25	15 00 10 00	
FESTUCA glauca. 8 to 12 in. Ornamental grass 20	1 50	12 00	
GALAX aphylia. Galax, or Coltsfoot. A low ground-covering evergreen, with heart-shaped, crenate-toothed leaves of striking beauty, and white flowers borne on a graceful scape 12 to 18 inches high. The thick leaves turn brilliant shades of bronze, red, and crimson in autumn, remaining so through the winter. A remarkable ground-covering plant, particularly for use in the Rhododendron bed and shady banks 35	2 25	18 00	
GILLENIA (Porteranthus) stipulata. 2 to 3 ft. Pink and white. July	I 00	8 00	
GYPSOPHILA paniculata. Baby's Breath. 2 to 3 ft. White. July	1 50	12 00	
HABENARIA ciliaris. Yellow Fringed Orchis. 12 to 18 in. Bright yellow. July	1 00	8 00	
HELENIUM autumnale. 5 to 6 ft. Yellow. Fall	I 00	8 00	
HELONIAS bullata. Swamp Pink. 12 to 18 in	I 25	10 00	




Eupatorium urticaefolium. A splendid "filler" for the Rhododendron bed and for cut-flowers



Habenaria ciliaris (Yellow Fringed Orchis)
Thrives in all soils

PRICES ARE AT BOXFORD NURSERY





Iris pseudacorus

Iris versicolor

HELLAROLO I II Alberta III I I I I I I I I I I I I I I I I I	Each	10	100	1,000
HELIOPSIS helianthoides pitcheriana. 2 to 3 ft. Orange. September, October	0 20	\$I 25	\$10 00	
HEMEROCALLIS, Gold Dust. 2 to 3 ft. Bronze-yellow.				
May, June	20	I 50		
dumortieri. 2 ft. Yellow and bronze. June	20	1 50	12 00	
middendorffi. 2 to 3 ft. Golden yellow. June	20	I 50		
Orangeman. 2 ft. Deep orange	20	I 50		
thunbergi. 3 to 4 ft. Light yellow. June	20	I 50		
HERACLEUM villosum. 4 to 6 ft. White. July	75	6 00		
HEUCHERA americana. 12 to 18 in. White. June	15	1 00	8 00	
sanguinea. Coral Bells. 12 to 18 in. Coral-red. June, July	20	I 25	10 00	
HIBISCUS, Mallow Marvels. 3 to 5 ft. Assorted colors. July				
to September	50	4 00		
Crimson Eye. 4 to 5 ft. White petals. July, August	20	I 25	10 00	
HOSTA (Funkia) plantaginea grandiflora. 12 to 18 in. White.				
August	25	2 00	15 00	
lancifolia. Day Lily. 12 to 18 in. Light blue. July, August.	25	2 00	15 00	
HYDRASTIS canadensis. Golden Seal. 4 to 12 in. White. May.	15	I 00	8 00	
IBERIS sempervirens. 8 to 12 in. White. All summer	25	1 50	12 00	
IRIS cristata. 3 to 6 in. Light blue. May	20	1 50	12 00	
germanica. Mixed varieties. 1 to 3 ft. May, June	20	1 50	12 00	
lævigata (kaempferi). 2 to 3 ft. June to August	20	I 50	12 00	
pseudacorus. 3 to 4 ft. Bright yellow. May, June	20	1 50	12 00	
pumila. 6 to 9 in. Yellow and lilac. Early spring	20	I 50		
sibirica, Snow Queen. 12 to 18 in. White. May	20	I 50	12 00	
verna. 6 to 8 in. Blue. April, May	20	1 50	12 00	
versicolor. Blue Flag. 2 to 3 ft. Blue. May, June	15	I 00	8 00	
LIATRIS pycnostachya. Button Snakeroot. 3 to 5 ft. Purple				
spikes. August	20	1 50	12 00	
spicata montana. 2 to 4 ft. Purple. August, September	20	1 50	12 00	
spicata. 2 to 3 ft. Rose-purple. September	15	1 25	10 00	

KELSEY'S HARDY GARDEN LILIES





Lillum superbum. Tens of thousands annually

Lilium grayi


HARDY AMERICAN LILIES


This group of plants is one of the most indispensable for showy effects. They thrive in the more open places and produce most gorgeous results in summer when planted in masses. Lilies require rich soil, with plenty of moisture, but well drained, and make a grand show planted among Rhododendrons or other shrub evergreens or in a deciduous shrub border.

Lilium auratum. Gold-banded Lily. 2 to 4 ft. Large flowers; Each 10 100 1,0	000
white more or less marked vellow and purple ()t easy culture	
white, more or less marked yellow and purple. Of easy culture,	
but dies out in time and must be replaced. 8 to 9 in\$0 25 \$1 50 \$12 00	
batemanniæ. 2 to 4 ft. Orange-red. July, August 40 3 50 25 00 bolanderi. 1 to 3 ft. Very rare. Bell-shaped deep crimson-red flowers,	
dotted purple. Give rich sandy soil and good drainage 5 00 40 00	
canadense. Wild Yellow Lily. 2 to 5 ft. Yellow or orange, usually spotted with brown. July. Loves deep rich soil and shade, but	
stands open sun well. 2nd size	00
	00
candidum. Madonna Lily. 2 to 4 ft. Many flowers in a raceme,	-
	00
white and magrante or namentally though bubleto to ansease treet and a second	00
carolinianum. Carolina Lily. 1 to 3 ft. Rare species of recurved	
type. Flowers orange, very fragrant, one to three on a stem. Stands	
di j conditiono welli Ziid Sizeriii i i i i i i i i i i i i i i i i i	00
Ist size I 25 IO 00	
columbianum. 2½ to 3 ft. Small flowers, resembling L. humboldti;	
bright golden yellow, spotted with maroon. 2nd size 2 00 16 00	
1st size	
croceum. 2 to 3 ft. Orange, spotted black. Julyeach, 40c. 3 00 20 00	
giganteum. 4 to 12 ft. White, tinged purple. Julyeach, \$1.50	
grayi. 1½ to 3 ft. Introduced by me in 1888, it has proved the	
leader in the bell-shaped type of hardy Lilies. Dark red-brown petals,	
beautifully spotted. Bulbs are never large. 2nd size I 00 6 00 50	00
ıst size	00
hansoni (maculatum). 3 to 4 ft. Japanese species; very hardy.	
Flowers in loose racemes, bright orange strongly marked with purple	
spots on lower half	
epote on lower manifest the second of the se	
humboldti (puberulum). 4 to 6 ft. Stout stems; large, orange-	~~
red flowers, finely spotted. Should have rich soil. 7 to 8 in 3 00 18 00 140	
8 to 9 in	00
9 to 11 in	
kelloggi. Slender stem, 3 to 4 feet high, with three to fifteen pink	
flowers; revolute type; very fragrant 6 00 40 00	

PRICES ARE AT BOXFORD NURSERY

Lilium maritimum. I to 2 ft. Dark red, funnel-shaped flowers. Give moist boggy situation				00	1,00	00
pardalinum. 3 to 6 ft. Leafy stems; orange centers and crimson tips. A bog variety, but thrives if kept well mulched. Single eyes				00		
Heavy				00		
parryl. Slender leafy stem, 3 to 5 feet high. One of the few yellow-flowered varieties; trumpet bell-shaped; very fragrant. A very difficult species to grow, and must have moist location to thrive. Medium	6	00	40	00		
Large			60			
parviflorum. Small variety; similar to L. pardalinum, flowers earlier	2	50	20	00		
parvum. Small Bog Lily. 3 to 4 feet high; small bell-shaped flowers, orange with crimson tips. Should have cool bog conditions. Medium. Large			25 40			
philadelphicum. I to 2 ft. Terminal, upright flowers are bright red with dark spots near center. Stands sunny, dry situations better, perhaps, than any other Lily			·	00	\$60	00
speciosum album. 2 to 4 ft. All the varieties of <i>L. speciosum</i> are good among Rhododendrons or shrub borders if planted near the edge, blooming up to frost. 8 to 9 in	2	00	18	00	160	
o to II in.			25		220	
speciosum melpomene. Fiery red variety; very floriferous.	3	50	-3			00
8 to 9 in			12	00	100	00
9 to 11 in	2	00	16	00	140	00
speciosum rubrum. Dark purplish red flowers. Probably the best						
variety for the ordinary garden. 8 to 9 in			12		100	
9 to 11 in superbum. Turk's-Cap Lily. 3 to 6 ft. No description will do justice to this magnificent American Lily. Golden, recurved petals, flowering in perfect pyramids, often forty on a single stalk. A clump is	2	00	16	00	140	00
literally a blaze of scarlet and gold. 3rd size		40		00	18	
2nd size	_	75		00	60	
tenuifolium. Siberian Coral Lilv. 1 to 2 ft. Flowers one to twenty	1	00	8	00	60	00
on short raceme, nodding, rich scarlet. Ordinary garden soil	т	=0	Т2	00	TOO	00
tigrinum. Tiger Lily. 2 to 5 ft. An old-fashioned variety of very easy culture. Flowers three to ten, nodding, bright red, thickly	1	J.	12	50	100	50
spotted with bright purplish spots	Ι	00	8	00	60	00







Lilium carolinianum. Introduced by H. P. Kelsey



KELSEY'S HARDY AMERICAN PERENNIALS

PRICES ARE AT BOXFORD NURSERY

		Each	10	100	1,000
	Lilium umbellatum. 1 to 2 ft. Scarlet-red. July		\$1 50	\$12 00	
	washingtonianum purpureum. 6 to 7 ft. Stout stem, often fifteen to twenty-five flowers of white to rich wine-				
A	color. Of easy culture if given a good, rich soil. 6 to 8 in		2 50	20 00	
	8 to 9 in		4 00	30 00	
	9 to 11 in		5 00	40 00	
	washingtonianum rubescens. 3 to 5 ft. Tubular, very		-	•	
	fragrant flowers; white, dotted purple, changing later to deep				
	purple. Requires rich soil and perfect drainage		6 50	45 00	
	LYCOPODIUM, in variety. 3 to 6 in\$		I 00	8 00	
	LYSIMACHIA nummularia. 2 to 4 in. Bright yellow. June	15	1 00	8 00	
	LYTHRUM salicaria roseum. 4 to 6 ft. Rose. July, August	20	1 50	12 00	
	MISCANTHUS (Eulalia) sinensis gracillimus. 4 to 5 ft	25	2 00	15 00	
	MONARDA didyma. Bee Balm. I to 3 ft. Scarlet. July and Aug.	20	I 50	12 00	
	didyma alba. 1 to 3 ft. White varieties. July	20	I 25	10 00	
	fistulosa. 2 to 3 ft. Rose. July	20	I 25	10 00	
	OPUNTIA vulgaris. 8 to 12 in. Pale yellow. July	35	3 00		
	PÆONIA, in variety. Strong clumps	75	6 00	50 00	
	Strong plants, with 2 or 3 eyes	25	I 75	15 00	
	PANAX quinquefolium. Ginseng. 9 to 18 in. Green. May.		60	-	C = 00
	3rd size2d size		60 8 5	5 00 7 50	\$35 00 65 00
	Ist size		I 25	10 00	90 00
	PAPAVER nudicaule. Iceland Poppy. 4 to 12 in. Mixed	20	I 50		
	PETASITES fragrans. 8 in. Purple. February, March	20	1 50	12 00	
	PHLOX amena. 4 to 6 in. Rose. May, June	20	I 00	8 00	
	paniculata, in variety. I to 3 ft. All colors. July to October.	30	2 00	18 00	
	subulata. Moss Pink. 3 to 4 in. Pink and purple. April, May.	15	I 00	8 00	
	subulata alba. White Phlox. 3 to 4 in. April, May	15	I 00	8 00	
	POLYGONATUM commutatum. Solomon's Seal. I to 3 ft.				
	Creamy white. May	20	1 50	12 00	
	PONTEDERIA cordata. Pickerel Weed. 12 in. Violet-blue.				
	July to September	15	1 00	8 00	
	RANUNCULUS repens. 6 to 8 in. Yellow. May, June	20	1 50		
	RHEXIA virginica. Meadow Beauty. 8 to 12 in. Rose-purple. July.	20	1 5 0	12 00	
	RUDBECKIA speciosa (newmani). 1 to 3 ft. Orange. July, Aug.	20	1 50	12 00	
	SANGUINARIA canadensis. Bloodroot. (Sanguinaria is shipped				
	entirely at consignee's risk)	15	75	6 00	36 00
	SANGUISORBA canadensis. 2 to 4 ft. White. September	20	1 25	10 00	

SARRACENIAS

A conspicuous and highly interesting class of insectivorous plants, of great value in landscape work and for bog-gardens. As pot-plants, they are easily grown, and are so striking in color and structure of leaf and flower, and curious in their habit of catching insects, as to fill the observer with wonder. They thrive in bogs or planted in sphagnum moss and peat. We have seen acres of the beautiful S. flava growing in its native habitat, the erect golden leaves 2 to 3 feet high, making a unique and brilliant landscape effect, heightened in time of flowering by the large drooping blossoms. The leaves of all the species are so conspicuous as to be taken for flowers.

S

	Each	IO	100	
arracenia catesbæi\$ drummondi. I to	o 25	\$1 75	\$15 00	
2 ft	25	I 75	5 15 00	
flava. I to 3 ft. Yellow	25	I 75	15 00	
psittacina. 6 to	25	1 75	5 15 00	
purpurea. North- ern Pitcher Plant.	20	I 25	10 00	
rubra. 1 to 2 ft. Red	25	I 75	5 15 00	
minor. 9 to 18 in. Red	25	I 75	15 00	




Sarracenias. Marvelous and beautiful insectivorous bog-plants

HARLAN P. KELSEY, Owner,	\overline{SAL}	EM,	\overline{MA}	SS.
PRICES ARE AT BOXFORD NURS				
SEDUM (Stonecrop), in variety lydium. 3 to 6 in. Pink. August, September spectabile. 1½ to 2 ft. Rose. August, September telephium hybridum. 12 to 18 in. Pink. August, Septembe	. 20 . 20 r. 20	\$1 00 1 50 1 50 1 50	\$8 00 12 00 12 00 12 50	1,000
SEMPERVIVUM arachnoideum. 3 to 5 in. Red. June	. 20 . 20 . 20 . 20 . 20 . 20 . 20 . 20	I 25 I 25 I 25 I 25 I 25 I 25 I 25 I 25	10 00 10 00 10 00 10 00 10 00 10 00	U
shortia galacifolia. 6 to 8 in. Introduced by Highlands Nursery. The daintiest of rare plants, with clusters of larg wavy leaves, from which flower-stems rise, bearing white opink flowers, with crimpled petals in early April. Thrive best in Rhododendron bed. Leaves colored rich bronze in fal	e or es 1.			
2d size. Ist size. SOLIDAGO in variable v to a fit Valley. Fall	- 75	3 00 6 00	25 00 50 00	¢
SOLIDAGO, in variety. I to 5 ft. Yellow. Fall	. 50	1 25 4 00 1 75	10 00 30 00 12 00	\$90 00
STENANTHIUM robustum. Mountain Feather Fleece. 3 to ft. Tall, with extremely showy panicles often 2 feet long. Thi is one of our recent introductions, and is, without doubt, so plant that will be used by thousands when known. The pur white flowers are borne on graceful compound panicles, ofter 2 to 3 feet long. A clump of these plants makes a show equaled by few herbaceous plants of any description. It northern latitudes it thrives best along stream or pond or in	5 a e e n v	- 73		
other moist locations. 2nd size	. 20	1 5 0 3 00	12 00 26 00	
STOKESIA lævis (cyanea). I to 2 ft. Blue. August to October THALICTRUM cornuti. 4 to 6 ft. Creamy white. June, July.	-	I 00	8 oo 8 oo	
THERMOPSIS caroliniana. 4 to 6 ft. Yellow. June, July TRILLIUM cernuum. 12 to 15 in. Nodding white flowers; no	. 25 t	I 75		
very showy. erectum. Erect Wake Robin. 8 to 16 in. Large; red fruit very ornamental; brown-purple, often greenish. April and May. 2nd size. 1st size.	i i	1 00 40 75	3 00 5 00	18 00 30 00
grandiflorum. White form of <i>T. erectum</i> grandiflorum. Large-flowered Wake Robin. 8 to 18 in. The finest and largest species. Flowers 2 to 3 inches across, in April and May. One of our best early spring flowers; white	e 1	I 00	8 00	12 00
turning rose color or marked with green. 2nd size	•	30 60 1 00	1 50 3 50 8 00	20 00
grandiflorum. recurvatum. 12 to 15 in. Strong growing; erect; dark purple sessile californicum. 12 in. Very large leaves; flowers pure		75 75	5 00 6 00	30 00 50 00
white and fragrant sessile rubrum. Narrow petals; deep reddish purple sessile, Snow Queen. Same, with broader petals; white	9	75 75	6 00	50 00 50 00
flowers with creamy centers	i I	75	6 00	50 00
pink. 2nd size 1st size undulatum (erythrocarpum). Painted Wake Robin. 8 in Earliest, blooming in April. Showy flowers and fruit; white	,	60 75	4 00 6 00	30 00 40 00
with purple stripes. 2nd size	•	60 75	4 00 6 00	30 00 40 00
TYPHA latifolia. Cat-tail. 3 to 6 ft	20	I 00 I 25	8 00	60.00
viola cornuta, in variety. Fine colors. May to August pedata. 3 to 5 in. Purple. May to August pedata bicolor. 3 to 5 in. Purple, two upper petals deep violet.	15 25	1 00 1 00 1 7 5	8 00 8 00 14 00	60 00
YUCCA flaccida. 3 to 5 ft. White. June, July		4 00 2 5 0		

KELSEY'S HARDY AMERICAN PLANTS

PRICES ARE AT BOXFORD NURSERY



Striking examples of the right and wrong use of rocks and Ferns

HARDY NATIVE FERNS

HANDI HATIVE I EKRS				
Sizes following Ferns indicate the size the plant may be expected to at	tain	un	der c	ıltivation.
ADIANTUM pedatum. Maidenhair Fern. 8 to 20 in	ξτ.	าก	\$8 5	
ASPLENIUM acrostichoides. Silver Spleenwort. 24 to 36 in			8 0	
angustifolium. 3 to 4 in			10 0	
filix-fœmina. Lady Fern. 16 to 40 in	т .	20	8 0	
platyneuron. 9 to 18 in			8 0	-
trichomanes. Maidenhair Spleenwort. 3 to 8 in	T (20	8 0	
BOTRYCHIUM ternatum, dissectum and obliquum. 4 to 16 in	T (20	8 0	
virginianum. Virginia Grape Fern. 12 to 24 in	T (20	8 0	
CAMPTOSORUS rhizophyllus. Walking Fern. 4 to 12 in			10 0	
			10 0	J
CHEILANTHES fendleri. Lip Fern	4 (_	
CYSTOPTERIS bulbifera. Bladder Fern. 12 to 24 in		75	6 0	
fragilis. Brittle Fern 4 to 12 in	Ι (00	8 o	0
DENNSTÆDTIA (Dicksonia) punctilobula. Hay-scented Fern.				
20 to 40 in	1 (00	8 o	60 00
DRYOPTERIS (Aspidium) acrostichoides. Dagger Fern. 8 to 20 in		75	6 o	
brauni. 16 to 36 in	I	50	12 5	O
cristatum. 12 to 24 in	,	75	6 0	
cristatum clintonianum. 16 to 52 in	Ι (00	8 5	
filix-mas. 12 to 44 in		50	12 5	
goldieana. Goldie's Fern. 24 to 40 in			12 5	
marginalis. Shield Fern. 12 to 28 in		75	6 0	
munitum. Chamissos Shield Fern			17 5	
noveboracensis. New York Fern		75	6 0	
spinulosa. Spinulose Shield Fern			8 0	
spinulosa dilatatum. Broad frondsthelypteris. Marsh Shield Fern			12 5 8 0	
LYGODIUM palmatum. Climbing Fern. 12 to 36 in			12 5 8 o	
MATTEUCIA (Onoclea) struthiopteris. 2 to 10 ft				
ONOCLEA sensibilis. Sensitive Fern. 4 to 12 in			8 0	
OPHIOGLOSSUM vulgatum. 12 to 42 in			8 o	
OSMUNDA cinnamômea. Cinnamon Fern. 32 to 63 in	I	50	12 0	
claytoniana. Clayton's Fern. 24 to 36 in			12 0	
gracilis. 2 to 6 in	1 (00	8 0	
regalis. Royal Fern. 12 to 63 in			12 0	
PELLÆA atropurpurea. Purple-stemmed Cliff Brake. 4 to 24 in			12 0	
densa.	1 (00	8 0	
gracilis. Slender Cliff Brake. 2 to 6 in			12 0	
PHEGOPTERIS dryopteris. Oak Fern. 6 to 10 in			8 0	
hexagonoptera. Broad Beech Fern. 7 to 12 in			8 0	
polypodioides. 4 to 8 in			8 0	
POLYPODIUM falcatum. 6 to 15 in			10 0	
vulgare. Polypody. 3 to 6 in		75	6 0	
PTERIDIUM aquilinum. Common Brake. 4 to 36 in		75	5 0	
PHYLLITIS scolopendrium (Scolopendrium vulgare)			20 0	
WOODSIA ilvensis. Rusty Woodsia			8 00	
obtusa. Blunt-lobed Woodsia. 8 to 20 in			8 00	
WOODWARDIA areolata	I	50	12 50	
virginica. Virginia Chain Fern. 24 to 64 in	1 (00	8 00)

PRICES ARE AT BOXFORD NURSERY

LANDSCAPE DEPARTMENT

Planning and Planting, and the Use of Hardy Native Plants

SEE ILLUSTRATIONS, PAGES 48 AND 49

The successful carrying out of any landscape improvement depends to so great an extent upon the knowledge, skill, and good taste of the one to whom this work is intrusted, that it is supremely important to start right, no matter whether the work be large or small.

By the employment of a trained landscape architect expensive experiments may be avoided and successful results insured. This applies to questions both of design and of practical planting.

There are so many well-trained landscape architects today that there is little excuse for anyone not having the joys that come from finely executed work that **properly fits each case.**

The undersigned takes charge of the proper laying out and planting of large and small grounds, extensive estates, parks, cemeteries, and other public or private landscape improvements. Particular attention is given to the use of hardy American plants, which are unquestionably the basis of all the best permanent plantings in this country and particularly where naturalistic effects are desired. If this fact is ignored, the most finished and lasting results cannot be secured. The formal garden, where in the past exotics have been used almost exclusively, has wonderful possibilities, not yet fully realized, for the employment of many native plants, and especially our magnificent Rhododendrons, Kalmias, and other broadleaved evergreens. These plants are not only absolutely hardy and unusually free from foreign diseases and pests, but show splendid summer and winter effects that can be produced in no other way. There are, in fact, no foreign plants which can possibly take their place.

Horticultural knowledge, including soil requirements and an intimate acquaintance with plant material, is quite as essential as and coördinate with proper designing, and these things are too often overlooked. Moreover, water-color sketches do not constitute landscape gardening. It is an art to be practised only after years of study and experience and, like painting and sculpture, must be born in one and cannot be altogether acquired.

We are not committed to the use of Native Plants exclusively, and where useful and advisable, always introduce the best exotics to produce desired results.

The undersigned is prepared to make professional visits for consultation and advice, to make surveys, plans, and designs, and to undertake the entire construction, planting, and carrying out of landscape work of all descriptions.

The wild garden, the rockery, and the bog and water garden offer possibilities in the way of interest, distinctiveness, and variety that are either almost wholly overlooked or but meagerly taken advantage of.


The mountain or seashore bungalow, the modest town home, and the pretentious estate must each have a treatment suitable to particular needs, though in every case a development should prevail that makes the most of striking natural features or topography, giving to each a character of its own.

Lack of time, distance, and other conditions may sometimes lead customers to desire a local landscape architect. I know the leading members of the profession, and at any time on request will gladly recommend landscape architects who may be safely trusted with any commission, large or small.

Correspondence with those having new grounds to lay out and plant, or unsatisfactory old grounds to make over, is solicited. Charges are reasonable, yet sufficient to warrant the best results, in fairness to my clients and myself.


HARLAN P. KELSEY, Landscape Architect SALEM, MASSACHUSETTS

STATE NORMAL SCHOOL, SALEM, MASSACHUSETTS



LANDSCAPED AND PLANTED BY HARLAN P. KELSEY


ESTATE OF JERE A. DOWNS, ESQ., WINCHESTER, MASS.



LANDSCAPED AND PLANTED BY HARLAN P. KELSEY

KELSEY'S HARDY AMERICAN PLANTS

HIGHLANDS NURSERY PRICE-LIST



Young Rhododendrons at Highlands Nursery

CATALOG OF HIGHLANDS NURSERY

PART II

At my Highlands Nursery, Pineola, North Carolina, 3,800 foot elevation, on the crest of the Alleghany Mountains, one may see Rhododendrons. Azaleas, Leucothoës, Kalmias, and Andromedas growing in all sizes by tens of thousands in single species, and nowhere else can be found such a collection of rare American plants of unquestionable hardiness—the best for American gardens.

The Carolina Mountains is the native home of the most beautiful Broad-leaved Evergreens and Ericaceous Shrubs. Highlands Nursery not only ships direct to customers, but is a great propagating plant, supplying material for my Boxford Nursery.

TREES, SHRUBS, WOODY VINES

FOR DESCRIPTIONS SEE BOXFORD NURSERY CATALOG ON PREVIOUS PAGES

 $\ensuremath{\mathsf{NOTE}}.\mathbf{--All}$ plants are transplanted and nursery-grown, unless plainly marked otherwise.

This is a catalog of nursery-grown plants growing at my Highlands Nursery, Pineola, North Carolina.

Evergreens are marked with a star (*)

*ABIES concolor. Each 6 to 12 in \$0 20 \$1 25 \$10 00 \$1,000 \$1 to 2 ft \$0 20 \$0 \$1 25 \$10 00 \$1 to 2 ft \$0 20 \$0 \$1 25 \$10 00 \$1 \$100				EV	ergreens	are	ш
I to 2 ft	*ABIES concolor. Eac	ch	1	0	100	1,00	00
To 2 ft	6 to 12 in\$o	20	\$1	25	\$10 00		
*ABIES FRASERI. 3 to 6 in	I to 2 ft						
	*ABIES FRASERI.						
	3 to 6 in	10		50	4 00	\$30	00
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		15					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			2			150	00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			5	00	40 00	300	00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$						600	00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	4 to 5 ft 2						
	5 to 6 ft 3		30	00	200 00		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$							
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2 to 3 ft	20	1	50			
saccharum. Sugar Maple. 6 to 12 in 50 4 00 25 00 1 to 2 ft 60 5 00 40 00 2 to 3 ft 75 6 00 50 00 3 to 4 ft 25 1 25 10 00 4 to 6 ft 40 3 00 25 00 spicatum. 1 to 2 ft 20 1 00 8 50 2 to 3 ft 35 2 00		30					
6 to 12 in 50 4 00 25 00 1 to 2 ft 60 5 00 40 00 25 00 2 to 3 ft 75 6 00 50 00 4 to 6 ft 25 1 25 10 00 4 to 6 ft 40 3 00 25			nole	٠.			
I to 2 ft 60 \$ 00 40 00 2 to 3 ft 75 6 00 50 00 30 00 40 00					4 00	25	00
2 to 3 ft							
3 to 4 ft 25 I 25 I0 00 4 to 6 ft 40 3 00 25 00 spicatum. I to 2 ft 20 I 00 8 50 2 to 3 ft 35 2 00				7.5			
4 to 6 ft 40 3 00 25 00 spicatum. I to 2 ft 20 I 00 8 50 2 to 3 ft 35 2 00	3 to 4 ft	25				0	
spicatum. I to 2 ft 20 I 00 8 50 2 to 3 ft 35 2 00	4 to 6 ft						
1 to 2 ft 20			-		_		
2 to 3 ft 35 2 00		20	I	00	8 50		
		35	2	00	0 -		
				50			

4 to 6 ft..... 75 5 00

ADELIA acumina	ata. S	ee Fore	${f stiera.}$
ÆSCULUS octan	dra.		
64	Each	10	100

6 to 12 in. S\$0	10	\$0 50	\$4 00	
viridis.				
I to 2 ft	20	75	6 00	
ALNUS viridis.				
2 to 4 ft., cl	50	3 00	25 00	
rugosa.				
2 to 3 ft	25	I 50		

2 to 3 ft..... 25 1 50

AMELANCHIER canadensis (botryapium).

1,000

6 00 8 00 I to 2 ft..... 15 75 T 00 20 3 to 4 ft. 6 to 8 ft. 25 I 25 10 00 4 00 6 00 50 8 to 10 ft..... 75 10 to 12 ft. 1 00 8 00

AMORPHA fruticosa.

6 to 12 in, S..... 30 2 00 10 00 glabra (montana).

1 to 2 ft..... 25 2 00 microphylla (nana).
3 to 6 in, S.... 25 2 00

GROWN IN



	нісн	LANDS	NURS	ERY PRICE-	LIST				- E
AMPELOPSIS quinquef				CALYCAN					
Each Light\$0 15 Strong25	\$0 75 \$6	1,00 5 00 \$50 5 00 80		2 to 3 f 3 to 4 f floridus.	t., cl \$ t., cl	Cach 60 25 5 45	10 2 00 4 00	\$15 00	1,000
bunda.	da. See .	Pieris flo	ori-	I to 2 f	t t	15 20	75 I 25	6 00 10 00	
mariana. See Pieris m	ariana.			3 to 4 f	t	40	2 50	20 00	
ARALIA spinosa.				CARPINUS	carolin	iana (30	ameri	cana).	
2 to 4 ft 25	1 50 12	2 50		6 to 8 f	t	50	3 00	25 00	
ARONIA arbutifolia.	1 25 10	00			ft 2 ft	70 I 00	5 00 8 00	40 00	
1 to 2 ft 30 2 to 3 ft 40	I 75 IS	5 00		CASTANEA	pumil				
3 to 4 ft 75	4 00 37	7 50	4	2 to 3 f	t t	30 40	3 00	17 50 25 00	
arbutifolia (erythroca 1 to 2 ft 35	rpa). Dw	arf varie	ty.		t t	60 75	4 50 5 00	40 00 45 00	
2 to 3 ft 50	3 00			CELASTRU					
3 to 4 ft 75 4 to 5 ft I 00	5 00 8 00				in t	20 25	I 00 I 50	8 50 12 50	
arbutifolia (erythroca 2 to 3 ft 50	rpa). Tal	1 variety	.	2 to 3 f	t	35	2 50	0-	
3 to 4 ft 75	6 00			CHAMÆDA	in	calycu 25	lata.	12 50	
melanocarpa (nigra). I to 2 ft 20	Shining h		t.	I to II	½ ft	35	2 00	12 30	
2 to 3 ft 35	2 00 I	7 50	00	CHIONAN			a. 1 00	9 00	
3 to 4 ft 60 4 to 5 ft 75	3 50 31 5 00	2 50	į	CLETHRA	acumi	I5 nata.	_	8 oo hern F	
				Bush.					cppc.
AZALE	AS			2 to 3 i	ft ft	20 25	I 00 I 50	8 50 12 50	
AZALEA ARBORESCEN	IS. Fragr	ant white	e.	4 to 6 to 8 to	ft ft	75 I 00	4 00 7 50	35 00 50 00	
6 to 12 in 35 1 to 1½ ft 60	2 00 I	7 50		alnifolia.	. Sweet	$_{ m Pepper}$	Bush		
1½ to 2 ft 75	5 00 4	2 50		I to 2 !	in ft	20 35	I 00 2 00	8 50 17 50	
6 to 12 in., cl I 00 I to 1½ ft., cl I 25	6 00 50 8 50 7	0 00 5 00		I to 1½ 1½ to	2 ft., cl 2 ft., cl	60 75	4 00 5 00	37 50 45 00	
1½ to 2 ft., cl 2 00 2 to 3 ft., cl 4 00	15 00 12 30 00	5 00		COMPTON	IIA aspl				
	endulace	a). Gr	eat	i to 2 : "Collection	ft eted"	25 10	I 50 50	12 50	\$30 00
Flame Azalea. 6 to 12 in 25	I 50 I:	2 50 100	. 00	CORNUS a	momur				
I to I½ ft 40	2 50 2	2 50 200	00		ft ft	15 20	75 1 00	6 oo 8 50	
1½ to 2 ft 50 2 to 3 ft 90	7 50 6	5 00 225 0 00		florida.	C4				
6 to 12 in., cl 50 1 to 1½ ft., cl 75	6 00 5	5 00 225 0 00 400			ft ft	20 30	1 50 2 50	12 00	
1½ to 2 ft., cl I 00 2 to 3 ft., cl I 50		5 00		CORYLUS			o	T. T.	
3 to 4 ft., cl 1 75 4 to 5 ft., cl 2 25		0 00		2 to 3	ft ft	25 35	1 50 2 50	12 50 20 00	
nudiflora. Pinxter Flo					ft ft	50 85	4 00 7 00	30 00 60 00	
6 to 12 in 25 6 to 12 in., cl 60	1 50 I 5 00 4	2 50 I00 0 00	00	rostrata.				0	
AZALEA VASEYI. Sout	-				ft ft	20 35	I 00 2 00	8 00 15 00	70 00 125 00
6 to 12 in 40	2 50 2	2 50	1		ft	75	5 00		
1 to 1½ ft 60 6 to 12 in., cl 75	6 00 5	2 50 0 00			ft	20	I 50	12 00	
I to I½ ft., cl. I oo Viscosa.	7 00			2 to 3 3 to 4	ft ft	30 40	2 00		
6 to 12 in 25			00	4 to 5	ft	60	5 00		
I to I½ ft 35 I to I½ ft., cl 75			00	punctata 6 to 12	a. : in	15	75	6 00	50 00
1½ to 2 ft., cl I 00 2 to ½ ft., cl I 25		0 00			ft ft	20 25	I 00 I 50	8 50 12 00	
BENZOIN æstivale.	10 00 0	0 00	1	3 to 4	ft ft	35 60	2 00	17 50	
I to 2 ft 20		2 00		6 to 8	ft	75	6 00	37 50	
2 to 3 ft 25 BETULA lenta.	2 00 I	5 00		DENDRIU			yllum.		
6 to 8 ft 50	3 00				ft		I 50	12 00	
8 to 10 ft 85 10 to 12 ft 1 50	6 00 12 00			2 to 3	ft	40	3 00		
BIGNONIA capreolata.				sessilifol	ft	25	2 00	16 00	
Strong 20	I 00	8 00 60	00	2 to 3	ft	40	3 00		
Strong 60	4 00			2 to 3	ft	25	2 00		
radicans.				FORESTIE	RA acu	minat	a.		

FORESTIERA acuminata. I to 2 ft...... 75 4 00

radicans.

Strong.....

20 I 00



KELSEY'S HARDY AMERICAN PLANTS

	GAYLUSSACIA baccata (resinos			LEIOPHYLLUM E				
		8 50	1,000	3- to 6-in. spr	Each \$0 20	10 \$1 00	\$8	
N	I to 2 ft 25 I 50 I	2 50		6- to 12-in. spr	. 25	1 50	12	
	ursina.			ı- to ı½-ft. spr	• 35	3 00		
	I to 2 ft 40 2 50			prostratum. 3- to 6-in. spr	25	2 00	15	00 \$130 0
	HALESIA carolina monticola.			6- to 9-in. spr	40	3 00	25	
		2 00		*LEUCOTHOE CA			0	
	3 to 4 ft 50 4 00			6 to 12 in 1 to 1½ ft	20 25	I 00 I 50	8 .	
	4 to 6 ft 75 6 00 5 6 to 8 ft 1 25 10 00	0 00		1 ½ to 2 ft	40	2 75	25	00
				6 to 12 in., cl 1 to 1½ ft., cl	50 75	3 00 4 00	27 37	
	HYDRANGEA arborescens. 1 to 2 ft., cl 30 I 75 I	5 00		1½ to 2 ft., cl	1 00	6 50	62	50
	2 to 3 ft., cl 40 2 50 2	0 00		2 to 3 ft., cl 3 to 4 ft., cl		12 00 15 00	100	00
	3 to 4 ft., cl 50 3 50 3 4 to 5 ft., cl 75 6 00	0 00		racemosa.		-3		
	*HYPERICUM aureum.			I to 2 ft., cl	25	2 07		
		6 00		2 to 3 ft., cl recurva.	40	3 00		
	1 to 2 ft. S 20 1 25 2 to 3 ft 30 2 00			6 to 12 in	20	1 00	8	00
	2 to 3 ft 30 2 00 3 to 4 ft 45 4 00			I to 2 ft		2 00	15	00
	densiflorum.			LINDERA. See Be				
		6 oo 8 oo	\$40 00	LONICERA dioica				
	2 to 3 ft 20 I 00 *prolificum.	0 00		3 to 4 ft japonica hallia		-	nlon	ta Coo
		2 00	90 00	grade of light s				
	2 to 3 ft 45 3 50 2	5 00		planting at \$30	per 1	,000.		
	ILEX decidua.			Strong	. 20	I 00	8	50 75 0
		7 00		sempervirens. I to 2 ft	. 20	1 50		
	3 to 4 ft 50 3 00 2	7 00		LYONIA ligustrin		1 30		
	4 to 6 ft 75 5 00			I to 2 ft		1 50	12	00
	monticola. Mountain Holly.	0 00		MAGNOLIA frase				
	2 to 3 ft 30 I 75 I	5 00		2 to 3 ft 4 to 6 ft		1 50 4 00	12	00
		2 50		6 to 8 ft	. 1 00	8 00		
	*opaca. American Holly.			8 to 10 ft	1 50	12 00		
	6 to 12 in 40 2 50 2	00 00	180 00	tripetala.	. 40	2 50	20	00
		27 50 37 5 0		4 to 6 ft	. 60	5 00		
	2 to 3 ft I 25 8 00	,, 5-		6 to 8 ft		6 00		ο 1
	3 to 4 ft I 75 I5 00			MALUS coronaria		ld Frag 60		Crab. 00 40 c
	verticillata. 6 to 12 in. S 15 1 00	7 00		I to 2 ft	35	2 50	18	
	I to 2 ft 30 2 00	,		2 to 3 ft 3 to 4 ft				
	ITEA virginica.			MENZIESIA pilos		0		
		5 00		I to 2 ft., cl	. 35		17	
	2 to 3 ft., cl 40 3 00			2 to 3 ft., cl 3 to 4 ft., cl			30	00
	*JUNIPERUS VIRGINIANA. 2 to 3 ft 40 3 00			MYRICA carolin	_		ra).	Norther
	3 to 4 ft 75 5 00			Bayberry.				
	4 to 6 ft 1 00 8 00 6 to 8 ft 1 60 12 00			1 to 3 in. S 3 to 6 in. S			5	00 00
				gale.	-0			
	KALMIAS (The Mountai	n La	urel)	I to 1½ ft	. 30	2 50		
				NYSSA sylvatica				00
	*KALMIA angustifolia. 6 to 12 in 20 1 25 1	00 00		I to 2 ft 2 to 3 ft			20	00
	I to 1½ ft 30 2 00 1	5 00		3 to 4 ft	. 75			
	1½ to 2 ft 50 4 00			OSTRYA virginia				00
	*KALMIA LATIFOLIA.			1 to 2 ft 2 to 3 ft		- 0	10 17	
	3 to 6 in 10 50 6 to 9 in 20 1 00	4 00 8 50	30 00 75 00	3 to 4 ft	. 50			
	9 to 12 in 25 1 50 1	12 50	100 00	OXYDENDRUM			Tro	Andron
	1 to 1½ ft 35 2 00 1 1½ to 2 ft 75 4 00 3	18 oo	160 00 325 00	eda. An unusi				
	I to 1½ It., cl I 00 6 50 6	52 50	550 00	tiful tree.	-			
	2 to 3 ft., cl 3 00 25 00	00 00		6 to 12 in			8 12	50 75 0 00 90 0
	3 to 4 ft., cl 4 oo 35 oo			1 to 2 ft 2 to 3 ft	. 25 . 35		20	00 180 0
	"Collected" Kalmia latifolia.	For	prices	3 to 4 ft	. 60	3 50	.30 45	
	and full information see pages	58 ar	d 59.	4 to 5 ft 5 to 6 ft	. 1 00		60	
	LEDUM grænlandicum (latifoli	um).		*PICEA engelman	ıni.			
	6 to 12 in 30 2 50 1 to 1½ ft 50 4 00			6 to 12 in. S 1 to 2 ft. S	. 05 . 10		3	00 20 0 00
	/ 2 30 4 00			1 00 2 10. 0	. 10	13	_	


GROWN IN THE CAROLINA MOUNTAINS

	•••	01127112	o non	
Picea pungens. Each 3 to 6 in. S\$0 10	10 \$0 35	100 \$3 00	1,000 \$20 00	*RHO DODENDRON MAXIMUM. The Great American Rosebay.
6 to 12 in. S 10	50	4 00	30 00	Each 10 100 1,000
3 to 6 in., 1 yr., tr	75	5 00	40 00	3 to 6 in\$0 15 \$0 75 \$6 00 \$50 00
6 to 12 in., 2 yr.,				9 to 12 in 25 I 25 I0 00 00 00
tr 15 1 to 2 ft 30	1 00 2 00	7 00 15 00	60 00	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
*PIERIS (Andromeda)		_		9 to 18 in., cl I 25 7 00 60 00 500 00
6 to 12 in 1 00	8 00	70 00		1½ to 2 ft., cl 1 50 12 00 100 00 850 00 2 to 3 ft., cl 2 25 17 50 150 00
I to 1½ ft I 50	12 50	100 00		3 to 4 ft., cl 4 00 35 00
1½ to 2 ft 2 00	18 00	170 00		4 to 5 ft., cl 6 oo "Collected" Rhododendrons. I supply
mariana. 1 to 2 ft., cl 50	4 00			
*PINUS var. austriaca.				the finest "collected" clumps of Rhodo- dendron maximum and R. catawbiense by
I to 2 ft 40	3 00	25 00		the carload and by the thousand. For prices
2 to 3 ft 75	6 oo 8 oo	50 00 70 00		and full information see pages 58 and 59.
3 to 4 ft I 00 *banksiana (divaricat		70 00		RHUS copallina. Sumac.
2 to 3 ft 30	2 00	16 00		I to 2 ft 20 I 25 IO 00
3 to 4 ft 40	2 50	20 00 30 00	0	2 to 3 ft 30 I 75 I5 00
4 to 6 ft 75 6 to 8 ft 1 00	5 00 6 00	50 00		3 to 4 ft 40 2 50 cotinoides. Southern Smoke Tree.
8 to 10 ft 1 25	10 00	70 00		Specimens. \$1 to 6 oo
*echinata. 6 to 12 in 35	3 00			glabra.
6 to 12 in 35 1 to 2 ft 45	4 00			2 to 3 ft 20 I 00 3 to 4 ft 30 2 50
*flexilis.				typhina (hirta).
3 to 6 in 20	1 50	10 00		2 to 3 ft 25 I 50 I2 00
*ponderosa. 3 to 6 in 10	75	5 00	40 00	4 to 6 ft 40 2 50 20 00
6 to 12 in 10	75	6 00	50 00	RIBES cynosbati. I to 2 ft 30 2 50
I to 2 ft 20	1 50	12 00		2 to 3 ft 50 3 50
*pungens. 6 to 8 ft 75	6 00	50 00		rotundifolium.
8 to 10 ft 1 00	7 00	60 00		2 to 3 ft 30 2 50
*resinosa.			,	ROBINIA hispida. I to 2 ft 20 I 00 8 00
6 to 12 in. S 15 1 to 2 ft. S 20	1 00 1 25	7 00 9 00	60 00 80 00	2 to 3 ft 35 2 50 15 00
6 to 12 in 25	2 00	16 00	120 00	kelseyi. 6 to 12 in 30 2 50
I to 2 ft 50 2 to 3 ft 75	3 00 5 00	25 00 40 00		6 to 12 in 30 2 50 1 to 2 ft 40 3 00
*rigida.	•			viscosa.
4 to 6 ft 60	5 00	45 00		3 to 4 ft 35 2 00 4 to 6 ft 50 3 50
6 to 8 ft 75	6 00	50 00	300 00	ROSA arkansana.
*strobus. 3 to 12 in	1 00	8 00		2 to 3 ft 40 3 00
I to 2 ft 25	1 50	12 00		blanda.
2 to 3 ft 60 3 to 4 ft I 00	4 00 8 00			2 to 3 ft 45 4 00 30 00 carolina.
4 to 6 ft 2 00	18 00			6 to 12 in. S 05 40 3 00
*PSEUDOTSUGA doug	lasi (ta	xifolia).		I to 2 ft 15 75 6 00 50 00 2 to 3 ft 20 I 00 8 00 70 00
Douglas Spruce.	30	2 50	20 00	3 to 4 ft 30 2 50 15 00
6 to 12 in. S 10	45	3 50	30 00	humilis.
3 to 6 in 20 6 to 12 in 25	I 00 I 50	8 00 12 00	70 00 100 00	6 to 12 in 20 I 00 I to 2 ft 25 I 50
I to 2 ft 40	3 00	20 00		lucida (virginiana).
*RHODODENDRON CA	ROLI	NIANUN	1.	6 to 12 in. S 10 75 5 00
3 to 6 in 30 6 to 9 in 40	2 00 2 50		150 00 200 00	ı to 2 ft 25 2 00 18 00 nitida.
9 to 12 in 60	4 50		350 00	6 to 12 in 20 I 25 IO 00
6 to 9 in., cl 1 00 9 to 12 in., cl 1 50	7 00 10 00	65 00 90 00	1	I to 2 ft 30 I 75 I5 00
I to 1½ ft., cl 1 75	12 50	110 00		rubiginosa. 6 to 12 in. S 10 75 6 00
1½ to 2 ft., cl 3 00 2 to ½ ft., cl 4 00	27 50 35 00	250 00 300 00		I to 2 ft I5 I 25 8 00
				RUBUS canadensis.
*RHODODENDON CA' 3 to 6 in 20	I AWBI	8 50	75 00	I to 3 ft IS 75 6 00 50 00 laciniatus.
6 to 9 in 25	1 50	12 50	100 00	1 to 2 ft 25 2 00 15 00
9 to 12 in 35 1 to 1½ ft 50	2 00 3 00	18 00 25 00		odoratus.
I½ to 2 ft 65	5 00	40 00	100.00	6 to 12 in 10 60 4 00
3 to 6 in., cl 75 6 to 9 in., cl 1 00	6 00 7 00	50 00 55 00	400 00 450 00	SAMBUCUS canadensis. 6 to 12 in. S 10 50 3 00 25 00
9 to 12 in., cl 1 25	9 00	75 00	600 00	3 to 4 ft 25 2 00
I to 1½ ft., cl 1 50 1½ to 2 ft., cl 2 00	16 00	90 00 135 00 1	750 00	4 to 6 ft 40 3 50 25 00
2 to 3 ft., cl 3 00	25 00 40 00	200 00 I		racemosa. 2 to 3 ft 25 I 50
3 to 4 ft., cl 5 oo 4 to 5 ft., cl 7 oo	60 00	375 00		3 to 4 ft 40 3 00
			5	2



KELSEY'S HARDY AMERICAN PLANTS

	STEWARTIA pentagyna. Southern Stewartia.	Vaccinium pennsylvanicum.		
	Each 10 100 1,000	Each 10	100	1,000
	I to 2 ft\$0 40 \$2 50 \$20 00	3 to 6 in\$0 30 \$1 75		
•	2 to 3 ft 75 4 00 35 00 3 to 4 ft 1 00 6 50 60 00	stamineum.		
	4 to 6 ft 2 00 15 00	I to I½ ft 25 2 00	\$16 00	
		1½ to 2 ft 35 3 00 1 to 1½ ft., cl. 50 3 50	25 00	
	SYMPHORICARPOS occidentalis.	I to 1½ ft., cl 50 3 50 1½ to 2 ft., cl 75 5 00	30 00 40 00	
	I to 2 ft 30 2 00	2 to 3 ft., cl I 00 8 00	40 00	
	TECOMA. See Bignonia.	VIBURNUM acerifolium.		
	TILIA americana.	6 to 12 in 15 75	5 00	
	2 to 3 ft 20 I 00 8 00	I to 2 ft 20 I 25	10 00	
	The state of the s	2 to 3 ft 30 2 00	18 00	
	*TSUGA CANADENSIS. Canadian Hemlock.	3 to 4 ft 50 3 50		
	6 to 12 in 20 I 25 I0 00 90 00 I to 1½ ft 25 I 50 I2 50 I10 00	alnifolium.		
	1½ to 2 ft 50 3 00 27 50 250 00	I to 2 ft 30 I 75		
	2 to 3 ft I 00 7 00 65 00	2 to 3 ft 40 2 50 3 to 4 ft 75 4 00		
	3 to 4 ft I 50 I2 50 II0 00	4 to 6 ft 1 00 6 00		
	4 to 5 ft 2 25 20 00 180 00	·		
	5 to 6 ft 3 75 35 00 300 00	VIBURNUM CASSINOIDES.	0	
	6 to 7 ft 6 oo 50 oo 450 oo 7 to 8 ft 8 oo 70 oo	6 to 12 in 20 I 00	8 00 12 00	
	8 to 10 ft10 00 90 00	I to 2 ft 25 I 50 2 to 3 ft 30 I 75	15 00	
	IO to 12 ft I2 50 I20 00	3 to 4 ft., cl 75 4 00		\$250 00
	*TSUGA CAROLINIANA. Carolina Hemlock.	4 to 6 ft., cl I 00 6 00	50 00	
	2 to 3 in. S 15 75 5 00 40 00	6 to 8 ft., cl I 50 I2 00		
	3 to 6 in. S 20 90 7 00 60 00	dentatum.		
	3 to 6 in 25 I 00 8 00	6 to 12 in. S 10 60	5 00	
	6 to 12 in 75 6 00 50 00	I to 2 ft. S 15 I 00	8 00	
	I to I ½ ft I 00 8 00	1 to 2 ft 20 1 50 2 to 3 ft., cl 35 3 00	10 00	
	1½ to 2 ft 1 50 12 00	2 to 3 ft., cl 35 3 00 4 to 5 ft., cl 75 6 00		
	2 to 3 ft 2 00 15 00 3 to 4 ft 4 00 30 00			
	4 to 5 ft 6 00 50 00	opulus. 1 to 2 ft 20 1 50	10 00	
	5 to 6 ft 9 00 80 00	2 to 3 ft 30 2 50	20 00	
	6 to 7 ft14 00 120 00	3 to 4 ft 40 3 50		
	7 to 8 ft16 oo	4 to 6 ft 60 5 00		
	8 to 10 ft20 00	WISTERIA sinensis alba.		
	VACCINIUM erythrocarpum.	6 to 12 in 25 2 00		
	I to 2 ft 50 4 00	I to 2 ft 40 3 50		
	*macrocarpon. American Cranberry.	ZANTHORHIZA APIIFOLIA.	Yellow	-Root.
	Clumps 10 75 5 00 40 00	3 to 6 in 10 50	4 00	30 00
	pallidum.	6 to 12 in 15 75	5 00	40 0
	6 to 12 in 30 2 00 17 50	I to I ¹ / ₂ ft 20 90	7 00	60 00
	I to 2 ft 40 3 00 20 00	3 to 6 in., cl 20 I 00 6 to 12 in., cl 25 I 25	6 00 8 00	70 00
	1 to 2 ft., cl 60 4 00 30 00 2 to 3 ft., cl 80 6 00 50 00	I to 1½ ft., cl 35 2 50	18 00	150 00
	2 10 3 11., 11 33 0 00 30 00	1 20 2/2 201, 011. 33		0 - 0.



Epigaea repens (Mayflower, or Trailing Arbutus). See page 55

HIGHLANDS NURSERY PRICE-LIST

HARDY HERBACEOUS PERENNIALS, VINES, AQUATICS, FERNS, ORCHIDS, LILIES, AND BULBOUS PLANTS

•	E	ach	10	100	1,000
ACONITUM reclinatum			\$3 o o		
uncinatum		20	I 00	фо	
ACORUS calamus		20	I 00	\$8 00	
ACTÆA albarubra		30 30	I 75 I 75	16 00	
ALLIUM cernuum		20	I 25	8 00	
tricoccum		20	1 00	0 00	
AMSONIA tabernæmontana. Clumps		20	1 00	8 oo	
ARCHANGELICA hirsuta		15	75	6 00	
ARISÆMA triphyllum		20	I 00	8 00	
ARTEMISIA gracilis		40	2 50		
ASARUM macranthum		20	I 00		
ASTERS, in variety—acuminatus, cordifolius, macro					
puniceus, umbellatus		20	I 00	8 00	\$70 00
CACTI, Hardy Species Cactus—Opuntia arenaria,					
camanchica, Opuntia major, Opuntia humifu chila, Opuntia humifusa greeni, Opuntia pol		85	5 00	25 00	
	POGON	03	3 00	35 00	
	chellus	25	I 50	12 00	
	PANULA	J			
	ricata	20	I 00		
*CARE	X fraseri	20	I 25	· IO OO	80 00
CHA	MÆLI-		Ü		
	M luteum	20	I 00	8 00	70 00
CHE	LONE				
	ora	20	I 00	8 00	70 00
	1i	20	1 00	8 00	70 0 0
	UTA culata	20	I 00		
	CIFUGA	20	1 00		
	ericana	20	1 00	8 00	70 00
	mosa	15	75	6 00	50 00
	MATIS				
from	pa nonti	40 30	2 75 2 00	20 00	
	lba	30	I 75	16 00	
*CLINTONIA umbellulata		15	75	6 00	
COLLINSONIA canadensis		15	75	6 00	
CONVALLARIA majalis		15	75	5 00	
COREOPSIS lanceolata		15	75	6 00	
major		15	75	6 00	
roseaverticillata		20 20	I 00	8 oo 8 oo	
CYPRIPEDIUM acaule. Light		15	75	5 00	40 00
Strong		20	1 25	10 00	70 00
reginæ. Light		15	75	5 00	40 00
Strong		20	1 25	10 00	8 o oo
DICENTRA eximia		20	1 50	12 00	
DIOSCOREA villosa		20	I 00	7 00	
DISPOSITION TO STATE OF THE STA		20	I 25	10 00	
*FPIC FA renews Trailing Arbutus Fatablished alumny		20	1 25	9 00	
*EPIGÆA repens. Trailing Arbutus. Established clumps "Collected" clumps		40 25	2 50 I 50	22 50 12 00	100 00
ERYTHRONIUM americanum		10	50	2 00	16 00
EUPATORIUM urticæfolium		20	I 25	10 00	
perfoliatum		20	I 25	10 00	
purpureum		25	I 50	12 50	
EUPHORBIA corollata		20	1 00	8 00	



KELSEY'S HARDY AMERICAN PLANTS

FERNS,	HARDY	NATIVE	SPECIES
--------	-------	--------	---------

PERIOS, HARDI NATIVE SPE		-3		
	ach	10	100	1,000
ADIANTUM pedatum\$6	20		\$10 00	
ASPLENIUM filix-fæmina	20	I 00	8 00	
*BOTRYCHIUM virginianum	20	I 00	7 00	
*DRYOPTERIS goldieana	20	I 25	10 00	
*marginalis	20	1 00	8 o o	\$60 00
*noveboracensis	20	I 00	8 00	
*spinulosa	20	1 00	8 00	60 00
thelypteris	20	1 00	8 00	
ONOCLEA sensibilis	20	1 00	8 00	
OSMUNDA cinnamomea, claytoniana, and regalis	25	I 50	12 00	100 00
*POLYPODIUM vulgare	15	75	6 o o	35 00
*POLYSTICHUM acrostichoides	20	1 00	8 00	00
PTERIDIUM aquilinum			6 00	50 00
r i Liviolii adaimaii	15	75	0 00	30 00
*GALAX aphylla. Established clumps	25	1 50	12 00	90 00
"Collected" clumps	20	1 00	8 00	50 00
GAULTHERIA procumbens. Clumps	25	I 50	10 00	
GILLENIA stipulata. Strong	20	I 00	8 00	
GENTIANA andrewsi. Light	15	75	5 00	35 00
Strong.	20	I 00	6 00	50 00
HABENARIA ciliaris	20	I 00	8 00	J
HELIANTHUS strumosus	20	1 00	8 00	
*HELONIAS bullata	20	1 00	8 00	
HEPATICA acutiloba		1 00	8 00	
	20			
HEUCHERA americana and villosa	20	1 00	8 00	
HOUSTONIA purpurea and serpyllifolia	15	75	6 00	40 00
HUMULUS lupulus	20	I 00	8 00	
IRIS cristata	25	1 5 0	10 00	80 00
pseudacorus	20	1 00	8 00	
*verna. Clumps	25	1 50	10 00	
LIATRIS (Lacinaria) spicata	20	1 00	8 00	
spicata montana	20	1 00		
LILIES				
LILIUM canadense. Wild Yellow Lily. 2nd size	10	60	5 00	
carolinianum. Carolina Lily. 1 yr. from scales	15	50	4 00	25 00
2nd size	20	1 00	7 00	
Tak alaa	0.5	T 0 F	TO 00	

LILIUM canadense. Wild Yellow Lily. 2nd size	10	60	5 00	
carolinianum. Carolina Lily. 1 yr. from scales	15	50	4 00	25 00
2nd size	20	1 00	7 00	
ıst size	25	1 25	10 00	
grayi. 1 yr. from scales	10	50	4 00	35 00
and size	20	1 00	6 00	50 00
ıst size	25	1 25	10 00	80 00
superbum. Turk's-Cap Lily. 3rd size	10	40	2 00	18 oo
2nd size	15	75	5 00	30 00
Ist size	20	I 00	8 oo	60 00
MITCHELLA repens. Clumps	25	I 50	10 00	
MONARDA didyma	20	1 25	10 00	
OAKESIA sessilifolia	20	1 00	8 00	
ORONTIUM aquaticum	25	1 50		
PANAX (Aralia) quinquefolium. 3rd size		60	5 00	35 00



Shortia. One of our choicest introductions


2nd size Ist size		I	85 25	5 00 7 5 0 10 00	35 00 65 00 90 00
PODOPHYLLUM peltatum	15		75	6 00	
POLYGONATUM biflorum commutatum	15 20	1	7 5	6 oo 8 oo	
*POTENTILLA tridentata	20	I	00	8 00	
SANGUINARIA canadensis. Bloodroot. Strong (Sanguinaria is shipped entirely at consignee's risk.)	15		75	6 00	36 00

GROWN IN THE CAROLINA MOUNTAINS

	Each	10	100	1,000
SAXIFRAGA leucanthemifolia\$	0 25	\$1 50		
*SHORTIA galacifolia. 2nd size	35	2 00	\$18 00	
SILENE stellata	20	1 00	8 oo	
virginica	20	I 25	10 00	
SOLIDAGO canadensis, bootti, erecta, glomerata, odora,				
pallida, patula, pubens, and rugosa	20	I 00	8 00	\$6 5 00
STEIRONEMA ciliatum, quadrifolium, and terrestris	15	75	6 00	
STENANTHIUM robustum. Mountain Feather Fleece.				
3rd size	20	I 00	8 00	60 oo
2nd size	25	I 50	12 50	100 00
ıst size	50	3 00	26 00	
THERMOPSIS caroliniana. Strong	20	I 00	8 00	
Light	10	60	5 00	
TRADESCANTIA virginiana	20	1 00	8 00	
TRILLIUM erectum. 2nd size	10	40	3 00	18 00
ıst size	15	75	5 00	30 00
erectum var. album. Strong	20	I 00	8 00	
recurvatumstylosum. 2nd size	1 5	75 60	6 00	50 00
Ist size	15	75	4 00 6 00	30 00 50 00
undulatum. 2nd size	10	60	4 00	30 00
Ist size	15	75	6 00	40 00
UVULARIA perfoliata	20	1 00	8 00	
VINCA minor. Strong	20	1 00	8 00	
VIOLA cucullata	20	1 00	8 00	
pedata	20	1 00	8 00	
pedata bicolor	30	I 75	14 00	
rotundifolia	20	I 00	8 oo	
sagittata	20	1 00		
*XEROPHYLLUM asphodeloides	3 5	2 00	15 00	
YUCCA filamentosa. 2-yr. seedlings	10	40	3 00	20 00
*flaccida	20	1 00	8 00	60 00
*glauca	25	1 50	12 50	
ZYGADENUS muscætoxicus	15	75	6 00	



Stenanthium robustum at Highlands Nursery



RHODODENDRONS AND MOUNTAIN LAUREL

"COLLECTED" CLUMPS BY THE CARLOAD

Delivered at your station. To be shipped from point determined by me

For the area covered and effect produced, a carload of Rhododendrons or Kalmias, offered herein, is the cheapest landscape proposition offered. I ship an unusual grade of splendid clumps, each plant a specimen and burlaped separately. Don't accept cheap stock, thrown into cars without burlaping, and with the fine, hair-like rootlets inevitably exposed. You will be disappointed and find it expensive in the end. While fine results may be had from "collected" Rhododendrons, particularly if purchased from a reliable source, where greatest care is used in digging and handling, results are never so sure as when nursery-grown stock is used.

RHODODENDRON CATAWBIENSE "Collected" Clumps

Each plant collected from the open. Prices, delivered f. o. b. your station, if east of the Mississippi River. These prices are net and subject to no discount. Burlaping is not charged extra on these special car offers.

Car containing 200																			
Car containing 300	clumps,	Ι.	to 3½	ft.,	for.										 	 	 	380	00
Car containing 400	clumps,	Ι.	to 3½	ft.,	for.										 	 	 	480	00
Car containing 600	clumps,	I 1	to 3½	ft.,	for.									٠.	 	 	 	600	00
	Ot	hei	r comb	oina	tions	s and	l siz	es	quo	ted	on	ree	que	st.					

RHODODENDRON MAXIMUM "Collected" Clumps

Prices in carload lots, delivered f. o. b. your station, if east of the Mississippi River. Collected from open ground. These prices are net and subject to no discount. Burlaping is not charged extra on these special car offers.

 Car containing 300 clumps, $1\frac{1}{2}$ to 4 ft., for
 \$300 00

 Car containing 400 clumps, $1\frac{1}{2}$ to 4 ft., for
 375 00

 Car containing 600 clumps, $1\frac{1}{2}$ to 4 ft., for
 500 00

 Other sizes or combinations
 500 00

will be made up to suit customers. It is far cheaper to buy my kind at slightly increased price, and



Rhododendron catawbiense as grown in "clumps" at Highlands Nursery

CAROLINA MOUNTAINS THEGROWN IN

HIGHLANDS NURSERY PRICE-LIST

RHODODENDRON MAXIMUM AND R. CATAWBIENSE "Collected" Clumps by the carload

Mixed cars, delivered free at any station east of the Mississippi River. These prices are net and subject to no discount. Burlaping is not charged extra on these special car offers.

Car containing 150 maximum and 150 catawbiense, collected as above, 11/2 to 4 ft., clumpstotal of 300—for \$400. Car containing 250 maximum and 250 catawbiense, 11/2 to 4 ft., clumpstotal of 500-for \$550.

KALMIA LATIFOLIA (MOUNTAIN LAUREL)

"Collected" Clumps by the carload

Highest-class clumps collected from the open, delivered free at your station, if east of the Mississippi River. These prices are net and subject to no discount. Burlaping is not charged extra on these special car offers.

Car containing 400 clumps, I to 3½ ft., for \$375. Kalmia may be added to help fill any Rho-

dodendron car at 90 cts. per clump, not less than 100 clumps in shipment.

The above "carload" offers are made with a view of furnishing a variety of sizes that will permit of naturalistic grouping.

Have your clumps burlaped. It is the only proper way to handle specimen plants. See below for cost

"COLLECTED" RHODODENDRONS AND KALMIA BY THE 100 AND 1,000 AND FREIGHT INFORMATION

The number that may be shipped in a car varies largely, depending on sizes. The minimum weight allowed per car is 16,000 pounds, with a freight rate from my Highlands Nursery to Baltimore of \$84, New York \$88, and Boston \$96.

A car may easily be loaded much heavier, with proportionate increased freight charge, but not

increasing the cost per plant.

A full car travels with greater safety than one with a small load.

All "clumps" offered below are collected with a good ball and are burlaped separately.

Burlaping is charged at cost, as below. We always burlap clumps unless expressly ordered otherwise

PRICES OF "COLLECTED" CLUMPS OF RHODODENDRONS AND KALMIAS

TRICES OF COLLEGED CECIMIS OF KINDDODEND	VOITO A	HD IN	LIVITAS
RHODODENDRON catawbiense. Each	10	100	1,000
I to 2 ft., "collected" clumps\$1 50	\$10 00	\$80 00	\$700 00
2 to 3 ft., "collected" clumps 2 00	15 00	130 00	1,000 00
3 to 4 ft., "collected" clumps 3 00	25 00	220 00	
4 to 5 ft., "collected" clumps 5 00	40 00	350 00	
maximum. The Great American Rosebay.			
I to 2 ft., "collected" clumps I 25	8 00	70 00	650 00
2 to 3 ft., "collected" clumps 2 00	12 50	100 00	850 co
3 to 4 ft., "collected" clumps	20 00	160 00	1,400 00
4 to 5 ft., "collected" clumps 4 00	30 00	275 00	2,500 00
5 to 6 ft., "collected" clumps 6 oo	50 00	400 00	
6 to 7 ft., "collected" clumps 8 00	65 00	540 00	
KALMIA latifolia. Mountain Laurel.			
I to 2 ft., "collected" clumps	7 00	60 00	550 00
2 to 3 ft., "collected" clumps	12 50	100 00	850 00
3 to 4 ft., "collected" clumps	17 50	150 00	1,300 00

BURLAPING

It always pays to burlap the larger sizes of trees and shrubs, especially evergreens, even if planted the same day. No charge is made for burlaping single plants as quoted. Otherwise burlaping is charged as follows:

2 to 3 ft., clumps and trees, 5 cents each

3 to 4 ft., clumps and trees, 7 cents each
4 to 6 ft., clumps and trees, 8 cents each
6 to 8 ft., clumps and trees, 10 cents each
and larger sizes in proportion. Unless instructed to the contrary, I assume customers desire proper burlaping, which will be added to the invoice.

Always address,

HARLAN P. KELSEY, Owner Salem, Massachusetts

KELSEY'S HARDY AMERICAN PLANTS



Linville River Railway



Estimating poplar blocks used in making wooden bowls



Cranberry, N. C., iron mines



Seedlings and seed beds at Highlands Nursery



Single specimens of Rhododendrons and Kalmias at Highlands Nursery



View from Grandfather Mountain, 5,978 feet elevation, in the Carolina mountains

A TRIP TO HIGHLANDS NURSERY AND THE HIGH CAROLINA MOUNTAINS

To the botanist or the lover of wild landscape beauty there is perhaps no spot in the eastern United States that appeals more strongly than the high Carolina mountain region, with its wealth of rare flora and sublime mountain peaks and ranges, reaching an extreme elevation of 6,600 feet. Right in the heart of these high mountains, at 3,800 feet elevation, is located the Highlands Nursery, a unique establishment started over 20 years ago to grow the hardiest of our choice native Rhododendrons, Azaleas, and other beautiful native trees, shrubs, and flowers that grow here in a variety and profusion entirely unknown elsewhere in America. Many visitors come from all parts of the United States just to see our Nursery, but we want many more, and can assure you that a ride to the top of Grandfather Mountain is alone worth the trip.

HOW TO COME

Highlands Nursery is not inaccessible. The best way is to buy an excursion ticket from any large city to Cranberry, N. C., via Johnson City, Tenn. At Johnson City you leave the "broad-gauge" Southern Railway and take a "narrow-gauge" train up through the wild "Doe Gorge" to Cranberry, where after dinner you board the Linville River Railway train, hauled by a "Shay" locomotive, for the terminus, Pineola, N. C., arriving perhaps an hour and a half later. We have pictured a very few of the interesting scenes along the route, not forgetting a bit or two of our Nursery, for, after all, that is our main reason for wanting you to come. At Pineola Station our Superintendent will meet you with a carriage if notified in advance, and aid in mapping out any trip you may wish to take through the mountains. There are good inns at Pineola and Linville, but a short distance from Highlands Nursery. Fuller information will gladly be given to those interested. Please write direct to

HARLAN P. KELSEY, Owner SALEM, MASSACHUSETTS

WHEN ORDERING PLEASE NOTE

USE PRINTED ORDER FORM; it aids in filling your order accurately and promptly

) State from which Nursery you wish order sent, and use BOXFORD NURSERY HIGHLANDS NURSERY | corresponding price-list.

HIGHLANDS NURSERY SHIPMENTS are made from Pineola, N. C., freight station. Freight and express rates gladly quoted. Via Norfolk steamship lines, deliveries to northern and eastern points are quick and rates are low.

BOXFORD NURSERY SHIPMENTS are made from Boxford, Mass., station, or by truck delivery to nearby points. Trucking charged for at cost.

PACKING CHARGES free at prices quoted in this catalog for freight and express shipments.

FALL SHIPPING BEGINS IN AUGUST, when I send out large Rhododendrons, Kalmias, and other evergreens, and bulbs and herbaceous plants, general stock going out in October and November. In spring shipments are made from about March 1 to May 15. Give shipping instructions, unless you wish to leave it to me, when I use my best judgment. but assume no risk.

SHIPMENTS OF "COLLECTED" RHODODENDRON MAXIMUM and KAL-MIAS are from my special fields in Pennsylvania and the South, depending on destination and quality of stock desired. The best clumps come from the South, from high altitudes. "Collected" Rhododendron catawbiense comes only from the South.

PRICES are made to fit the quality of stock sent out. Few realize that the real value of nursery stock is largely underground. Frequent transplanting, and handling specimens with adequate, burlaped balls means success and quick results. It costs more, but it is the fixed policy of the Boxford Nursery; and "cheap" stock will not be handled or sent out. **The best** is always the cheapest.

AN EXTRA PRICE is always charged for special selection on the grounds.

Prices quoted in this catalog are net. I offer no premiums, discounts, or gratuities to private gardeners, superintendents, or other employees.

Nurserymen, landscape architects, and superintendents of parks, cemeteries, and other public works are requested to apply for special rates.

TERMS

TERMS cash, or satisfactory references from unknown parties. Accounts due the first of each month, unless by special arrangement. Five plants are sold at 10 rate, 50 at 100 rate, 500 at 1,000 rate.

PRICES QUOTED are for grades as specified. For extra selection an extra charge is made to fit the value of the plants.

SEND FOREIGN REMITTANCES BY POSTAL MONEY ORDER, drawn on Salem. Mass., post office, or by New York or Boston exchange. An American dollar equals four shillings, four marks, or five francs.

PACKING CHARGES, EXCEPT BURLAPING, FREE, at prices in this catalog for shipment by freight or express. Team and auto delivery to North Shore or Boston points at reasonable cost.

GUARANTEE

No guarantee, expressed or implied, is made that stock will grow whether planted by me or not.

obvious that purchaser must assume all responsibility after delivery in good condition.

All shipments travel at consignee's risk, and transportation companies must be held

Having no control over after-treatment of plantings, or over weather conditions, it is

liable for damage in transit.

Claims for errors must be made on receipt of goods. If there is any mistake or fault on my part, it will gladly be rectified.

HIGHLANDS NURSERY

3,800 Feet Elevation in the Carolina Mountains

HARLAN P. KELSEY, Owner BOXFORD NURSERY, Boxford, Mass. SALEM, MASSACHUSETTS

J. HORACE McFarland Company, Horticultural Printers, Harrisburg, Pa.

Kelsey's Hardy American Rhododendrons, Azaleas and Carolina Mountain Flowers

Ferns, Cacti, Insectivorous Plants, Ground Covers and Plants for Rock, Water and Bog Gardens, Woodlands and Borders, and all *Permanent* Plantings



Azalea lutea (calendulacea) GREAT FLAME AZALEA

The most regal of all the species, native or exotic, and a noble representative of our rich Carolina mountain flora. The great botanist Bartram, speaking of it in his "Travels," calls it the "fiery Azalea," and says: "This epithet fiery I annex to this most celebrated species of Azalea as being expressive of the appearance of its flowers, which are in general of the color of the finest red lead, orange and bright gold as well as yellow and cream-color. This is certainly the most gay and brilliant-flowering shrub yet known." No more striking land-scape effect can be produced than a hillside of A. lutea in full bloom. Nearly all quoted above 18 in. are budded. See color illustration on front cover.

HARLAN P. KELSEY, Owner, Salem, Massachusetts